VDA Verband der Automobilindustrie

Packaging delivery - early notification

Recommendation VDA 4943 Part 1

Version 3.0, March 2022



Short Description

This recommendation describes the use of UN/Edifact message DEADV for early delivery notifications in the packaging supply chain of the automotive industry. The recommendation is identical to Odette OM34.

Disclaimer

The VDA Recommendations are recommendations that may be freely adopted by anyone. Users are responsible for correct implementation of the recommendations as required on a case-by-case basis.

The recommendations take into account the prevailing technology at the time of publication. Use of the VDA Recommendations does not absolve anyone from responsibility for his/her own actions, and all users act at their own risk. Liability of VDA and those involved in drafting of VDA Recommendations is excluded.

If you notice any errors, omissions or ambiguities in these recommendations, please contact VDA without delay so that these errors can be rectified.

Publisher	Verband der Automobilindustrie e.V. (VDA) Behrenstrasse 35, 10117 Berlin www.vda.de This recommendation was developed by AK SID together with an Odette project group.

Copyright	Verband der Automobilindustrie e.V. (VDA) Reprint, also in extracts, is only permitted, if the source is stated

Version	Version 3.0, March 2022

Table of contents

Table of contents 3
List of changes 4
Structure of an UN/EDIFACT interchange 7
Branching diagram 8
Message structure 11
Segment details 13
Applicable codes 65

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

List of changes

No.	Change Change Request	Date	Version	Segment(-group) and data element
01	2020-035 07A --> 20B	2022-01-21	3.0	03 UNH S009 0054 Message header
02	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	3.0	42 UNZ Interchange trailer
03	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	3.0	41 UNT Message trailer
04	2021-018 Code changed: GAVU21 --> GAVU30	2022-01-20	3.0	03 UNH S009 0057 Message header
05	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	3.0	03 UNH Message header
06	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	3.0	02 UNB Interchange header
07	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	3.0	01 UNA Service string advice
08	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	3.0	
09	2021-008 Neue / new SG: Subset ID	2021-07-07	3.0	07 SG1 RFF *SG1#1* Subset ID Subset ID
10	2019-036 Status O --> R	2019-12-31	2.1	36 SG12 PAC C532 8393 *SG11#2\SG12#1* Group of packaging items Packaging
11	2019-036 Status D --> N	2019-12-31	2.1	36 SG12 PAC C532 8395 *SG11#2\SG12#1* Group of packaging items Packaging

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

List of changes

No.	Change Change Request	Date	Version	Segment(-group) and data element
12	2019-036 New code: O92	2019-12-31	2.1	36 SG12 PAC C402 7143 *SG11#2\SG12#1* Group of packaging items Packaging
13	2019-036 New codes: X1, X2, X3	2019-12-31	2.1	36 SG12 PAC C402 7143 *SG11#2\SG12#1* Group of packaging items Packaging
14	2019-036 Status D --> R	2019-12-31	2.1	36 SG12 PAC C402 7143 *SG11#2\SG12#1* Group of packaging items Packaging
15	2019-036 Remark changed.	2019-12-31	2.1	36 SG12 PAC C202 7065 *SG11#2\SG12#1* Group of packaging items Packaging
16	2019-036 Remark gelöscht / deleted: Ist ein Code für das Gebinde verfügbar, soll er hier angegeben werden. Falls kein Gebindetyp angegeben werden kann, bleibt C202 leer. In diesem Fall müssen die Länge, Breite und Höhe der Ladeeinheit angegeben werden. If a package type code is available for the bundle, it should be specified here. If no bundle type can be specified, C202 remains empty. In this case, the length, width and height of the load unit must be specified.	2019-12-31	2.1	36 SG12 PAC C202 *SG11#2\SG12#1* Group of packaging items Packaging
17	2019-036 Status D --> R	2019-12-31	2.1	36 SG12 PAC C202 *SG11#2\SG12#1* Group of packaging items Packaging
18	2019-036 Remark changed.	2019-12-31	2.1	19 SG2 LOC C519 3223 *SG2#4* Ship to Place of discharge / unloading point
19	2019-036 O91 --> O92	2019-12-31	2.1	19 SG2 LOC C517 3055 *SG2#4* Ship to Place of discharge / unloading point
20	2019-036 Remark changed.	2019-12-31	2.1	15 SG2 LOC C519 3223 *SG2#3* Ship from Shipping location/ Place of loading
21	2019-036 Remark changed.	2019-12-31	2.1	15 SG2 LOC *SG2#3* Ship from Shipping location/ Place of loading

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

List of changes

No.	Change Change Request	Date	Version	Segment(-group) and data element
22	2019-036 Deleted: RFF+VA	2019-12-31	2.1	14 SG2 NAD *SG2#3* Ship from Ship from - name and address
23	2019-036 Remark changed.	2019-12-31	2.1	11 SG2 NAD *SG2#2* Message recipient Message recipient - name and address
24	2019-036 Status R --> O	2019-12-31	2.1	SG2 Message recipient
25	2019-036 Remark changed.	2019-12-31	2.1	08 SG2 NAD *SG2#1* Message sender Message sender - name and address
26	2019-036 Status R --> O	2019-12-31	2.1	SG2 Message sender
27	2019-036 Format an..70 --> an..35	2019-12-31	2.1	04 BGM C106 1004 Beginning of message
28	2019-036 Code changed: GAVU20 --> GAVU21	2019-12-31	2.1	03 UNH S009 0057 Message header
29	Beschluss des AK SID 2019-03 Code changed: GBOE10 --> GAVU20	2019-07-05	2.0	03 UNH S009 0057 Message header

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Structure of an UN/EDIFACT interchange

An EDIFACT interchange file contains an interchange frame (UNB-UNZ) with one or more messages (UNH-UNT). The interchange frame can be preceded by a service string advice to define the used separator characters (recommended).


Usually one interchange file contains only messages of the same type, e.g. DESADV

For more information, please refer to recommendation VDA 4900.

Status	Segment		Description
Optional	UNA		Service String Advice
Mandatory	UNB		Interchange header
Mandatory		UNH	1. Message header
		...	Message segments
Mandatory		UNT	1. Message trailer
		UNH	2. Message header
		...	Message segments
		UNT	2. Message trailer
		etc.	
		UNH	n. Message header
		...	Message segments
		UNT	n. Message trailer
Mandatory	UNZ		Interchange trailer

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Branchingdiagramm




Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez
St MaxWdh

Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Branchingdiagramm




Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	
St	MaxWdh

Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez
St MaxWdh

Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Structure / content

No.	Tag	St	MaxRep	Content
1	**UNA**	R	1	Service string advice
2	**UNB**	M	1	Interchange header
3	**UNH**	M	1	Message header
4	**BGM**	M	1	Beginning of message
5	**DTM**	R	1	Document date
6	**DTM**	R	2	Confirmed delivery and/or pick-up date/time
	SG1	O	1	Subset ID
7	**RFF**	M	1	Subset ID
	SG2	O	1	Message sender
8	**NAD**	M	1	Message sender - name and address
	SG3	O	1	Additional Party ID (DUNS)
9	**RFF**	M	1	Reference
	SG3	O	1	Account number
10	**RFF**	M	1	Account number
	SG2	O	1	Message recipient
11	**NAD**	M	1	Message recipient - name and address
	SG3	O	1	Additional Party ID (DUNS)
12	**RFF**	M	1	Reference
	SG3	O	1	Account number
13	**RFF**	M	1	Account number
	SG2	O	1	Ship from
14	**NAD**	M	1	Ship from - name and address
15	**LOC**	O	1	Shipping location/ Place of loading
	SG3	O	2	Additional Party ID (DUNS or account ID)
16	**RFF**	M	1	Reference
	SG3	O	1	Account number
17	**RFF**	M	1	Account number
	SG2	R	1	Ship to
18	**NAD**	M	1	Ship to - name and address
19	**LOC**	O	1	Place of discharge / unloading point
	SG3	O	1	Additional Party ID (DUNS)
20	**RFF**	M	1	Reference
	SG3	O	1	Account number
21	**RFF**	M	1	Account number
	SG2	O	1	Packaging manager
22	**NAD**	M	1	Packaging manager - name and address
	SG3	O	1	Additional Party ID (DUNS)
23	**RFF**	M	1	Reference
	SG3	O	1	Account number
24	**RFF**	M	1	Account number
	SG2	O	1	Buyer of the packaging service
25	**NAD**	M	1	Buyer - name and address
	SG3	O	1	Additional Party ID (DUNS)
26	**RFF**	M	1	Reference
	SG3	O	1	Account number
27	**RFF**	M	1	Account number
	SG2	O	1	Seller of the packaging service
28	**NAD**	M	1	Seller - name and address

Tag = Tag; No. = consecutive segment number in the guide; MaxRep = maximum repitition; St = status (M=mandatory, C=conditional, R=required, O=optional, D=dependent, A=advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Structure / content

No.	Tag	St	MaxRep	Content
	SG3	O	1	Additional Party ID (DUNS)
29	**RFF**	M	1	Reference
	SG3	O	1	Account number
30	**RFF**	M	1	Account number
	SG11	R	9999	Summarised figures of all packaging items in the shipment
31	**CPS**	M	1	Consignment packing sequence
	SG19	R	9999	Packaging identification and despatch quantity
32	**LIN**	M	1	Packaging type code of provider of empties
33	**PIA**	O	1	Additional packaging type code
34	**QTY**	R	1	Despatch quantity
	SG11	O	9999	Despatch control line to describe bundle structures
35	**CPS**	M	1	Consignment packing sequence
	SG12	R	1	Group of packaging items
36	**PAC**	M	1	Packaging
	SG19	O	9999	Article identification and constituent quantity
37	**LIN**	M	1	Packaging type code of provider of empties
38	**PIA**	O	1	Additional packaging type code
39	**IMD**	O	1	Packaging folded indicator
	SG20	O	1	Release authorisation number
40	**RFF**	M	1	Release authorisation number
41	**UNT**	M	1	Message trailer
42	**UNZ**	M	1	Interchange trailer

Tag = Tag; No. = consecutive segment number in the guide; MaxRep = maximum repitition; St = status (M=mandatory, C=conditional, R=required, O=optional, D=dependent, A=advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
1	UNA	R	1	Service string advice

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
UNA1	Component data element separator	M	an1	M	an1	Colon
UNA2	Data element separator	M	an1	M	an1	Plus sign
UNA3	Decimal notation	M	an1	M	an1	Decimal point or comma This differs from version 4 that only allows decimal point.
UNA4	Release indicator	M	an1	M	an1	Question mark
UNA5	Reserved for future use	M	an1	M	an1	Blank
UNA6	Segment terminator	M	an1	M	an1	Apostrophe

The use of UNA is strongly recommended and UNA5 must be blank.
Beispiel:

```
UNA:+.? '
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
2	UNB	M	1	Interchange header

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
S001	Syntax identifier	M		M		
0001	Syntax identifier	M	a4	M	a4	UNOW shall only be used, if agreed upon by partners in their interchange agreement. **UNOA** UN/ECE level A **UNOB** UN/ECE level B **UNOC** UN/ECE level C **UNOD** UN/ECE level D **UNOW** UN/ECE level W
0002	Syntax version number	M	an1	M	an1	To use syntax version 4 according to the ISO 9735-11 profile, code "X" must be used here. **X** Syntax version 4 ISO 9735-11 profile.
0080	Service code list directory version number	C	an..6	N		Nicht genutzt
0133	Character encoding, coded	C	an..3	N		Nicht genutzt
0076	Syntax release number	C	an2	N		Nicht genutzt
S002	Interchange sender	M		M		
0004	Sender identification	M	an..35	M	an..35	Unique ID of the sender in the data transmission network or system used.
0007	Partner identification code qualifier	C	an..4	O	an..4	Qualifier for the organisation that assigned the identifier, e.g. 59 for Odette.
0008	Address for reverse routing	C	an..14	O	an..14	Address for reverse routing Address of an application or internal system at sender's site to which reply messages should be routed.
0042	Interchange sender internal sub-identification	C	an..35	N		Nicht genutzt
S003	Interchange recipient	M		M		
0010	Recipient identification	M	an..35	M	an..35	Unique ID of the recipient in the data transmission network or system used.
0007	Partner identification code qualifier	C	an..4	O	an..4	
0014	Routing address	C	an..14	O	an..14	Address for reverse routing Address of an application or an internal system at the recipient: For some buyers, the delivery schedules or similar can be generated from different ERP systems. After receipt by the buyer, the messages must then be forwarded to this system and processed there.
0046	Interchange recipient internal sub-identification	C	an..35	N		Nicht genutzt
S004	Date/time of preparation	M		M		
0017	Date of preparation	M	n8	M	n8	Attention: Difference to S3, 8 digits (including century)! Format CCYYMMDD
0019	Time of preparation	M	n4	M	n4	Format hhmm
0020	Interchange control reference	M	an..14	M	an..14	Unique ID of a data transmission.
S005	Recipient's reference, password	C		N		Nicht genutzt
0022	Recipient's reference/password	M	an..14	N		Nicht genutzt
0025	Recipient's reference/password qualifier	C	an2	N		Nicht genutzt
0026	Application reference	C	an..14	N		Nicht genutzt
0029	Processing priority code	C	a1	N		Nicht genutzt
0031	Acknowledgement request	C	n1	N		Nicht genutzt
0032	Communications agreement ID	C	an..35	N		Nicht genutzt

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
0035	Test indicator	C	n1	O	n1	Only used if the data exchange is for test purposes. This data element is not transmitted for valid transmissions. **1** Interchange is a test

The structure of the EDIFACT interchange and the specification of the service segments for electronic data exchange used in the automotive industry are described in detail in the VDA Recommendation 4900.
Due to the change in ISO standard 9735, VDA-EDIFACT recommendations will be based on the EDIFACT Syntax 3 compliant profile of EDIFACT Syntax 4 (ISO 9735 Part 11) from 2021-12. The service segments (UNA, UNB, UNH, UNS, UNT, UNZ) were adapted accordingly. The user data segments were not changed.
Beispiel:

```
UNB+UNOC:X+VA13:59:EDI-Outbound+XB05:59:EDI-Inbound+20220721:0719+2022000025++++++1'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
3	UNH	M	1	Message header

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
0062	Message reference number	M	an..14	M	an..14	Message reference number (in the interchange)
S009	Message identifier	M		M		
0065	Message type	M	an..6	M	an..6	**DESADV** Despatch advice message
0052	Message version number	M	an..3	M	an..3	**D** Draft version/UN/EDIFACT Directory
0054	Message release number	M	an..3	M	an..3	**20B** Release 2020 - B
0051	Controlling agency	M	an..2	M	an..2	**UN** UN/CEFACT
0057	Association assigned code	C	an..6	R	an..6	Identification of the subset release, assigned by VDA. **GAVU30** VDA Packaging Delivery - Early Notification V3.0 JAI016
0110	Code list directory version number	C	an..6	N		Nicht genutzt
0113	Message type sub-function identification	C	an..6	N		Nicht genutzt
0068	Common access reference	C	an..35	N		Nicht genutzt
S010	Status of the transfer	C		N		Nicht genutzt
0070	Sequence of transfers	M	n..2	N		Nicht genutzt
0073	First and last transfer	C	a1	N		Nicht genutzt
S016	Message subset identification	C		N		Nicht genutzt
0115	Message subset identification	M	an..14	N		Nicht genutzt
0116	Message subset version number	C	an..3	N		Nicht genutzt
0118	Message subset release number	C	an..3	N		Nicht genutzt
0051	Controlling agency	C	an..2	N		Nicht genutzt
S017	Message implementation guideline identification	C		N		Nicht genutzt
0121	Message implementation guideline identification	M	an..14	N		Nicht genutzt
0122	Message implementation guideline version number	C	an..3	N		Nicht genutzt
0124	Message implementation guideline release number	C	an..3	N		Nicht genutzt
0051	Controlling agency	C	an..2	N		Nicht genutzt
S018	Scenario identification	C		N		Nicht genutzt
0127	Scenario identification	M	an..14	N		Nicht genutzt
0128	Scenario version number	C	an..3	N		Nicht genutzt
0130	Scenario release number	C	an..3	N		Nicht genutzt
0051	Controlling agency	C	an..2	N		Nicht genutzt

Beispiel:

```
UNH+12345+DESADV:D:20B:UN:GAVU30'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
4	BGM	M	1	Beginning of message

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C002	Document/message name	C		R		
1001	Document name code	C	an..3	R	an..3	**X06** Packaging Delivery - Early Notification ODDC001(1)
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	Code specifying the agency responsible for a code list. **10** ODETTE
1000	Document name	C	an..35	O	an..35	Additional profile information Can be used to specify a company-specific profile of this application description.
C106	Document/message identification	C		R		
1004	Document identifier	C	an..70	R	an..35	Document number Unique identifier of the document. Should not be duplicated within the following 12 month period (at least).
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt
1225	Message function code	C	an..3	N		Nicht genutzt
4343	Response type code	C	an..3	N		Nicht genutzt
1373	Document status code	C	an..3	N		Nicht genutzt
3453	Language name code	C	an..3	N		Nicht genutzt

Beispiel:

```
BGM+X06::10:Profil+Early Notification1'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
5	DTM	R	1	Document date

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C507	Date/time/period	M		M		
2005	Date or time or period function code qualifier	M	an..3	M	an..3	**137** Document issue date time
2380	Date or time or period text	C	an..35	R	n..12	Date/time of creation of the transport order
2379	Date or time or period format code	C	an..3	R	an..3	**102** CCYYMMDD **203** CCYYMMDDHHMM

Beispiel:

```
DTM+137:20131201:102'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
6	DTM	R	2	Confirmed delivery and/or pick-up date/time

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C507	Date/time/period	M		M		
2005	Date or time or period function code qualifier	M	an..3	M	an..3	69 - Confirmed delivery date/time at the recipient 79 - Confirmed pick-up date/time at the consignor **69** Delivery date time, promised before **79** Shipment date/time, promised for
2380	Date or time or period text	C	an..35	R	an..24	Confirmed delivery and/or pick-up date/time
2379	Date or time or period format code	C	an..3	R	an..3	The use of date, date/time or date/time window depends on the contract between the customer, supplier and transport service provider. **102** CCYYMMDD **203** CCYYMMDDHHMM **205** CCYYMMDDHHMMZHHMM **719** CCYYMMDDHHMM-CCYYMMDDHHMM

Beispiel:

```
DTM+69:20160808:102'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Generated by GEFEG.FX

Segmente

Nr	Bez	St	MaxWdh	Name
	SG1	O	1	Subset ID
7	RFF	M	1	Subset ID

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**AOZ** Implementation version number
1154	Reference identifier	C	an..70	R	an..70	Reference to the (usually customer's) subset ID/guideline version, this message is conformant to.
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

Beispiel:

```
RFF+AOZ:Version3.2'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Message sender
8	NAD	M	1	Message sender - name and address

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3	**MS** Document/message issuer/sender
C082	Party identification details	C		R		
3039	Party identifier	M	an..35	M	an..35	
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	**10** ODETTE **16** US, D&B (Dun & Bradstreet Corporation) **5** ISO (International Organization for Standardization) 3055 **O91** Assigned by the provider of the empty packaging **O92** Assigned by the receiver of the empty packaging
C058	Name and address	C		N		Nicht genutzt
3124	Name and address description	M	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
C080	Party name	C		O		
3036	Party name	M	an..70	M	an..70	
3036	Party name	C	an..70	O	an..70	see 3036 # 1
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3045	Party name format code	C	an..3	N		Nicht genutzt
C059	Street	C		O		
3042	Street and number or post office box identifier	M	an..256	M	an..256	Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..256	O	an..256	see 3042 # 1
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3228	Country subdivision name	C	an..70	N		Nicht genutzt
3251	Postal identification code	C	an..17	O	an..17	Identifier of one or more address data properties according

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
						to the postal service of the respective country
3207	Country identifier	C	an..3	O	an..3	Provides the country part of an address using a code. Use ISO3166 two alpha code.

This segment is used, when the sending party of the message differ from the business partners involved in the transaction (e.g. ship-from and ship-to, buyer and seller, etc.).
Beispiel:

NAD+MS+Identifier::10++Name1:Name2+Street1:Street2+City++12345+FR'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
9	RFF	M	1	Reference

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ANK** Reference number assigned by third party
1154	Reference identifier	C	an..70	R	n9	DUNS number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number.
Beispiel:

RFF+ANK:123456789'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Account number
10	RFF	M	1	Account number

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ADE** Account number
1154	Reference identifier	C	an..70	R	an..35	Account number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

Beispiel:

```
RFF+ADE:123456789'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Message recipient
11	NAD	M	1	Message recipient - name and address

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3	**MR** Message recipient
C082	Party identification details	C		O		
3039	Party identifier	M	an..35	M	an..35	
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	**10** ODETTE **16** US, D&B (Dun & Bradstreet Corporation) **5** ISO (International Organization for Standardization) 3055 **O91** Assigned by the provider of the empty packaging **O92** Assigned by the receiver of the empty packaging
C058	Name and address	C		N		Nicht genutzt
3124	Name and address description	M	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
C080	Party name	C		O		
3036	Party name	M	an..70	M	an..70	Single text line for specification of a name
3036	Party name	C	an..70	O	an..70	see 3036 # 1
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3045	Party name format code	C	an..3	N		Nicht genutzt
C059	Street	C		O		
3042	Street and number or post office box identifier	M	an..256	M	an..256	Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..256	O	an..256	see 3042 # 1
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3228	Country subdivision name	C	an..70	N		Nicht genutzt
3251	Postal identification code	C	an..17	C	an..17	Identifier of one or more address data properties according

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
						to the postal service of the respective country
3207	Country identifier	C	an..3	C	an..3	Provides the country part of an address using a code. Use ISO3166 two alpha code.

This segment is used, when the receiving party of the message differ from the business partners involved in the transaction (e.g. ship-from and ship-to, buyer and seller, etc.)
Beispiel:

NAD+MR+Identifier::10++Name1:Name2+Street1:Street2+City++12345+DE'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
12	RFF	M	1	Reference

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ANK** Reference number assigned by third party
1154	Reference identifier	C	an..70	R	n9	DUNS number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number.
Beispiel:

RFF+ANK:123456789'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Account number
13	RFF	M	1	Account number

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ADE** Account number
1154	Reference identifier	C	an..70	R	an..35	Account number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

Beispiel:

```
RFF+ADE:123456789'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Ship from
14	NAD	M	1	Ship from - name and address

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3	**SF** Ship from
C082	Party identification details	C		R		
3039	Party identifier	M	an..35	R	an..35	Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	Code specifying the agency responsible for a code list. **10** ODETTE **16** US, D&B (Dun & Bradstreet Corporation) **5** ISO (International Organization for Standardization) 3055 **O91** Assigned by the provider of the empty packaging **O92** Assigned by the receiver of the empty packaging
C058	Name and address	C		N		Nicht genutzt
3124	Name and address description	M	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
C080	Party name	C		O		
3036	Party name	M	an..70	M	an..35	Single text line for party name
3036	Party name	C	an..70	O	an..70	see 3036 # 1
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3045	Party name format code	C	an..3	N		Nicht genutzt
C059	Street	C		O		
3042	Street and number or post office box identifier	M	an..256	M	an..256	Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..256	O	an..256	see 3042 # 1
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3228	Country subdivision name	C	an..70	N		Nicht genutzt

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3251	Postal identification code	C	an..17	O	an..17	Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	a2	Provides the country part of an address using a code. Use ISO3166 two alpha code.

Party that despatches the goods or makes them ready for collection
Beispiel:

```
NAD+SF+Identifier::O91++Name1:Name2+Street1:Street2+City++12345+DE'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Ship from
15	LOC	O	1	Shipping location/ Place of loading

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3227	Location function code qualifier	M	an..3	M	an..3	**9** Place of loading
C517	Location identification	C		R		
3225	Location identifier	C	an..35	O	an..17	Identifier of location, site, etc.
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	D	an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. **O91** Assigned by the provider of the empty packaging
3224	Location name	C	an..256	O	an..256	Name of place/location; if necessary, use complete address. If an address is to be specified here, the individual components are to be transferred in a structured manner, separated by semicolons in the order described: Name; Street, house number; Place; Post Code; Regional code; Country (2 digit ISO code).
C519	Related location one identification	C		O		
3223	First related location identifier	C	an..35	R	an..35	Latitude / longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: positive values identify the northern hemisphere, negative values the southern hemisphere (-90..90). For longitude: positive values identify the east of the zero meridian, negative values the west of the zero meridian (-180..180).
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3222	First related location name	C	an..70	N		Nicht genutzt
C553	Related location two identification	C		N		Nicht genutzt
3233	Second related location identifier	C	an..35	N		Nicht genutzt
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3232	Second related location name	C	an..70	N		Nicht genutzt
5479	Relation code	C	an..3	N		Nicht genutzt

The place where the empty packaging is loaded on to the means of transport.
Beispiel:

```
LOC+9+PlaceOfLoadingID::O91:PlaceOfLoading+52.515738, 13.393085'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	2	Additional Party ID (DUNS or account ID)
16	RFF	M	1	Reference

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ANK** Reference number assigned by third party **ADE** Account number
1154	Reference identifier	C	an..70	R	an..17	This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number. The account number (Qualifier ADE) can be used if aside of the supplier number and the DUNS number a third identifier is neccessary (e.g. in certain CKD delivery processes).
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner,
in addition to the customer number or the supplier number
Beispiel:

RFF+ANK:X'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Account number
17	RFF	M	1	Account number

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ADE** Account number
1154	Reference identifier	C	an..70	R	an..35	Account number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

Beispiel:

```
RFF+ADE:123456789'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	R	1	Ship to
18	NAD	M	1	Ship to - name and address

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3	**ST** Ship to
C082	Party identification details	C		R		
3039	Party identifier	M	an..35	R	an..35	Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	Code specifying the agency responsible for a code list. **10** ODETTE **16** US, D&B (Dun & Bradstreet Corporation) **5** ISO (International Organization for Standardization) 3055 **O91** Assigned by the provider of the empty packaging **O92** Assigned by the receiver of the empty packaging
C058	Name and address	C		N		Nicht genutzt
3124	Name and address description	M	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
C080	Party name	C		O		
3036	Party name	M	an..70	M	an..70	Single text line for specification of a name
3036	Party name	C	an..70	O	an..70	Single text line for specification of a name
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3045	Party name format code	C	an..3	N		Nicht genutzt
C059	Street	C		O		
3042	Street and number or post office box identifier	M	an..256	M	an..256	Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..256	O	an..256	
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	C	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3228	Country subdivision name	C	an..70	N		Nicht genutzt

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3251	Postal identification code	C	an..17	O	an..17	Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	a2	Provides the country part of an address using a code. Use ISO3166 two alpha code.

Beispiel:

```
NAD+ST+Identifier::O92++Name1:Name2+Street1:Street2+City++12345+DE'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	R	1	Ship to
19	LOC	O	1	Place of discharge / unloading point

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3227	Location function code qualifier	M	an..3	M	an..3	**11** Place of discharge
C517	Location identification	C		R		
3225	Location identifier	C	an..35	O	an..17	Identifier of location, site, etc.
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	D	an..3	Code specifying the agency responsible for a code list. Has to be provided if 3225 is used. **O92** Assigned by the receiver of the empty packaging 3055
3224	Location name	C	an..256	O	an..256	Name of place/location; if necessary, use complete address. If an address is to be specified here, the individual components are to be transferred in a structured manner, separated by semicolons in the order described: Name; Street, house number; Place; Post Code; Regional code; Country (2 digit ISO code).
C519	Related location one identification	C		O		
3223	First related location identifier	C	an..35	R	an..35	Latitude / longitude Geo coordinates in decimal degrees: latitude, longitude For latitude: positive values identify the northern hemisphere, negative values the southern hemisphere (-90..90). For longitude: positive values identify the east of the zero meridian, negative values the west of the zero meridian (-180..180).
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3222	First related location name	C	an..70	N		Nicht genutzt
C553	Related location two identification	C		N		Nicht genutzt
3233	Second related location identifier	C	an..35	N		Nicht genutzt
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3232	Second related location name	C	an..70	N		Nicht genutzt
5479	Relation code	C	an..3	N		Nicht genutzt

The place where the empty packaging is unloaded from the means of transport.
Beispiel:

```
LOC+11+PlaceDischargeID::O92:PlaceOfDischarge+52.515738, 13.393085'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
20	RFF	M	1	Reference

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ANK** Reference number assigned by third party
1154	Reference identifier	C	an..70	R	n9	DUNS number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number.
Beispiel:

RFF+ANK:111111111'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Account number
21	RFF	M	1	Account number

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ADE** Account number
1154	Reference identifier	C	an..70	R	an..35	Account number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

Beispiel:

```
RFF+ADE:123456789'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Packaging manager
22	NAD	M	1	Packaging manager - name and address

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3	**EQ** Empty container responsible party
C082	Party identification details	C		R		
3039	Party identifier	M	an..35	M	an..35	Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	Code specifying the agency responsible for a code list. **10** ODETTE **16** US, D&B (Dun & Bradstreet Corporation) **5** ISO (International Organization for Standardization) 3055 **O91** Assigned by the provider of the empty packaging **O92** Assigned by the receiver of the empty packaging
C058	Name and address	C		N		Nicht genutzt
3124	Name and address description	M	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
C080	Party name	C		O		
3036	Party name	M	an..70	M	an..70	Single text line for specification of a name
3036	Party name	C	an..70	O	an..70	see 3036 # 1
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3045	Party name format code	C	an..3	N		Nicht genutzt
C059	Street	C		O		
3042	Street and number or post office box identifier	M	an..256	M	an..256	Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..256	O	an..256	
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3228	Country subdivision name	C	an..70	N		Nicht genutzt

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3251	Postal identification code	C	an..17	O	an..17	Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	an..3	Provides the country part of an address using a code. Use ISO3166 two alpha code.

Beispiel:

```
NAD+EQ+Identifier::O91++Name1:Name2+Street1:Street2+City++12345+DE'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
23	RFF	M	1	Reference

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ANK** Reference number assigned by third party
1154	Reference identifier	C	an..70	R	n9	DUNS number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number.
Beispiel:

RFF+ANK:123456789'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Account number
24	RFF	M	1	Account number

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ADE** Account number
1154	Reference identifier	C	an..70	R	an..35	Account number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

Beispiel:

```
RFF+ADE:123456789'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Buyer of the packaging service
25	NAD	M	1	Buyer - name and address

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3	**BY** Buyer
C082	Party identification details	C		R		
3039	Party identifier	M	an..35	M	an..35	Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	Code specifying the agency responsible for a code list. **10** ODETTE **16** US, D&B (Dun & Bradstreet Corporation) **5** ISO (International Organization for Standardization) 3055 **O91** Assigned by the provider of the empty packaging **O92** Assigned by the receiver of the empty packaging
C058	Name and address	C		N		Nicht genutzt
3124	Name and address description	M	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
C080	Party name	C		O		
3036	Party name	M	an..70	M	an..35	Single text line for specification of a name
3036	Party name	C	an..70	O	an..35	see 3036 # 1
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3045	Party name format code	C	an..3	N		Nicht genutzt
C059	Street	C		O		
3042	Street and number or post office box identifier	M	an..256	M	an..256	Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..256	O	an..256	see 3042 # 1
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3228	Country subdivision name	C	an..70	N		Nicht genutzt

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3251	Postal identification code	C	an..17	O	an..17	Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	an..3	Country coded according to ISO 3166-1

Beispiel:

```
NAD+BY+Identifier::O91++Name1:Name2+Street1:Street2+City++12345+SE'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
26	RFF	M	1	Reference

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ANK** Reference number assigned by third party
1154	Reference identifier	C	an..70	R	n9	DUNS number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number.
Beispiel:

RFF+ANK:123456789'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Account number
27	RFF	M	1	Account number

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ADE** Account number
1154	Reference identifier	C	an..70	R	an..35	Account number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

Beispiel:

```
RFF+ADE:123456789'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Seller of the packaging service
28	NAD	M	1	Seller - name and address

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3	**SE** Seller
C082	Party identification details	C		R		
3039	Party identifier	M	an..35	M	an..35	Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	Code specifying the agency responsible for a code list. **10** ODETTE **16** US, D&B (Dun & Bradstreet Corporation) **5** ISO (International Organization for Standardization) 3055 **O91** Assigned by the provider of the empty packaging **O92** Assigned by the receiver of the empty packaging
C058	Name and address	C		N		Nicht genutzt
3124	Name and address description	M	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
3124	Name and address description	C	an..35	N		Nicht genutzt
C080	Party name	C		O		
3036	Party name	M	an..70	M	an..35	Single text line for specification of a name
3036	Party name	C	an..70	O	an..35	see 3036 # 1
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3036	Party name	C	an..70	N		Nicht genutzt
3045	Party name format code	C	an..3	N		Nicht genutzt
C059	Street	C		O		
3042	Street and number or post office box identifier	M	an..256	M	an..256	Part of address identifying the location of a building, normally given together with street.
3042	Street and number or post office box identifier	C	an..256	O	an..256	see 3042 # 1
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3042	Street and number or post office box identifier	C	an..256	N		Nicht genutzt
3164	City name	C	an..35	O	an..35	The name of the city, town, or village of this address.
C819	Country subdivision details	C		O		
3229	Country subdivision identifier	C	an..9	R	an..9	State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
3228	Country subdivision name	C	an..70	N		Nicht genutzt

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
3251	Postal identification code	C	an..17	O	an..17	Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	an..3	Country coded according to ISO 3166-1

Beispiel:

```
NAD+SE+Identifier::O92++Name1:Name2+Street1:Street2+City++12345+DE'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
29	RFF	M	1	Reference

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ANK** Reference number assigned by third party
1154	Reference identifier	C	an..70	R	n9	DUNS number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number.
The account number (Qualifier ADE) can be used if aside of the supplier number and the DUNS number a third identifier is neccessary (e.g. in certain CKD delivery processes).
Beispiel:

RFF+ANK:987654321'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Account number
30	RFF	M	1	Account number

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**ADE** Account number
1154	Reference identifier	C	an..70	R	an..35	Account number
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

Beispiel:

```
RFF+ADE:123456789'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	R	9999	Summarised figures of all packaging items in the shipment
31	CPS	M	1	Consignment packing sequence

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
7164	Hierarchical structure level identifier	M	an..35	M	n..6	Incremented counter generated by message sender, assigned to a packaging group in the message. It is recommended to start at 1.
7166	Hierarchical structure parent identifier	C	an..35	N		Nicht genutzt
7075	Packaging level code	C	an..3	R	an..3	Code specifying the packaging level. **5** Shipment level

Beispiel:

```
CPS+1++5'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	R	9999	Packaging identification and despatch quantity
32	LIN	M	1	Packaging type code of provider of empties

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
1082	Line item identifier	C	an..6	O	an..6	It may be necessary to define rules bilaterally for generating unique line numbers. This data element should only be used, if absolutely required by the business process.
1229	Action code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		R		
7140	Item identifier	C	an..35	R	an..35	Packaging type code of the provider of the empty packaging For bundles, the type of the bundle can be specified here.
7143	Item type identification code	C	an..3	R	an..3	**O91** Assigned by the provider of the empty packaging ODDC101(1)
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C829	Sub-line information	C		N		Nicht genutzt
5495	Sub-line indicator code	C	an..3	N		Nicht genutzt
1082	Line item identifier	C	an..6	N		Nicht genutzt
1222	Configuration level number	C	n..2	N		Nicht genutzt
7083	Configuration operation code	C	an..3	N		Nicht genutzt

Beispiel:

```
LIN+1++KLT123:O91'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	R	9999	Packaging identification and despatch quantity
33	PIA	O	1	Additional packaging type code

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
4347	Product identifier code qualifier	M	an..3	M	an..3	**1** Additional identification
C212	Item number identification	M		M		
7140	Item identifier	C	an..35	R	an..35	Additional packaging type code
7143	Item type identification code	C	an..3	R	an..3	BJ = Package Bundle Type Code **BJ** Next higher assembly number **X1** GALIA France Package Type Code ODDC101(1) **X2** VDA Germany Package Type Code ODDC101(1) **X3** Other third party Package Type Code ODDC101(1) **O92** Assigned by the receiver of the empty packaging ODDC101(1)
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		O		see C212#1
7140	Item identifier	C	an..35	R	an..35	
7143	Item type identification code	C	an..3	R	an..3	See C212#1 data element 7143
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		O		see C212#1
7140	Item identifier	C	an..35	R	an..35	
7143	Item type identification code	C	an..3	R	an..3	See C212#1 data element 7143
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		O		see C212#1
7140	Item identifier	C	an..35	R	an..35	
7143	Item type identification code	C	an..3	R	an..3	See C212#1 data element 7143
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		O		see C212#1
7140	Item identifier	C	an..35	R	an..35	
7143	Item type identification code	C	an..3	R	an..3	See C212#1 data element 7143
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt

Package type code of the receiver of the empty packaging and/or package type code of a third party.
The sequence of the individual IDs in C212 is free. The first C212 must however be filled. The remaining C212 are optional.
Beispiel:

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

PIA+1+PackageTypeCode:BJ+PackageTypeCode:O92+PackageType-Organisation:X1+PackageType-Organisation:X2+PackageType-Organisation:X3'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	R	9999	Packaging identification and despatch quantity
34	QTY	R	1	Despatch quantity

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C186	Quantity details	M		M		
6063	Quantity type code qualifier	M	an..3	M	an..3	**12** Despatch quantity
6060	Quantity	M	an..35	M	n..9	Despatch quantity The total sum of packaging items identified in LIN-Segment in this shipment.
6411	Measurement unit code	C	an..8	O	an..8	Measure Unit Specifier Code specifying the unit of measurement, use UN/ECE Rec. 20 **C62** one

Beispiel:

QTY+12:9:C62'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	O	9999	Despatch control line to describe bundle structures Bill of material for one bundle type
35	CPS	M	1	Consignment packing sequence

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
7164	Hierarchical structure level identifier	M	an..35	M	n..6	Incremented counter generated by message sender, assigned to a packaging group in the message. It is recommended to start at 1.
7166	Hierarchical structure parent identifier	C	an..35	N		Nicht genutzt
7075	Packaging level code	C	an..3	R	an..3	Code specifying the packaging level. For empty packaging code 3 is used, irrespective of whether it is a bundle or a simplified transport packaging unit. **3** Outer

Beispiel:

```
CPS+1++3'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	R	1	Group of packaging items
36	PAC	M	1	Packaging

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
7224	Package quantity	C	n..8	R	n..4	Number of packages assigned to this group (number of identical packages).
C531	Packaging details	C		N		Nicht genutzt
7075	Packaging level code	C	an..3	N		Nicht genutzt
7233	Packaging related description code	C	an..3	N		Nicht genutzt
7073	Packaging terms and conditions code	C	an..3	N		Nicht genutzt
C202	Package type	C		R		
7065	Package type description code	C	an..17	R	an..17	Packaging type code (bundle or transport packaging unit), assigned by the provider of the empty packaging If a packaging type code is available for the bundle, it should be specified here. If the packaging type code is not known, use "UNKNOWN".
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	**O91** Assigned by the provider of the empty packaging ODDC101(1)
7064	Type of packages	C	an..35	N		Nicht genutzt
C402	Package type identification	C		O		
7077	Description format code	M	an..3	M	an..3	**S** Structured (from industry code list)
7064	Type of packages	M	an..35	M	an..35	Additional packaging type code specified by receiver of empty packaging and/or other parties.
7143	Item type identification code	C	an..3	R	an..3	Code specifying the agency responsible for a code list. **O92** Assigned by the receiver of the empty packaging ODDC101(1) **X1** GALIA France Package Type Code ODDC101(1) **X2** VDA Germany Package Type Code ODDC101(1) **X3** Other third party Package Type Code ODDC101(1)
7064	Type of packages	C	an..35	O	an..35	Additional packaging type code specified by receiver of empty packaging and/or other parties.
7143	Item type identification code	C	an..3	D	an..3	Code specifying the agency responsible for a code list. Has to be provided if 7064 is used. **X1** GALIA France Package Type Code ODDC101(1) **X2** VDA Germany Package Type Code ODDC101(1) **X3** Other third party Package Type Code ODDC101(1) **O92** Assigned by the receiver of the empty packaging ODDC101(1)
C532	Returnable package details	C		O		
8395	Returnable package freight payment responsibility code	C	an..3	N		Nicht genutzt
8393	Returnable package load contents code	C	an..3	R	an..3	

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
						11 Empty container, folded

Beispiel:

```
PAC+9++Bundle::O91+S:PackageTypeCode:O92:PackageType-Organisation:X1+:11'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	O	9999	Article identification and constituent quantity
37	LIN	M	1	Packaging type code of provider of empties

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
1082	Line item identifier	C	an..6	O	an..6	It may be necessary to define rules bilaterally for generating unique line numbers. This data element should only be used, if absolutely required by the business process.
1229	Action code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		O		
7140	Item identifier	C	an..35	R	an..35	Packaging type code of the provider of the empty packaging
7143	Item type identification code	C	an..3	R	an..3	**O91** Assigned by the provider of the empty packaging ODDC101(1)
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C829	Sub-line information	C		N		Nicht genutzt
5495	Sub-line indicator code	C	an..3	N		Nicht genutzt
1082	Line item identifier	C	an..6	N		Nicht genutzt
1222	Configuration level number	C	n..2	N		Nicht genutzt
7083	Configuration operation code	C	an..3	N		Nicht genutzt

The empty packaging given here is used for assignment to specific transport packaging units. For accounting purposes the LIN group in the CPS+++5'-group is used. In the case of simplified transport packaging units without individual components this SG-LIN is omitted.
Beispiel:

```
LIN+1++KLT123:O91'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	O	9999	Article identification and constituent quantity
38	PIA	O	1	Additional packaging type code

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
4347	Product identifier code qualifier	M	an..3	M	an..3	**1** Additional identification
C212	Item number identification	M		M		
7140	Item identifier	C	an..35	R	an..35	Additional packaging type code
7143	Item type identification code	C	an..3	R	an..3	BJ = Package Bundle Type Code **BJ** Next higher assembly number **X1** GALIA France Package Type Code ODDC101(1) **X2** VDA Germany Package Type Code ODDC101(1) **X3** Other third party Package Type Code ODDC101(1) **O92** Assigned by the receiver of the empty packaging ODDC101(1)
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		O		see C212#1
7140	Item identifier	C	an..35	R	an..35	
7143	Item type identification code	C	an..3	R	an..3	See C212#1 data element 7143
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		O		see C212#1
7140	Item identifier	C	an..35	R	an..35	
7143	Item type identification code	C	an..3	R	an..3	See C212#1 data element 7143
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		N		Nicht genutzt
7140	Item identifier	C	an..35	N		Nicht genutzt
7143	Item type identification code	C	an..3	N		Nicht genutzt
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
C212	Item number identification	C		N		Nicht genutzt
7140	Item identifier	C	an..35	N		Nicht genutzt
7143	Item type identification code	C	an..3	N		Nicht genutzt
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt

Packaging type code assigned by the receiver of the empty packaging and/or packaging type code of a third party.
Beispiel:

```
PIA+1+PackageTypeCode:BJ+PackageTypeCode:O92+PackageType-Organisation:X1'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	O	9999	Article identification and constituent quantity
39	IMD	O	1	Packaging folded indicator

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
7077	Description format code	C	an..3	R	an..3	**C** Code (from industry code list)
C272	Item characteristic	C		R		
7081	Item characteristic code	C	an..3	R	an..3	Packaging folded indicator **FO** Empty container, folded ODDC154(1)
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3	**10** ODETTE
C273	Item description	C		N		Nicht genutzt
7009	Item description code	C	an..17	N		Nicht genutzt
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
7008	Item description	C	an..256	N		Nicht genutzt
7008	Item description	C	an..256	N		Nicht genutzt
3453	Language name code	C	an..3	N		Nicht genutzt
7383	Surface or layer code	C	an..3	N		Nicht genutzt

Beispiel:

```
IMD+C+FO::10'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
	SG20	O	1	Release authorisation number
40	RFF	M	1	Release authorisation number

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
C506	Reference	M		M		
1153	Reference code qualifier	M	an..3	M	an..3	**AAP** Partial shipment identifier
1154	Reference identifier	C	an..70	R	an..70	Release authorisation number Unique identifier for a particular combination of quantity and delivery date of a specified package type in a delivery (e.g. RAN in the Renault process or numero d'ordre in the PSA process).
1156	Document line identifier	C	an..6	N		Nicht genutzt
1056	Version identifier	C	an..9	N		Nicht genutzt
1060	Revision identifier	C	an..6	N		Nicht genutzt

Beispiel:

```
RFF+AAP:RAN1234'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
41	UNT	M	1	Message trailer

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
0074	Number of segments in the message	M	n..6	M	n..6	Number of segments in the message
0062	Message reference number	M	an..14	M	an..14	Message reference number

Beispiel:

```
UNT+39+12345'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Segmente

Nr	Bez	St	MaxWdh	Name
42	UNZ	M	1	Interchange trailer

Standard				Implementierung		
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
0036	Interchange control count	M	n..6	M	n..6	Number of messages in the interchange
0020	Interchange control reference	M	an..14	M	an..14	Unique ID of the interchange.

Beispiel:

```
UNZ+1+2022000025'
```

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

0001 Syntax identifier

Code	Name/description	Code list
UNOA	UN/ECE level A	0001
UNOB	UN/ECE level B	0001
UNOC	UN/ECE level C	0001
UNOD	UN/ECE level D	0001
UNOW	UN/ECE level W	0001

0002 Syntax version number

Code	Name/description	Code list
X	Syntax version 4 ISO 9735-11 profile.	0002

0007 Partner identification code qualifier

Code	Name/description	Code list
1	DUNS (Data Universal Numbering System)	0007
4	IATA (International Air Transport Association)	0007
5	INSEE (Institut National de la Statistique et des Etudes Economiques) - SIRET	0007
8	UCC Communications ID (Uniform Code Council Communications Identifier)	0007
9	DUNS (Data Universal Numbering System) with 4 digit suffix	0007
12	Telephone number	0007
14	GS1	0007
18	AIAG (Automotive Industry Action Group)	0007
22	INSEE (Institut National de la Statistique et des Etudes Economiques) - SIREN	0007
30	ISO 6523: Organization identification	0007
31	DIN (Deutsches Institut fuer Normung)	0007
33	BfA (Bundesversicherungsanstalt fuer Angestellte)	0007
34	National Statistical Agency	0007
51	GEIS (General Electric Information Services)	0007
52	INS (IBM Network Services)	0007
53	Datenzentrale des Einzelhandels	0007
54	Bundesverband der Deutschen Baustoffhaendler	0007
55	Bank identifier code	0007
57	KTNet (Korea Trade Network Services)	0007
58	UPU (Universal Postal Union)	0007
59	ODETTE (Organization for Data Exchange through Tele- Transmission in Europe)	0007
61	SCAC (Standard Carrier Alpha Code)	0007
63	ECA (Electronic Commerce Australia)	0007
65	TELEBOX 400 (Deutsche Telekom)	0007
80	NHS (National Health Service)	0007
82	Statens Teleforvaltning	0007
84	Athens Chamber of Commerce	0007
85	Swiss Chamber of Commerce	0007
86	US Council for International Business	0007
87	National Federation of Chambers of Commerce and Industry	0007
89	Association of British Chambers of Commerce	0007
90	SITA (Societe Internationale de Telecommunications Aeronautiques)	0007
91	Assigned by seller or seller's agent	0007
92	Assigned by buyer or buyer's agent	0007
103	TW, Trade-van	0007
128	CH, BCNR (Swiss Clearing Bank Number)	0007
129	CH, BPI (Swiss Business Partner Identification)	0007
144	US, DoDAAC (Department of Defense Activity Address Code)	0007
145	FR, DGCP (Direction Generale de la Comptabilite Publique)	0007
146	FR, DGI (Direction Generale des Impots)	0007
147	JP, JIPDEC/ECPC (Japan Information Processing Development Corporation / Electronic Commerce Promotion Center)	0007

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
148	ITU (International Telecommunications Union) Data Network Identification Code (DNIC)	0007
500	DE, BDEW (Bundesverband der Energie- und Wasserwirtschaft e.V.)	0007
501	EASEE-gas (European Association for the Streamlining of Energy Exchange)	0007
502	DE, DVGW (Deutsche Vereinigung des Gas- und Wasserfaches e.V.)	0007
Z01	Vehicle registration number	0007
ZZZ	Mutually defined	0007
0035	Test indicator	
Code	Name/description	Code list
1	Interchange is a test	0035
0051	Controlling agency	
Code	Name/description	Code list
UN	UN/CEFACT	0051
0052	Message version number	
Code	Name/description	Code list
D	Draft version/UN/EDIFACT Directory	0052
0054	Message release number	
Code	Name/description	Code list
20B	Release 2020 - B	0054
0057	Association assigned code	
Code	Name/description	Code list
GAVU30	VDA Packaging Delivery - Early Notification V3.0	JAI016
0065	Message type	
Code	Name/description	Code list
DESADV	Despatch advice message	0065
1001	Document name code	
Code	Name/description	Code list
X06	Packaging Delivery - Early Notification	ODDC001(1)
1153	Reference code qualifier	
Code	Name/description	Code list
AAP	Partial shipment identifier	1153
ADE	Account number	1153
ANK	Reference number assigned by third party	1153
AOZ	Implementation version number	1153
2005	Date or time or period function code qualifier	
Code	Name/description	Code list
69	Delivery date time, promised before	2005
79	Shipment date/time, promised for	2005
137	Document issue date time	2005
2379	Date or time or period format code	
Code	Name/description	Code list
102	CCYYMMDD	2379
203	CCYYMMDDHHMM	2379
205	CCYYMMDDHHMMZHHMM	2379
719	CCYYMMDDHHMM-CCYYMMDDHHMM	2379
3035	Party function code qualifier	
Code	Name/description	Code list
BY	Buyer	3035
EQ	Empty container responsible party	3035

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
MR	Message recipient	3035
MS	Document/message issuer/sender	3035
SE	Seller	3035
SF	Ship from	3035
ST	Ship to	3035

3055 Code list responsible agency code

Code	Name/description	Code list
5	ISO (International Organization for Standardization)	3055
O91	Assigned by the provider of the empty packaging	3055
O92	Assigned by the receiver of the empty packaging	3055
O91	Assigned by the provider of the empty packaging	ODDC101(1)
10	ODETTE	3055
16	US, D&B (Dun & Bradstreet Corporation)	3055

3207 Country identifier

Code	Name/description	Code list
AD	ANDORRA	3207
AE	UNITED ARAB EMIRATES	3207
AF	AFGHANISTAN	3207
AG	ANTIGUA AND BARBUDA	3207
AI	ANGUILLA	3207
AL	ALBANIA	3207
AM	ARMENIA	3207
AN	NETHERLANDS ANTILLES	3207
AO	ANGOLA	3207
AQ	ANTARCTICA	3207
AR	ARGENTINA	3207
AS	AMERICAN SAMOA	3207
AT	AUSTRIA	3207
AU	AUSTRALIA	3207
AW	ARUBA	3207
AX	ÅLAND ISLANDS	3207
AZ	AZERBAIJAN	3207
BA	BOSNIA AND HERZEGOVINA	3207
BB	BARBADOS	3207
BD	BANGLADESH	3207
BE	BELGIUM	3207
BF	BURKINA FASO	3207
BG	BULGARIA	3207
BH	BAHRAIN	3207
BI	BURUNDI	3207
BJ	BENIN	3207
BL	SAINT BARTHÉLEMY	3207
BM	BERMUDA	3207
BN	BRUNEI DARUSSALAM	3207
BO	BOLIVIA (PLURINATIONAL STATE OF)	3207
BQ	BONAIRE, SINT EUSTATIUS AND SABA	3207
BR	BRAZIL	3207
BS	BAHAMAS	3207
BT	BHUTAN	3207
BV	BOUVET ISLAND	3207
BW	BOTSWANA	3207
BY	BELARUS	3207
BZ	BELIZE	3207

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
CA	CANADA	3207
CC	COCOS (KEELING) ISLANDS	3207
CD	CONGO, DEMOCRATIC REPUBLIC OF	3207
CF	CENTRAL AFRICAN REPUBLIC	3207
CG	CONGO	3207
CH	SWITZERLAND	3207
CI	COTE D'IVOIRE	3207
CK	COOK ISLANDS	3207
CL	CHILE	3207
CM	CAMEROON	3207
CN	CHINA	3207
CO	COLOMBIA	3207
CR	COSTA RICA	3207
CS	SERBIA AND MONTENEGRO	3207
CU	CUBA	3207
CV	CAPE VERDE	3207
CW	CURAÇAO	3207
CX	CHRISTMAS ISLAND	3207
CY	CYPRUS	3207
CZ	CZECHIA	3207
DE	GERMANY	3207
DJ	DJIBOUTI	3207
DK	DENMARK	3207
DM	DOMINICA	3207
DO	DOMINICAN REPUBLIC	3207
DZ	ALGERIA	3207
EC	ECUADOR	3207
EE	ESTONIA	3207
EG	EGYPT	3207
EH	WESTERN SAHARA	3207
ER	ERITREA	3207
ES	SPAIN	3207
ET	ETHIOPIA	3207
FI	FINLAND	3207
FJ	FIJI	3207
FK	FALKLAND ISLANDS (MALVINAS)	3207
FM	MICRONESIA (FEDERATED STATES OF)	3207
FO	FAROE ISLANDS	3207
FR	FRANCE	3207
GA	GABON	3207
GB	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	3207
GD	GRENADA	3207
GE	GEORGIA	3207
GF	FRENCH GUIANA	3207
GG	GUERNSEY	3207
GH	GHANA	3207
GI	GIBRALTAR	3207
GL	GREENLAND	3207
GM	GAMBIA	3207
GN	GUINEA	3207
GP	GUADELOUPE	3207
GQ	EQUATORIAL GUINEA	3207
GR	GREECE	3207
GS	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	3207
GT	GUATEMALA	3207

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
GU	GUAM	3207
GW	GUINEA-BISSAU	3207
GY	GUYANA	3207
HK	HONG KONG	3207
HM	HEARD ISLAND AND MCDONALD ISLANDS	3207
HN	HONDURAS	3207
HR	CROATIA	3207
HT	HAITI	3207
HU	HUNGARY	3207
ID	INDONESIA	3207
IE	IRELAND	3207
IL	ISRAEL	3207
IM	ISLE OF MAN	3207
IN	INDIA	3207
IO	BRITISH INDIAN OCEAN TERRITORY	3207
IQ	IRAQ	3207
IR	IRAN (ISLAMIC REPUBLIC OF)	3207
IS	ICELAND	3207
IT	ITALY	3207
JE	JERSEY	3207
JM	JAMAICA	3207
JO	JORDAN	3207
JP	JAPAN	3207
KE	KENYA	3207
KG	KYRGYZSTAN	3207
KH	CAMBODIA	3207
KI	KIRIBATI	3207
KM	COMOROS	3207
KN	SAINT KITTS AND NEVIS	3207
KP	KOREA (DEMOCRATIC PEOPLE'S REPUBLIC OF)	3207
KR	KOREA, REPUBLIC OF	3207
KW	KUWAIT	3207
KY	CAYMAN ISLANDS	3207
KZ	KAZAKHSTAN	3207
LA	LAO PEOPLE'S DEMOCRATIC REPUBLIC	3207
LB	LEBANON	3207
LC	SAINT LUCIA	3207
LI	LIECHTENSTEIN	3207
LK	SRI LANKA	3207
LR	LIBERIA	3207
LS	LESOTHO	3207
LT	LITHUANIA	3207
LU	LUXEMBOURG	3207
LV	LATVIA	3207
LY	LIBYA	3207
MA	MOROCCO	3207
MC	MONACO	3207
MD	MOLDOVA, REPUBLIC OF	3207
ME	MONTENEGRO	3207
MF	SAINT MARTIN (FRENCH PART)	3207
MG	MADAGASCAR	3207
MH	MARSHALL ISLANDS	3207
MK	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF	3207
ML	MALI	3207
MM	MYANMAR	3207

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
MN	MONGOLIA	3207
MO	MACAO	3207
MP	NORTHERN MARIANA ISLANDS	3207
MQ	MARTINIQUE	3207
MR	MAURITANIA	3207
MS	MONTSERRAT	3207
MT	MALTA	3207
MU	MAURITIUS	3207
MV	MALDIVES	3207
MW	MALAWI	3207
MX	MEXICO	3207
MY	MALAYSIA	3207
MZ	MOZAMBIQUE	3207
NA	NAMIBIA	3207
NC	NEW CALEDONIA	3207
NE	NIGER	3207
NF	NORFOLK ISLAND	3207
NG	NIGERIA	3207
NI	NICARAGUA	3207
NL	NETHERLANDS	3207
NO	NORWAY	3207
NP	NEPAL	3207
NR	NAURU	3207
NU	NIUE	3207
NZ	NEW ZEALAND	3207
OM	OMAN	3207
PA	PANAMA	3207
PE	PERU	3207
PF	FRENCH POLYNESIA	3207
PG	PAPUA NEW GUINEA	3207
PH	PHILIPPINES	3207
PK	PAKISTAN	3207
PL	POLAND	3207
PM	SAINT PIERRE AND MIQUELON	3207
PN	PITCAIRN	3207
PR	PUERTO RICO	3207
PS	PALESTINE, STATE OF	3207
PT	PORTUGAL	3207
PW	PALAU	3207
PY	PARAGUAY	3207
QA	QATAR	3207
RE	REUNION	3207
RO	ROMANIA	3207
RS	SERBIA	3207
RU	RUSSIAN FEDERATION	3207
RW	RWANDA	3207
SA	SAUDI ARABIA	3207
SB	SOLOMON ISLANDS	3207
SC	SEYCHELLES	3207
SD	SUDAN	3207
SE	SWEDEN	3207
SG	SINGAPORE	3207
SH	SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	3207
SI	SLOVENIA	3207
SJ	SVALBARD AND JAN MAYEN	3207

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
SK	SLOVAKIA	3207
SL	SIERRA LEONE	3207
SM	SAN MARINO	3207
SN	SENEGAL	3207
SO	SOMALIA	3207
SR	SURINAME	3207
SS	SOUTH SUDAN	3207
ST	SAO TOME AND PRINCIPE	3207
SV	EL SALVADOR	3207
SX	SINT MAARTEN (DUTCH PART)	3207
SY	SYRIAN ARAB REPUBLIC	3207
SZ	SWAZILAND	3207
TC	TURKS AND CAICOS ISLANDS	3207
TD	CHAD	3207
TF	FRENCH SOUTHERN TERRITORIES	3207
TG	TOGO	3207
TH	THAILAND	3207
TJ	TAJIKISTAN	3207
TK	TOKELAU	3207
TL	TIMOR-LESTE	3207
TM	TURKMENISTAN	3207
TN	TUNISIA	3207
TO	TONGA	3207
TR	TURKEY	3207
TT	TRINIDAD AND TOBAGO	3207
TV	TUVALU	3207
TW	TAIWAN, PROVINCE OF CHINA	3207
TZ	TANZANIA, UNITED REPUBLIC OF	3207
UA	UKRAINE	3207
UG	UGANDA	3207
UM	UNITED STATES MINOR OUTLYING ISLANDS	3207
US	UNITED STATES OF AMERICA	3207
UY	URUGUAY	3207
UZ	UZBEKISTAN	3207
VA	HOLY SEE	3207
VC	SAINT VINCENT AND THE GRENADINES	3207
VE	VENEZUELA (BOLIVARIAN REPUBLIC OF)	3207
VG	VIRGIN ISLANDS, BRITISH	3207
VI	VIRGIN ISLANDS, U.S.	3207
VN	VIET NAM	3207
VU	VANUATU	3207
WF	WALLIS AND FUTUNA	3207
WS	SAMOA	3207
YE	YEMEN	3207
YT	MAYOTTE	3207
YU	YUGOSLAVIA	3207
ZA	SOUTH AFRICA	3207
ZM	ZAMBIA	3207
ZW	ZIMBABWE	3207

3227 Location function code qualifier

Code	Name/description	Code list
9	Place of loading	3227
11	Place of discharge	3227

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

4347	Product identifier code qualifier	
Code	Name/description	Code list
1	Additional identification	4347
6063	**Quantity type code qualifier**	
Code	Name/description	Code list
12	Despatch quantity	6063
6411	**Measurement unit code**	
Code	Name/description	Code list
C62	one	6411
7064	**Type of packages**	
Code	Name/description	Code list
080607	VDA GLT 800 x 600 x 700	7064
121010	VDA GLT 1200 x 1000 x 975	7064
0000BEH	sonst. Flüssigkeitsbehälter, Gebinde, Kanister, Hobbock, Tank, Container, nicht näher spezifiziert	7064
0000BLE	Sheet metal packaging, sheet metal coils, not specified	7064
0000BUN	Bunches, not specified	7064
0000FAS	Barrel, not specified	7064
0000LOS	Loose material (unpacked)	7064
0000PAL	120 x 80 cm, palette until 15 cm high	7064
0000SAC	Bag, not specified	7064
0000SCH	Box, case, package, not specified	7064
0000SON	Additional packages, not specified	7064
0000UMR	Hoop, tightening strap, not specified	7064
0001PAL	120 x 80 cm, until 50 cm high	7064
0001SCH	Box, case, package: Dimension until 30 x 20 x 14 cm	7064
0001SON	Additional packages > 1 cbm, not specified	7064
0002PAL	120 x 80 cm, palette until 100 cm high	7064
0002SCH	Box, case, package: Dimension until 30 x 20 x 28 cm	7064
0002SON	Additional packages < 1 cbm, not specified	7064
0003PAL	120 x 80 cm, palette until 150 cm high	7064
0003SCH	Box, case, package: Dimension until 40 x 30 x 14 cm	7064
0004PAL	120 x 80 cm, palette until 200 cm high	7064
0004SCH	Box, case, package: Dimension until 40 x 20 x 28 cm	7064
0005PAL	120 x 100 cm, palette until 50 cm high	7064
0005SCH	Box, case, package: Dimension until 50 x 30 x 20 cm	7064
0006PAL	120 x 100 cm, palette until 100 cm high	7064
0006SCH	Box, case, package: Dimension until 50 x 50 x 50 cm	7064
0007PAL	120 x 100 cm, paette until 150 cm high	7064
0007SCH	Box, case, package: Dimension until 58 x 48 x 36 cm	7064
0008PAL	120 x 100 cm, palette until 200 cm high	7064
0008SCH	Box, case, package: Dimension until 60 x 40 x 14 cm	7064
0009PAL	Palette: 120 x 100 cm, Flachpalette bis 15 cm Höhe	7064
0009SCH	Box, case, package: Dimension until 60 x 40 x 28 cm	7064
0010PAL	Palette 160 x 120 x 15 cm	7064
0010SCH	Box, case, package: Dimension until 80 x 60 x 40 cm	7064
0011SCH	Box, case, package: Dimension until 98 x 58 x 36 cm	7064
0012SCH	Box, case, package: Dimension until 100 x 60 x 73 cm	7064
0013SCH	Box, case, package: Dimension until 120 x 78 x 110 cm	7064
0014SCH	Box, case, package: Dimension until 120 x 80 x 40 cm	7064
0015SCH	Box, case, package: Dimension until 120 x 80 x 90 cm	7064
0016SCH	Box, case, package: Dimension until 120 x 100 x 90 cm	7064
0017SCH	Schachtel, Kiste, Paket: Abmessung bis 160 x 120 x 90 cm	7064

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
12081A	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 800 x 84	7064
12081AE	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 800 x 84	7064
1208A	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 800 x 94	7064
1208SP	VDA KLT Sicherungsplatte für Palette 1200 x 800	7064
1210A	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 1000 x 94	7064
1210AE	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 1000 x 94	7064
13L	EWPS Zwischenlage 13 Zoll beschichtet	7064
13S	EWPS Zwischenlage 13 Zoll unbeschichtet	7064
14L	EWPS Zwischenlage 14 Zoll beschichtet	7064
14S	EWPS Zwischenlage 14 Zoll unbeschichtet	7064
15L	EWPS Zwischenlage 15 Zoll beschichtet	7064
15S	EWPS Zwischenlage 15 Zoll unbeschichtet	7064
16L	EWPS Zwischenlage 16 Zoll beschichtet	7064
16S	EWPS Zwischenlage 16 Zoll unbeschichtet	7064
175S	EWPS Zwischenlage 17.5 Zoll unbeschichtet	7064
175SDC	EWPS Zwischenlage 17.5 Zoll unbeschichtet Steilschulter	7064
17L	EWPS Zwischenlage 17 Zoll beschichtet	7064
17S	EWPS Zwischenlage 17 Zoll unbeschichtet	7064
18L	EWPS Zwischenlage 18 Zoll beschichtet	7064
18S	EWPS Zwischenlage 18 Zoll unbeschichtet	7064
195SDC	EWPS Zwischenlage 19.5 Zoll unbeschichtet Steilschulter	7064
19L	EWPS Zwischenlage 19 Zoll beschichtet	7064
19S	EWPS Zwischenlage 19 Zoll unbeschichtet	7064
1BP	EWPS Grundpalette Größe 1	7064
1TP	EWPS Abschlussrahmen Größe 1	7064
20L	EWPS Zwischenlage 20 Zoll beschichtet	7064
20S	EWPS Zwischenlage 20 Zoll unbeschichtet	7064
20STBS	EWPS Zwischenlage 20 Zoll unbeschichtet Schrägschulter	7064
21L	EWPS Zwischenlage 21 Zoll beschichtet	7064
21S	EWPS Zwischenlage 21 Zoll unbeschichtet	7064
225SDC	EWPS Zwischenlage 22.5 Zoll unbeschichtet Steilschulter	7064
22L	EWPS Zwischenlage 22 Zoll beschichtet	7064
22S	EWPS Zwischenlage 22 Zoll unbeschichtet	7064
2BP	EWPS Grundpalette Größe 2	7064
2TP	EWPS Abschlussrahmen Größe 2	7064
3115RE	VDA R KLT ESD300 x 200 x 147	7064
3115RLE	VDA RL KLT ESD 300 x 200 x 147	7064
3147RL	VDA RL KLT 300 x 200 x 147	7064
31DE	VDA KLT Deckel ESD 300 x 200	7064
3214C	VDA C KLT 300 x 200 x 147	7064
3215R	VDA R KLT 300 x 200 x 147	7064
3217C	VDA C KLT 300 x 200 x 174	7064
35D	VDA KLT Deckel 300 x 200	7064
3715RF	VDA R KLT 300 x 200 x 147 mit RFID (Retrofit)	7064
3747RLF	VDA RL KLT 300 x 200 x147 mit RFID (Retrofit)	7064
3BP	EWPS Grundpalette Größe 3	7064
3TP	EWPS Abschlussrahmen Größe 3	7064
4047RLE	VDA RL KLT ESD 400 x 300 x 147	7064
4080RLE	VDA RL KLT ESD 400 x 300 x 280	7064
4115RE	VDA R KLT ESD 400 x 300 x 147	7064
4129RE	VDA R KLT ESD 400 x 300 x 280	7064
4147RL	VDA RL KLT 400 x 300 x 147	7064
41DE	VDA KLT Deckel ESD 400 x 300	7064
4280RL	VDA RL KLT 400 x 300 x 280	7064
4314C	VDA C KLT 400 x 300 x 147	7064

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
4315R	VDA R KLT 400 x 300 x 147	7064
4317C	VDA C KLT 400 x 300 x 174	7064
4321C	VDA C KLT 400 x 300 x 214	7064
4328C	VDA C KLT 400 x 300 x 280	7064
4329R	VDA R KLT 400 x 300 x 280	7064
45D	VDA KLT Deckel 400 x 300	7064
4713RLF	VDA RL KLT 400 x 300 x 213 mit RFID (Retrofit)	7064
4715RF	VDA R KLT 400 x 300 x 147 mit RFID (Retrofit)	7064
4722RF	VDA R KLT 400 x 300 x 213 mit RFID (Retrofit)	7064
4729RF	VDA R KLT 400 x 300 x 280 mit RFID (Retrofit)	7064
4747RLF	VDA RL KLT 400 x 300 x 147 mit RFID (Retrofit)	7064
4780RLF	VDA RL KLT 400 x 300 x 280 mit RFID (Retrofit)	7064
4BP	EWPS Grundpalette Größe 4	7064
4TP	EWPS Abschlussrahmen Größe 4	7064
6047RLE	VDA RL KLT ESD 600 x 400 x 147	7064
6080RLE	VDA RL KLT ESD 600 x 400 x 280	7064
6115RE	VDA R KLT ESD 600 x 400 x 147	7064
6129RE	VDA R KLT ESD 600 x 400 x 280	7064
6147RL	VDA RL KLT 600 x 400 x 147	7064
61DE	VDA KLT Deckel ESD 600 x 400	7064
6280RL	VDA RL KLT 600 x 400 x 280	7064
6410F	VDA F KLT 600 x 400 x 280 (94.5)	7064
6414C	VDA C KLT 600 x 400 x 147	7064
6415R	VDA R KLT 600 x 400 x 147	7064
6417C	VDA C KLT 600 x 400 x 174	7064
6421C	VDA C KLT 600 x 400 x 214	7064
6428C	VDA C KLT 600 x 400 x 280	7064
6429R	VDA R KLT 600 x 400 x 280	7064
65D	VDA KLT Deckel 600 x 400	7064
6713RLF	VDA RL KLT 600 x 400 x 213 mit RFID (Retrofit)	7064
6715RF	VDA R KLT 600 x 400 x 147 mit RFID (Retrofit)	7064
6722RF	VDA R KLT 600 x 400 x 213 mit RFID (Retrofit)	7064
6729RF	VDA R KLT 600 x 400 x 280 with RFID (Retrofit)	7064
6747RLF	VDA RL KLT 600 x 400 x 147 mit RFID (Retrofit)	7064
6780RLF	VDA RL KLT 600 x 400 x 280 mit RFID (Retrofit)	7064
COPACK	Virtuelle Verpackung	7064
UNPACKD	unverpackte Ware (lose oder Schüttgut)	7064

7065 Packaging type code (bundle or transport packaging unit), assigned by the provider of the empty packaging

Code	Name/description	Code list
43	Bag, super bulk	7065
44	Bag, polybag	7065
1A	Drum, steel	7065
1B	Drum, aluminium	7065
1D	Drum, plywood	7065
1F	Container, flexible	7065
1G	Drum, fibre	7065
1W	Drum, wooden	7065
2C	Barrel, wooden	7065
3A	Jerrican, steel	7065
3H	Jerrican, plastic	7065
4A	Box, steel	7065

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
4B	Box, aluminium	7065
4C	Box, natural wood	7065
4D	Box, plywood	7065
4F	Box, reconstituted wood	7065
4G	Box, fibreboard	7065
4H	Box, plastic	7065
5H	Bag, woven plastic	7065
5L	Bag, textile	7065
5M	Bag, paper	7065
6H	Composite packaging, plastic receptacle	7065
6P	Composite packaging, glass receptacle	7065
7A	Case, car	7065
7B	Case, wooden	7065
8A	Pallet, wooden	7065
8B	Crate, wooden	7065
8C	Bundle, wooden	7065
AA	Intermediate bulk container, rigid plastic	7065
AB	Receptacle, fibre	7065
AC	Receptacle, paper	7065
AD	Receptacle, wooden	7065
AE	Aerosol	7065
AF	Pallet, modular, collars 80cms × 60cms	7065
AG	Pallet, shrinkwrapped	7065
AH	Pallet, 100cms × 110cms	7065
AI	Clamshell	7065
AJ	Cone	7065
AL	Ball	7065
AM	Ampoule, non-protected	7065
AP	Ampoule, protected	7065
AT	Atomizer	7065
AV	Capsule	7065
B4	Belt	7065
BA	Barrel	7065
BB	Bobbin	7065
BC	Bottlecrate / bottlerack	7065
BD	Board	7065
BE	Bundle	7065
BF	Balloon, non-protected	7065
BG	Bag	7065
BH	Bunch	7065
BI	Bin	7065
BJ	Bucket	7065
BK	Basket	7065
BL	Bale, compressed	7065
BM	Basin	7065
BN	Bale, non-compressed	7065
BO	Bottle, non-protected, cylindrical	7065
BP	Balloon, protected	7065
BQ	Bottle, protected cylindrical	7065
BR	Bar	7065
BS	Bottle, non-protected, bulbous	7065
BT	Bolt	7065
BU	Butt	7065
BV	Bottle, protected bulbous	7065
BW	Box, for liquids	7065

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
BX	Box	7065
BY	Board, in bundle/bunch/truss	7065
BZ	Bars, in bundle/bunch/truss	7065
CA	Can, rectangular	7065
CB	Crate, beer	7065
CC	Churn	7065
CD	Can, with handle and spout	7065
CE	Creel	7065
CF	Coffer	7065
CG	Cage	7065
CH	Chest	7065
CI	Canister	7065
CJ	Coffin	7065
CK	Cask	7065
CL	Coil	7065
CM	Card	7065
CN	Container, not otherwise specified as transport equipment	7065
CO	Carboy, non-protected	7065
CP	Carboy, protected	7065
CQ	Cartridge	7065
CR	Crate	7065
CS	Case	7065
CT	Carton	7065
CU	Cup	7065
CV	Cover	7065
CW	Cage, roll	7065
CX	Can, cylindrical	7065
CY	Cylinder	7065
CZ	Canvas	7065
DA	Crate, multiple layer, plastic	7065
DB	Crate, multiple layer, wooden	7065
DC	Crate, multiple layer, cardboard	7065
DG	Cage, Commonwealth Handling Equipment Pool (CHEP)	7065
DH	Box, Commonwealth Handling Equipment Pool (CHEP), Eurobox	7065
DI	Drum, iron	7065
DJ	Demijohn, non-protected	7065
DK	Crate, bulk, cardboard	7065
DL	Crate, bulk, plastic	7065
DM	Crate, bulk, wooden	7065
DN	Dispenser	7065
DP	Demijohn, protected	7065
DR	Drum	7065
DS	Tray, one layer no cover, plastic	7065
DT	Tray, one layer no cover, wooden	7065
DU	Tray, one layer no cover, polystyrene	7065
DV	Tray, one layer no cover, cardboard	7065
DW	Tray, two layers no cover, plastic tray	7065
DX	Tray, two layers no cover, wooden	7065
DY	Tray, two layers no cover, cardboard	7065
EC	Bag, plastic	7065
ED	Case, with pallet base	7065
EE	Case, with pallet base, wooden	7065
EF	Case, with pallet base, cardboard	7065
EG	Case, with pallet base, plastic	7065
EH	Case, with pallet base, metal	7065

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
EI	Case, isothermic	7065
EN	Envelope	7065
FB	Flexibag	7065
FC	Crate, fruit	7065
FD	Crate, framed	7065
FE	Flexitank	7065
FI	Firkin	7065
FL	Flask	7065
FO	Footlocker	7065
FP	Filmpack	7065
FR	Frame	7065
FT	Foodtainer	7065
FW	Cart, flatbed	7065
FX	Bag, flexible container	7065
GB	Bottle, gas	7065
GI	Girder	7065
GL	Container, gallon	7065
GR	Receptacle, glass	7065
GU	Tray, containing horizontally stacked flat items	7065
GY	Bag, gunny	7065
GZ	Girders, in bundle/bunch/truss	7065
HA	Basket, with handle, plastic	7065
HB	Basket, with handle, wooden	7065
HC	Basket, with handle, cardboard	7065
HG	Hogshead	7065
HN	Hanger	7065
HR	Hamper	7065
IA	Package, display, wooden	7065
IB	Package, display, cardboard	7065
IC	Package, display, plastic	7065
ID	Package, display, metal	7065
IE	Package, show	7065
IF	Package, flow	7065
IG	Package, paper wrapped	7065
IH	Drum, plastic	7065
IK	Package, cardboard, with bottle grip-holes	7065
IL	Tray, rigid, lidded stackable (CEN TS 14482:2002)	7065
IN	Ingot	7065
IZ	Ingots, in bundle/bunch/truss	7065
JB	Bag, jumbo	7065
JC	Jerrican, rectangular	7065
JG	Jug	7065
JR	Jar	7065
JT	Jutebag	7065
JY	Jerrican, cylindrical	7065
KG	Keg	7065
KI	Kit	7065
LE	Luggage	7065
LG	Log	7065
LT	Lot	7065
LU	Lug	7065
LV	Liftvan	7065
LZ	Logs, in bundle/bunch/truss	7065
MA	Crate, metal	7065
MB	Bag, multiply	7065

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
MC	Crate, milk	7065
ME	Container, metal	7065
MR	Receptacle, metal	7065
MS	Sack, multi-wall	7065
MT	Mat	7065
MW	Receptacle, plastic wrapped	7065
MX	Matchbox	7065
NA	Not available	7065
NE	Unpacked or unpackaged	7065
NF	Unpacked or unpackaged, single unit	7065
NG	Unpacked or unpackaged, multiple units	7065
NS	Nest	7065
NT	Net	7065
NU	Net, tube, plastic	7065
NV	Net, tube, textile	7065
OA	Pallet, CHEP 40 cm x 60 cm	7065
OB	Pallet, CHEP 80 cm x 120 cm	7065
OC	Pallet, CHEP 100 cm x 120 cm	7065
OD	Pallet, AS 4068-1993	7065
OE	Pallet, ISO T11	7065
OF	Platform, unspecified weight or dimension	7065
OK	Block	7065
OT	Octabin	7065
OU	Container, outer	7065
P2	Pan	7065
PA	Packet	7065
PB	Pallet, box	7065
PC	Parcel	7065
PD	Pallet, modular, collars 80cms * 100cms	7065
PE	Pallet, modular, collars 80cms * 120cms	7065
PF	Pen	7065
PG	Plate	7065
PH	Pitcher	7065
PI	Pipe	7065
PJ	Punnet	7065
PK	Package	7065
PL	Pail	7065
PN	Plank	7065
PO	Pouch	7065
PP	Piece	7065
PR	Receptacle, plastic	7065
PT	Pot	7065
PU	Tray pack	7065
PV	Pipes, in bundle/bunch/truss	7065
PX	Pallet	7065
PY	Plates, in bundle/bunch/truss	7065
PZ	Planks, in bundle/bunch/truss	7065
QA	Drum, steel, non-removable head	7065
QB	Drum, steel, removable head	7065
QC	Drum, aluminium, non-removable head	7065
QD	Drum, aluminium, removable head	7065
QF	Drum, plastic, non-removable head	7065
QG	Drum, plastic, removable head	7065
QH	Barrel, wooden, bung type	7065
QJ	Barrel, wooden, removable head	7065

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
QK	Jerrican, steel, non-removable head	7065
QL	Jerrican, steel, removable head	7065
QM	Jerrican, plastic, non-removable head	7065
QN	Jerrican, plastic, removable head	7065
QP	Box, wooden, natural wood, ordinary	7065
QQ	Box, wooden, natural wood, with sift proof walls	7065
QR	Box, plastic, expanded	7065
QS	Box, plastic, solid	7065
RD	Rod	7065
RG	Ring	7065
RJ	Rack, clothing hanger	7065
RK	Rack	7065
RL	Reel	7065
RO	Roll	7065
RT	Rednet	7065
RZ	Rods, in bundle/bunch/truss	7065
SA	Sack	7065
SB	Slab	7065
SC	Crate, shallow	7065
SD	Spindle	7065
SE	Sea-chest	7065
SH	Sachet	7065
SI	Skid	7065
SK	Case, skeleton	7065
SL	Slipsheet	7065
SM	Sheetmetal	7065
SO	Spool	7065
SP	Sheet, plastic wrapping	7065
SS	Case, steel	7065
ST	Sheet	7065
SU	Suitcase	7065
SV	Envelope, steel	7065
SW	Shrinkwrapped	7065
SX	Set	7065
SY	Sleeve	7065
SZ	Sheets, in bundle/bunch/truss	7065
T1	Tablet	7065
TB	Tub	7065
TC	Tea-chest	7065
TD	Tube, collapsible	7065
TE	Tyre	7065
TG	Tank container, generic	7065
TI	Tierce TI	7065
TK	Tank, rectangular	7065
TL	Tub, with lid	7065
TN	Tin	7065
TO	Tun	7065
TR	Trunk	7065
TS	Truss	7065
TT	Bag, tote	7065
TU	Tube	7065
TV	Tube, with nozzle	7065
TW	Pallet, triwall	7065
TY	Tank, cylindrical	7065
TZ	Tubes, in bundle/bunch/truss	7065

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
UC	Uncaged	7065
UN	Unit	7065
VA	Vat	7065
VG	Bulk, gas (at 1031 mbar and 15 degree C)	7065
VI	Vial	7065
VK	Vanpack	7065
VL	Bulk, liquid	7065
VN	Vehicle	7065
VO	Bulk, solid, large particles ("nodules")	7065
VP	Vacuum-packed	7065
VQ	Bulk, liquefied gas (at abnormal temperature/pressure)	7065
VR	Bulk, solid, granular particles ("grains")	7065
VS	Bulk, scrap metal	7065
VY	Bulk, solid, fine particles ("powders")	7065
WA	Intermediate bulk container	7065
WB	Wickerbottle	7065
WC	Intermediate bulk container, steel	7065
WD	Intermediate bulk container, aluminium	7065
WF	Intermediate bulk container, metal	7065
WG	Intermediate bulk container, steel, pressurised > 10 kpa	7065
WH	Intermediate bulk container, aluminium, pressurised > 10 kpa	7065
WJ	Intermediate bulk container, metal, pressure 10 kpa	7065
WK	Intermediate bulk container, steel, liquid	7065
WL	Intermediate bulk container, aluminium, liquid	7065
WM	Intermediate bulk container, metal, liquid	7065
WN	Intermediate bulk container, woven plastic, without coat/liner	7065
WP	Intermediate bulk container, woven plastic, coated	7065
WQ	Intermediate bulk container, woven plastic, with liner	7065
WR	Intermediate bulk container, woven plastic, coated and liner	7065
WS	Intermediate bulk container, plastic film	7065
WT	Intermediate bulk container, textile with out coat/liner	7065
WU	Intermediate bulk container, natural wood, with inner liner	7065
WV	Intermediate bulk container, textile, coated	7065
WW	Intermediate bulk container, textile, with liner	7065
WX	Intermediate bulk container, textile, coated and liner	7065
WY	Intermediate bulk container, plywood, with inner liner	7065
WZ	Intermediate bulk container, reconstituted wood, with inner liner	7065
XA	Bag, woven plastic, without inner coat/liner	7065
XB	Bag, woven plastic, sift proof	7065
XC	Bag, woven plastic, water resistant	7065
XD	Bag, plastics film	7065
XF	Bag, textile, without inner coat/liner	7065
XG	Bag, textile, sift proof	7065
XH	Bag, textile, water resistant	7065
XJ	Bag, paper, multi-wall	7065
XK	Bag, paper, multi-wall, water resistant	7065
YA	Composite packaging, plastic receptacle in steel drum	7065
YB	Composite packaging, plastic receptacle in steel crate box	7065
YC	Composite packaging, plastic receptacle in aluminium drum	7065
YD	Composite packaging, plastic receptacle in aluminium crate	7065
YF	Composite packaging, plastic receptacle in wooden box	7065
YG	Composite packaging, plastic receptacle in plywood drum	7065
YH	Composite packaging, plastic receptacle in plywood box	7065
YJ	Composite packaging, plastic receptacle in fibre drum	7065
YK	Composite packaging, plastic receptacle in fibreboard box	7065

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
YL	Composite packaging, plastic receptacle in plastic drum	7065
YM	Composite packaging, plastic receptacle in solid plastic box	7065
YN	Composite packaging, glass receptacle in steel drum	7065
YP	Composite packaging, glass receptacle in steel crate box	7065
YQ	Composite packaging, glass receptacle in aluminium drum	7065
YR	Composite packaging, glass receptacle in aluminium crate	7065
YS	Composite packaging, glass receptacle in wooden box	7065
YT	Composite packaging, glass receptacle in plywood drum	7065
YV	Composite packaging, glass receptacle in wickerwork hamper	7065
YW	Composite packaging, glass receptacle in fibre drum	7065
YX	Composite packaging, glass receptacle in fibreboard box	7065
YY	Composite packaging, glass receptacle in expandable plastic pack	7065
YZ	Composite packaging, glass receptacle in solid plastic pack	7065
ZA	Intermediate bulk container, paper, multi-wall	7065
ZB	Bag, large	7065
ZC	Intermediate bulk container, paper, multi-wall, water resistant	7065
ZD	Intermediate bulk container, rigid plastic, with structural equipment, solids	7065
ZF	Intermediate bulk container, rigid plastic, freestanding, solids	7065
ZG	Intermediate bulk container, rigid plastic, with structural equipment, pressurised	7065
ZH	Intermediate bulk container, rigid plastic, freestanding, pressurised	7065
ZJ	Intermediate bulk container, rigid plastic, with structural equipment, liquids	7065
ZK	Intermediate bulk container, rigid plastic, freestanding, liquids	7065
ZL	Intermediate bulk container, composite, rigid plastic, solids	7065
ZM	Intermediate bulk container, composite, flexible plastic, solids	7065
ZN	Intermediate bulk container, composite, rigid plastic, pressurised	7065
ZP	Intermediate bulk container, composite, flexible plastic, pressurised	7065
ZQ	Intermediate bulk container, composite, rigid plastic, liquids	7065
ZR	Intermediate bulk container, composite, flexible plastic, liquids	7065
ZS	Intermediate bulk container, composite	7065
ZT	Intermediate bulk container, fibreboard	7065
ZU	Intermediate bulk container, flexible	7065
ZV	Intermediate bulk container, metal, other than steel	7065
ZW	Intermediate bulk container, natural wood	7065
ZX	Intermediate bulk container, plywood	7065
ZY	Intermediate bulk container, reconstituted wood	7065
ZZ	Mutually defined	7065

7075 Packaging level code

Code	Name/description	Code list
3	Outer	7075
5	Shipment level	7075

7077 Description format code

Code	Name/description	Code list
C	Code (from industry code list)	7077
S	Structured (from industry code list)	7077

7081 Packaging folded indicator

Code	Name/description	Code list
FO	Empty container, folded	ODDC154(1)

7143 Item type identification code

Code	Name/description	Code list
AA	Product version number	ODDC101(1)
AB	Assembly	ODDC101(1)
AC	HIBC (Health Industry Bar Code)	ODDC101(1)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
AM	UPC (Universal Product Code)/EAN (European article number) Shipping container code (1-2-5-5-1)	ODDC101(1)
BH	Part number	ODDC101(1)
BL	Control number	ODDC101(1)
BO	Buyer's colour	ODDC101(1)
BP	Buyer's part number	ODDC101(1)
CC	Industry commodity code	ODDC101(1)
CG	Commodity grouping	ODDC101(1)
CL	Colour number	ODDC101(1)
CR	Contract number	ODDC101(1)
CV	Customs article number	ODDC101(1)
DR	Drawing revision number	ODDC101(1)
DW	Drawing	ODDC101(1)
EC	Engineering change level	ODDC101(1)
EF	Material code	ODDC101(1)
EN	International Article Numbering Association (EAN)	ODDC101(1)
GS	General specification number	ODDC101(1)
HS	Harmonised system	ODDC101(1)
IB	ISBN (International Standard Book Number)	ODDC101(1)
IN	Buyer's item number	ODDC101(1)
IS	ISSN (International Standard Serial Number)	ODDC101(1)
IT	Buyer's style number	ODDC101(1)
IZ	Buyer's size code	ODDC101(1)
MA	Machine number	ODDC101(1)
MF	Manufacturer's (producer's) article number	ODDC101(1)
MN	Model number	ODDC101(1)
MP	Product/service identification number	ODDC101(1)
NB	Batch number	ODDC101(1)
O91	Assigned by the provider of the empty packaging	ODDC101(1)
O92	Assigned by the receiver of the empty packaging	ODDC101(1)
ON	Customer order number	ODDC101(1)
PD	Part number description	ODDC101(1)
PL	Purchaser's order line number	ODDC101(1)
PO	Purchase order number	ODDC101(1)
PV	Promotional variant number	ODDC101(1)
QS	Buyer's qualifier for size	ODDC101(1)
RC	Returnable container number	ODDC101(1)
RN	Release number	ODDC101(1)
RU	Run number	ODDC101(1)
RY	Record keeping of model year	ODDC101(1)
SA	Supplier's article number	ODDC101(1)
SG	Standard group of products (mixed assortment)	ODDC101(1)
SK	SKU (Stock keeping unit)	ODDC101(1)
SN	Serial number	ODDC101(1)
SRS	RSK number	ODDC101(1)
SS	Supplier's supplier article number	ODDC101(1)
ST	Style number	ODDC101(1)
TG	Transport group number	ODDC101(1)
UA	Ultimate customer's article number	ODDC101(1)
V11	Model type / Modelgroup	ODDC101(1)
V12	Model version	ODDC101(1)
VN	Vendor item number	ODDC101(1)
VP	Vendor's (seller's) part number	ODDC101(1)
VS	Vendor's supplemental item number	ODDC101(1)
VX	Vendor specification number	ODDC101(1)

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
X1	GALIA France Package Type Code	ODDC101(1)
X2	VDA Germany Package Type Code	ODDC101(1)
X3	Other third party Package Type Code	ODDC101(1)
X4	REESS - code (battery or battery component identification) according to Chinese requirements	ODDC101(1)
ZZZ	Mutually defined	ODDC101(1)
AA	Product version number	7143
AB	Assembly	7143
AC	HIBC (Health Industry Bar Code)	7143
AD	Cold roll number	7143
AE	Hot roll number	7143
AF	Slab number	7143
AG	Software revision number	7143
AH	UPC (Universal Product Code) Consumer package code (1-5-5)	7143
AI	UPC (Universal Product Code) Consumer package code (1-5-5- 1)	7143
AJ	Sample number	7143
AK	Pack number	7143
AL	UPC (Universal Product Code) Shipping container code (1-2- 5-5)	7143
AM	UPC (Universal Product Code)/EAN (European article number) Shipping container code (1-2-5-5-1)	7143
AN	UPC (Universal Product Code) suffix	7143
AO	State label code	7143
AP	Heat number	7143
AQ	Coupon number	7143
AR	Resource number	7143
AS	Work task number	7143
AT	Price look up number	7143
AU	NSN (North Atlantic Treaty Organization Stock Number)	7143
AV	Refined product code	7143
AW	Exhibit	7143
AX	End item	7143
AY	Federal supply classification	7143
AZ	Engineering data list	7143
BA	Milestone event number	7143
BB	Lot number	7143
BC	National drug code 4-4-2 format	7143
BD	National drug code 5-3-2 format	7143
BE	National drug code 5-4-1 format	7143
BF	National drug code 5-4-2 format	7143
BG	National drug code	7143
BH	Part number	7143
BI	Local Stock Number (LSN)	7143
BJ	Next higher assembly number	7143
BK	Data category	7143
BL	Control number	7143
BM	Special material identification code	7143
BN	Locally assigned control number	7143
BO	Buyer's colour	7143
BP	Buyer's part number	7143
BQ	Variable measure product code	7143
BR	Financial phase	7143
BS	Contract breakdown	7143
BT	Technical phase	7143
BU	Dye lot number	7143
BV	Daily statement of activities	7143

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
BW	Periodical statement of activities within a bilaterally agreed time period	7143
BX	Calendar week statement of activities	7143
BY	Calendar month statement of activities	7143
BZ	Original equipment number	7143
CC	Industry commodity code	7143
CG	Commodity grouping	7143
CL	Colour number	7143
CR	Contract number	7143
CV	Customs article number	7143
DR	Drawing revision number	7143
DW	Drawing	7143
EC	Engineering change level	7143
EF	Material code	7143
EN	International Article Numbering Association (EAN)	7143
FS	Fish species	7143
GB	Buyer's internal product group code	7143
GN	National product group code	7143
GS	General specification number	7143
HS	Harmonised system	7143
IB	ISBN (International Standard Book Number)	7143
IN	Buyer's item number	7143
IS	ISSN (International Standard Serial Number)	7143
IT	Buyer's style number	7143
IZ	Buyer's size code	7143
MA	Machine number	7143
MF	Manufacturer's (producer's) article number	7143
MN	Model number	7143
MP	Product/service identification number	7143
NB	Batch number	7143
ON	Customer order number	7143
PD	Part number description	7143
PL	Purchaser's order line number	7143
PO	Purchase order number	7143
PV	Promotional variant number	7143
QS	Buyer's qualifier for size	7143
RC	Returnable container number	7143
RN	Release number	7143
RU	Run number	7143
RY	Record keeping of model year	7143
SA	Supplier's article number	7143
SG	Standard group of products (mixed assortment)	7143
SK	SKU (Stock keeping unit)	7143
SN	Serial number	7143
SRS	RSK number	7143
SRT	IFLS (Institut Francais du Libre Service) 5 digit product classification code	7143
SRU	IFLS (Institut Francais du Libre Service) 9 digit product classification code	7143
SRV	GS1 Global Trade Item Number	7143
SRW	EDIS (Energy Data Identification System)	7143
SRX	Slaughter number	7143
SRY	Official animal number	7143
SRZ	Harmonized tariff schedule	7143
SS	Supplier's supplier article number	7143
SSA	46 Level DOT Code	7143
SSB	Airline Tariff 6D	7143
SSC	Title 49 Code of Federal Regulations	7143

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
SSD	International Civil Aviation Administration code	7143
SSE	Hazardous Materials ID DOT	7143
SSF	Endorsement	7143
SSG	Air Force Regulation 71-4	7143
SSH	Breed	7143
SSI	Chemical Abstract Service (CAS) registry number	7143
SSJ	Engine model designation	7143
SSK	Institutional Meat Purchase Specifications (IMPS) Number	7143
SSL	Price Look-Up code (PLU)	7143
SSM	International Maritime Organization (IMO) Code	7143
SSN	Bureau of Explosives 600-A (rail)	7143
SSO	United Nations Dangerous Goods List	7143
SSP	International Code of Botanical Nomenclature (ICBN)	7143
SSQ	International Code of Zoological Nomenclature (ICZN)	7143
SSR	International Code of Nomenclature for Cultivated Plants (ICNCP)	7143
SSS	Distributor's article identifier	7143
SST	Norwegian Classification system ENVA	7143
SSU	Supplier assigned classification	7143
SSV	Mexican classification system AMECE	7143
SSW	German classification system CCG	7143
SSX	Finnish classification system EANFIN	7143
SSY	Canadian classification system ICC	7143
SSZ	French classification system IFLS5	7143
ST	Style number	7143
STA	Dutch classification system CBL	7143
STB	Japanese classification system JICFS	7143
STC	European Union dairy subsidy eligibility classification	7143
STD	GS1 Spain classification system	7143
STE	GS1 Poland classification system	7143
STF	Federal Agency on Technical Regulating and Metrology of the Russian Federation	7143
STG	Efficient Consumer Response (ECR) Austria classification system	7143
STH	GS1 Italy classification system	7143
STI	CPV (Common Procurement Vocabulary)	7143
STJ	IFDA (International Foodservice Distributors Association)	7143
STK	AHFS (American Hospital Formulary Service) pharmacologic - therapeutic classification	7143
STL	ATC (Anatomical Therapeutic Chemical) classification system	7143
STM	CLADIMED (Classification des Dispositifs Médicaux)	7143
STN	CMDR (Canadian Medical Device Regulations) classification system	7143
STO	CNDM (Classificazione Nazionale dei Dispositivi Medici)	7143
STP	UK DM&D (Dictionary of Medicines & Devices) standard coding scheme	7143
STQ	eCl@ss	7143
STR	EDMA (European Diagnostic Manufacturers Association) Products Classification	7143
STS	EGAR (European Generic Article Register)	7143
STT	GMDN (Global Medical Devices Nomenclature)	7143
STU	GPI (Generic Product Identifier)	7143
STV	HCPCS (Healthcare Common Procedure Coding System)	7143
STW	ICPS (International Classification for Patient Safety)	7143
STX	MedDRA (Medical Dictionary for Regulatory Activities)	7143
STY	Medical Columbus	7143
STZ	NAPCS (North American Product Classification System)	7143
SUA	NHS (National Health Services) eClass	7143
SUB	US FDA (Food and Drug Administration) Product Code Classification Database	7143
SUC	SNOMED CT (Systematized Nomenclature of Medicine-Clinical Terms)	7143
SUD	UMDNS (Universal Medical Device Nomenclature System)	7143
SUE	GS1 Global Returnable Asset Identifier, non-serialised	7143

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022

Applicable codes

Code	Name/description	Code list
SUF	IMEI	7143
SUG	Waste Type (EMSA)	7143
SUH	Ship's store classification type	7143
SUI	Emergency fire code	7143
SUJ	Emergency spillage code	7143
SUK	IMDG packing group	7143
SUL	MARPOL Code IBC	7143
SUM	IMDG subsidiary risk class	7143
TG	Transport group number	7143
TSN	Taxonomic Serial Number	7143
TSO	IMDG main hazard class	7143
TSP	EU Combined Nomenclature	7143
TSQ	Therapeutic classification number	7143
TSR	European Waste Catalogue	7143
TSS	Price grouping code	7143
TSU	EU RoHS Directive	7143
UA	Ultimate customer's article number	7143
UP	UPC (Universal product code)	7143
VN	Vendor item number	7143
VP	Vendor's (seller's) part number	7143
VS	Vendor's supplemental item number	7143
VX	Vendor specification number	7143
ZZZ	Mutually defined	7143

8393 Returnable package load contents code

Code	Name/description	Code list
11	Empty container, folded	8393

COPYRIGHT ODETTE INTERNATIONAL & VDA 2022