

Global INVRPT

Recommendation VDA 4990 Part 2

Version 2.0, March 2022



Short Description

This recommendation describes the use of UN/EDIFACT message INVRPT for inventory balance and movement reports.

Disclaimer

The VDA Recommendations are recommendations that may be freely adopted by anyone. Users are responsible for correct implementation of the recommendations as required on a case-by-case basis.

The recommendations take into account the prevailing technology at the time of publication. Use of the VDA Recommendations does not absolve anyone from responsibility for his/her own actions, and all users act at their own risk. Liability of VDA and those involved in drafting of VDA Recommendations is excluded.

If you notice any errors, omissions or ambiguities in these recommendations, please contact VDA without delay so that these errors can be rectified.

Publisher Verband der Automobilindustrie e.V. (VDA)
Behrenstrasse 35, 10117 Berlin
www.vda.de

This recommendation was developed by AK KIT .

Copyright Verband der Automobilindustrie e.V. (VDA)

Reprint, also in extracts, is only permitted, if the source is stated.

Version Version 2.0, March 2022

Table of contents

Table of contents..... 3

List of changes 4

Structure of an UN/EDIFACT interchange 6

Branching diagram 7

Message structure..... 13

Segment details 15

Applicable codes..... 86

List of changes

No.	Change Change Request	Date	Version	Segment(-group) and data element				
01	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	2.0	58	UNZ Interchange trailer			
02	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	2.0	57	UNT Message trailer			
03	2021-018 GAVJ11 --> GAVJ20	2022-01-20	2.0	03	UNH	S009	0057	Message header
04	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	2.0	03	UNH Message header			
05	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	2.0	02	UNB Interchange header			
06	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	2.0	01	UNA Service string advice			
07	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	2.0					
08	2021-008 Neue / new SG: Subset ID	2021-07-07	2.0	06	SG1	RFF SG1#1 Subset ID Subset ID		
09	Neue Version	2020-07-20	1.1					
10	2020-021 Codes hinzugefügt: MLT, DR	2020-07-01	1.1	47	SG12	QTY	C186 6411	SG9#1\SG12#2 Inventory balance per individual warehouse / condition Previously reported stock quantity
11	2020-021 Codes hinzugefügt: MLT, DR	2020-07-01	1.1	46	SG12	QTY	C186 6411	SG9#1\SG12#2 Inventory balance per individual warehouse / condition Current stock quantity

List of changes

No.	Change Change Request	Date	Version	Segment(-group) and data element
12	2020-021 Codes hinzugefügt: MLT, DR	2020-07-01	1.1	31 SG12 QTY C186 6411 SG9#1\SG12#1 Stock movement Resulting calculated stock quantity
13	2020-021 Codes hinzugefügt: MLT, DR	2020-07-01	1.1	30 SG12 QTY C186 6411 SG9#1\SG12#1 Stock movement Movement quantity
14	2020-028 GAVJ10 --> GAVJ11	2020-07-01	1.1	03 UNH S009 0057 Message header
15	2016-001 Code XM geändert / changed => Anzahl Bänder / number of cold rolls (correction, no version change)	2016-12-23	1.0	22 SG9 PIA C212 7143 SG9#1 Article Properties of steel (only steel process)
16	Initiale Version	2014-12-31	1.0	

Structure of an UN/EDIFACT interchange


An EDIFACT interchange file contains an interchange frame (UNB-UNZ) with one or more messages (UNH-UNT). The interchange frame can be preceded by a service string advice to define the used separator characters (recommended).

Usually one interchange file contains only messages of the same type, INVRPT
e.g.

For more information, please refer to recommendation VDA 4900.

Status	Segment	Description
Optional	UNA	Service String Advice
Mandatory	UNB	Interchange header
Mandatory	UNH	1. Message header
	...	Message segments
Mandatory	UNT	1. Message trailer
	UNH	2. Message header
	...	Message segments
	UNT	2. Message trailer
	etc.	
	UNH	n. Message header
	...	Message segments
	UNT	n. Message trailer
Mandatory	UNZ	Interchange trailer


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Structure / content

No.	Tag	St	MaxRep	Content
1	UNA	R	1	Service string advice
2	UNB	M	1	Interchange header
3	UNH	M	1	Message header
4	BGM	M	1	Beginning of message
5	DTM	M	1	Message date
	SG1	O	1	Subset ID
6	RFF	M	1	Subset ID
	SG2	R	1	Warehouse manager
7	NAD	M	1	Warehouse manager
	SG3	O	1	Additional Party ID (DUNS)
8	RFF	M	1	Reference
	SG2	R	1	Receiver of the inventory report
9	NAD	M	1	Name and address
	SG3	O	1	Additional Party ID (DUNS)
10	RFF	M	1	Reference
	SG2	D	1	Ship from
11	NAD	M	1	Ship from's name and address
	SG3	O	1	Additional Party ID (DUNS)
12	RFF	M	1	Reference
	SG2	D	1	Ship to
13	NAD	M	1	Ship to's name and address
14	LOC	O	1	Place of discharge
	SG3	O	1	Additional Party ID (DUNS)
15	RFF	M	1	Reference
	SG2	O	1	Buyer / Customer
16	NAD	M	1	Buyer's Name and Address
	SG3	O	1	Additional Party ID (DUNS)
17	RFF	M	1	Reference
	SG2	O	1	Seller / supplier
18	NAD	M	1	Seller's Name and Address
	SG3	O	1	Additional Party ID (DUNS)
19	RFF	M	1	Reference
	SG9	R	99999999	Article
20	LIN	M	1	Line item
21	PIA	O	1	Additional product id
22	PIA	D	10	Properties of steel (only steel process)
23	IMD	O	10	Item description
24	ALI	O	1	Country of origin
25	DTM	O	1	Design revision date
26	DTM	O	1	Engineering change date
27	DTM	D	3	Production date, best before date, expiration date
28	DTM	D	2	Tempering date (only steel process)
	SG12	D	9999	Stock movement
29	INV	M	1	Inventory management related details
30	QTY	M	1	Movement quantity
31	QTY	O	1	Resulting calculated stock quantity
32	LOC	R	1	Warehouse / storage facility
33	DTM	D	1	Date / time of the stock movement, if different from message date.

Tag = Tag; No. = consecutive segment number in the guide; MaxRep = maximum repetition; St = status (M=mandatory, C=conditional, R=required, O=optional, D=dependent, A=advised)

Structure / content

No.	Tag	St	MaxRep	Content
34	STS	O	9	Status / storage regime
	SG13	O	1	Ultimate Customer Party
35	NAD	M	1	Ultimate customers's name and address
	SG15	O	10	Reference documents
36	RFF	M	1	Reference
37	DTM	O	1	Reference document date/time
	SG16	D	9999	Packages
38	CPS	M	1	Consignment packing sequence
	SG17	O	9999	Group of packaging items
39	PAC	M	1	Package
	SG18	D	99	Marking
40	PCI	M	1	Package identification
41	GIN	D	100	Package Label Number
42	GIN	D	1	Package Label Number
	SG19	D	10	Vehicle reference data (e.g. for JIS deliveries)
43	GIR	M	1	Manufacturing reference number and other relevant attributes of the vehicle
	SG19	D	1	GIR-DTM
44	GIR	M	1	Storage place ID
	SG12	D	9999	Inventory balance per individual warehouse / condition
45	INV	R	1	Inventory management related details
46	QTY	M	9	Current stock quantity
47	QTY	O	1	Previously reported stock quantity
48	LOC	R	5	Warehouse
49	DTM	O	1	Message date of the previous message
	SG16	D	9999	Packages
50	CPS	M	1	Consignment packing sequence
	SG17	O	9999	Group of packaging items
51	PAC	M	1	Package
	SG18	D	99	Marking
52	PCI	M	1	Package identification
53	GIN	D	100	Package Label Number
54	GIN	D	1	Package Label Number
	SG19	D	10	Vehicle reference data (e.g. for JIS deliveries)
55	GIR	M	1	Manufacturing reference number and other relevant attributes of the vehicle
	SG19	D	1	GIR-DTM
56	GIR	M	1	Storage place ID
57	UNT	M	1	Message trailer
58	UNZ	M	1	Interchange trailer

Tag = Tag; No. = consecutive segment number in the guide; MaxRep = maximum repetition; St = status (M=mandatory, C=conditional, R=required, O=optional, D=dependent, A=advised)

Segmente

Nr	Bez	St	MaxWdh	Name
1	UNA	R	1	Service string advice

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
UNA1	Component data element separator	M	an1	M	an1 Colon
UNA2	Data element separator	M	an1	M	an1 Plus sign
UNA3	Decimal notation	M	an1	M	an1 Decimal point or comma This differs from version 4 that only allows decimal point.
UNA4	Release indicator	M	an1	M	an1 Question mark
UNA5	Reserved for future use	M	an1	M	an1 Blank
UNA6	Segment terminator	M	an1	M	an1 Apostrophe

The use of UNA is strongly recommended and UNA5 must be blank.

Beispiel:

UNA: + . ? ' '

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
2	UNB	M	1	Interchange header

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
S001	Syntax identifier	M		M	
0001	Syntax identifier	M	a4	M	a4 UNOW shall only be used, if agreed upon by partners in their interchange agreement. UNOA UN/ECE level A UNOB UN/ECE level B UNOC UN/ECE level C UNOD UN/ECE level D UNOW UN/ECE level W
0002	Syntax version number	M	an1	M	an1 To use syntax version 4 according to the ISO 9735-11 profile, code "X" must be used here. X Syntax version 4 ISO 9735-11 profile.
0080	Service code list directory version number	C	an..6	N	Nicht genutzt
0133	Character encoding, coded	C	an..3	N	Nicht genutzt
0076	Syntax release number	C	an2	N	Nicht genutzt
S002	Interchange sender	M		M	
0004	Sender identification	M	an..35	M	an..35 Unique ID of the sender in the data transmission network or system used.
0007	Partner identification code qualifier	C	an..4	O	an..4 Qualifier for the organisation that assigned the identifier, e.g. 59 for Odette.
0008	Address for reverse routing	C	an..14	O	an..14 Address for reverse routing Address of an application or internal system at sender's site to which reply messages should be routed.
0042	Interchange sender internal sub-identification	C	an..35	N	Nicht genutzt
S003	Interchange recipient	M		M	
0010	Recipient identification	M	an..35	M	an..35 Unique ID of the recipient in the data transmission network or system used.
0007	Partner identification code qualifier	C	an..4	O	an..4
0014	Routing address	C	an..14	O	an..14 Address for reverse routing Address of an application or an internal system at the recipient: For some buyers, the delivery schedules or similar can be generated from different ERP systems. After receipt by the buyer, the messages must then be forwarded to this system and processed there.
0046	Interchange recipient internal sub-identification	C	an..35	N	Nicht genutzt
S004	Date/time of preparation	M		M	
0017	Date of preparation	M	n8	M	n8 Attention: Difference to S3, 8 digits (including century)! Format CCYYMMDD
0019	Time of preparation	M	n4	M	n4 Format hhmm
0020	Interchange control reference	M	an..14	M	an..14 Unique ID of a data transmission.
S005	Recipient's reference, password	C		N	Nicht genutzt
0022	Recipient's reference/password	M	an..14	N	Nicht genutzt
0025	Recipient's reference/password qualifier	C	an2	N	Nicht genutzt
0026	Application reference	C	an..14	N	Nicht genutzt
0029	Processing priority code	C	a1	N	Nicht genutzt
0031	Acknowledgement request	C	n1	N	Nicht genutzt
0032	Communications agreement ID	C	an..35	N	Nicht genutzt

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
0035	Test indicator	C	n1	Only used if the data exchange is for test purposes. This data element is not transmitted for valid transmissions. 1 Interchange is a test

The structure of the EDIFACT interchange and the specification of the service segments for electronic data exchange used in the automotive industry are described in detail in the VDA Recommendation 4900.

Due to the change in ISO standard 9735, VDA-EDIFACT recommendations will be based on the EDIFACT Syntax 3 compliant profile of EDIFACT Syntax 4 (ISO 9735 Part 11) from 2021-12. The service segments (UNA, UNB, UNH, UNS, UNT, UNZ) were adapted accordingly. The user data segments were not changed.

Beispiel:

**UNB+UNOC:X+VA13:59:EDI-Outbound+XB05:59:EDI-Inbound+20220721:0719+20220000
25++++++1'**

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
3	UNH	M	1	Message header

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
0062	Message reference number	M	an..14	M an..14 Message reference number
S009	Message identifier	M		M
0065	Message type	M	an..6	M an..6 INVRPT Inventory report message
0052	Message version number	M	an..3	M an..3 D Draft version/UN/EDIFACT Directory
0054	Message release number	M	an..3	M an..3 13A Release 2013 - A
0051	Controlling agency	M	an..2	M an..2 UN UN/ECE/TRADE/WP.4
0057	Association assigned code	C	an..6	R an..6 GAVJ20 VDA INVRPT Version 2.0 JAI016
0110	Code list directory version number	C	an..6	N Nicht genutzt
0113	Message type sub-function identification	C	an..6	N Nicht genutzt
0068	Common access reference	C	an..35	N Nicht genutzt
S010	Status of the transfer	C		D Can be used, if one message extends 999999 segments. In this case S010 is the means to link several messages in an interchange as one semantic message together.
0070	Sequence of transfers	M	n..2	M n..2 Message sequence number
0073	First and last transfer	C	a1	O a1 First/last message indicator C Creation F Final
S016	Message subset identification	C		N Nicht genutzt
0115	Message subset identification	M	an..14	N Nicht genutzt
0116	Message subset version number	C	an..3	N Nicht genutzt
0118	Message subset release number	C	an..3	N Nicht genutzt
0051	Controlling agency	C	an..2	N Nicht genutzt
S017	Message implementation guideline identification	C		N Nicht genutzt
0121	Message implementation guideline identification	M	an..14	N Nicht genutzt
0122	Message implementation guideline version number	C	an..3	N Nicht genutzt
0124	Message implementation guideline release number	C	an..3	N Nicht genutzt
0051	Controlling agency	C	an..2	N Nicht genutzt
S018	Scenario identification	C		N Nicht genutzt
0127	Scenario identification	M	an..14	N Nicht genutzt
0128	Scenario version number	C	an..3	N Nicht genutzt
0130	Scenario release number	C	an..3	N Nicht genutzt
0051	Controlling agency	C	an..2	N Nicht genutzt

Beispiel:

UNH+123456+INVRPT:D:13A:UN:GAVJ20++1:C'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
4	BGM	M	1	Beginning of message

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
C002	Document/message name	C		R
1001	Document name code	C	an..3	R an..3 35 - Bestandsmeldung, basierend auf den errechneten Beständen 78 - Lagerbewegungsmeldung (Zu- und Abgänge sowie interne Umbuchungen) 23 - Inventurmeldung = formelle Inventur-Zählmeldung 35 Inventory report 78 Inventory movement advice 23 Formal Inventory Balance JAI001
1131	Code list identification code	C	an..17	N - Nicht genutzt
3055	Code list responsible agency code	C	an..3	O an..3 6 UN/ECE (United Nations - Economic Commission for Europe) 272 Joint Automotive Industry agency
1000	Document name	C	an..35	O an..35 Process description, as "Consignmet warehouse" or "Steel inventory" etc.
C106	Document/message identification	C		R
1004	Document identifier	C	an..70	R an..17 Message number of the inventory report or movement advice
1056	Version identifier	C	an..9	N Nicht genutzt
1060	Revision identifier	C	an..6	N Nicht genutzt
1225	Message function code	C	an..3	O an..3 9 Original
4343	Response type code	C	an..3	N Nicht genutzt
1373	Document status code	C	an..3	N Nicht genutzt

Beispiel:

BGM+35::6:Prozesskennzeichen+123ABC+9'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
5	DTM	M	1	Message date

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3
					137 Document issue date time
2380	Date or time or period text	C	an..35	R	an..14 Stock Report Date/Time
2379	Date or time or period format code	C	an..3	R	an..3
					102 CCYYMMDD 203 CCYYMMDDHHMM

Message date is equal / synonymous to date / time of the inventory report.

Beispiel:

DTM+137:20140101:203'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG1	O	1	Subset ID
6	RFF	M	1	Subset ID

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3
					AOZ Implementation version number
1154	Reference identifier	C	an..70	R	an..70 Reference to the (usually customer's) subset ID/guideline version, this message is conformant to.
1156	Document line identifier	C	an..6	N	Nicht genutzt
1056	Version identifier	C	an..9	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

Beispiel:

RFF+AOZ:Version3.2'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	R	1	Warehouse manager
7	NAD	M	1	Warehouse manager

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3 WH Warehouse keeper
C082	Party identification details	C		R	
3039	Party identifier	M	an..35	R	an..20 Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3 Code specifying the agency responsible for a code list. 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		O	
3036	Party name	M	an..70	M	an..35 Single text line for party name
3036	Party name	C	an..70	O	an..70 see 3036 # 1
3036	Party name	C	an..70	N	Nicht genutzt
3036	Party name	C	an..70	N	Nicht genutzt
3036	Party name	C	an..70	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		O	
3042	Street and number or post office box identifier	M	an..35	M	an..35 Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..35	O	an..35 see 3042 # 1
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	O	an..35 The name of the city, town, or village of this address.
C819	Country subdivision details	C		O	
3229	Country subdivision identifier	C	an..9	R	an..9 State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country subdivision name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	O	an..17 Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	a2 Provides the country part of an address using a code.

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
				Use ISO3166 two alpha code.

Beispiel:

NAD+WH+Identifier::91++Name1:Name2+Street1:Street2+City++12345+DE'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
8	RFF	M	1	Reference

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3 ANK Reference number assigned by third party
1154	Reference identifier	C	an..70	R	an..17 DUNS number
1156	Document line identifier	C	an..6	N	Nicht genutzt
1056	Version identifier	C	an..9	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number
Beispiel:

RFF+ANK:X'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	R	1	Receiver of the inventory report
9	NAD	M	1	Name and address

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3
					GM Inventory controller
C082	Party identification details	C		R	
3039	Party identifier	M	an..35	R	an..20
					Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N	
					Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3
					Code specifying the agency responsible for a code list.
					10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	
					Nicht genutzt
3124	Name and address description	M	an..35	N	
					Nicht genutzt
3124	Name and address description	C	an..35	N	
					Nicht genutzt
3124	Name and address description	C	an..35	N	
					Nicht genutzt
3124	Name and address description	C	an..35	N	
					Nicht genutzt
3124	Name and address description	C	an..35	N	
					Nicht genutzt
C080	Party name	C		O	
3036	Party name	M	an..70	M	an..35
					Single text line for party name
3036	Party name	C	an..70	O	an..70
					see 3036 # 1
3036	Party name	C	an..70	N	
					Nicht genutzt
3036	Party name	C	an..70	N	
					Nicht genutzt
3036	Party name	C	an..70	N	
					Nicht genutzt
3045	Party name format code	C	an..3	N	
					Nicht genutzt
C059	Street	C		O	
3042	Street and number or post office box identifier	M	an..35	M	an..35
					Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..35	O	an..35
					see 3042 # 1
3042	Street and number or post office box identifier	C	an..35	N	
					Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	
					Nicht genutzt
3164	City name	C	an..35	O	an..35
					The name of the city, town, or village of this address.
C819	Country subdivision details	C		O	
3229	Country subdivision identifier	C	an..9	R	an..9
					State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N	
					Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	
					Nicht genutzt
3228	Country subdivision name	C	an..70	N	
					Nicht genutzt
3251	Postal identification code	C	an..17	O	an..17
					Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	a2
					Provides the country part of an address using a code.

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
				Use ISO3166 two alpha code.

Beispiel:

NAD+GM+Identifier::91++Name1:Name2+Street1:Street2+City++12345+DE'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
10	RFF	M	1	Reference

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3 ANK Reference number assigned by third party
1154	Reference identifier	C	an..70	R	an..17 DUNS number
1156	Document line identifier	C	an..6	N	Nicht genutzt
1056	Version identifier	C	an..9	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number
Beispiel:

RFF+ANK:X'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	D	1	Ship from
11	NAD	M	1	Ship from's name and address

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3 SF Ship from
C082	Party identification details	C		R	
3039	Party identifier	M	an..35	R	an..20 Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3 Code specifying the agency responsible for a code list. 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		O	
3036	Party name	M	an..70	M	an..35 Single text line for party name
3036	Party name	C	an..70	O	an..70 see 3036 # 1
3036	Party name	C	an..70	N	Nicht genutzt
3036	Party name	C	an..70	N	Nicht genutzt
3036	Party name	C	an..70	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		O	
3042	Street and number or post office box identifier	M	an..35	M	an..35 Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..35	O	an..35 see 3042 # 1
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	O	an..35 The name of the city, town, or village of this address.
C819	Country subdivision details	C		O	
3229	Country subdivision identifier	C	an..9	R	an..9 State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country subdivision name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	O	an..17 Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	a2 Provides the country part of an address using a code.

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
				Use ISO3166 two alpha code.

Party that despatches the goods or makes them ready for collection

Beispiel:

NAD+SF+Identifier: : 91++Name1:Name2+Street1:Street2+City++12345+DE '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
12	RFF	M	1	Reference

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3 ANK Reference number assigned by third party
1154	Reference identifier	C	an..70	R	an..17 DUNS number
1156	Document line identifier	C	an..6	N	Nicht genutzt
1056	Version identifier	C	an..9	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number
Beispiel:

RFF+ANK:X'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	D	1	Ship to
13	NAD	M	1	Ship to's name and address

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3
					ST Ship to
C082	Party identification details	C		R	
3039	Party identifier	M	an..35	R	an..20 Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3 Code specifying the agency responsible for a code list. 10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		O	
3036	Party name	M	an..70	M	an..70 Single text line for specification of a name
3036	Party name	C	an..70	O	an..70 Single text line for specification of a name
3036	Party name	C	an..70	N	Nicht genutzt
3036	Party name	C	an..70	N	Nicht genutzt
3036	Party name	C	an..70	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		O	
3042	Street and number or post office box identifier	M	an..35	M	an..35 Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..35	O	an..35
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	O	an..35 The name of the city, town, or village of this address.
C819	Country subdivision details	C		O	
3229	Country subdivision identifier	C	an..9	C	an..9 State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country subdivision name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	O	an..17 Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	a2 Provides the country part of an address using a code.

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
				Use ISO3166 two alpha code. The codes of this codelist are documented in a separate document

Beispiel:

NAD+ST+Identifier::92++Name1:Name2+Street1:Street2+City++12345+DE'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	D	1	Ship to
14	LOC	O	1	Place of discharge

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
3227	Location function code qualifier	M	an..3	M	an..3
					11 Place of discharge
C517	Location identification	C		R	
3225	Location identifier	C	an..35	O	an..35 Identifier of location, site, etc.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	O	an..3 Code specifying the agency responsible for a code list.
3224	Location name	C	an..256	O	an..256 Name of place/location; if necessary, use complete address.
C519	Related location one identification	C		N	Nicht genutzt
3223	First related location identifier	C	an..35	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3222	First related location name	C	an..70	N	Nicht genutzt
C553	Related location two identification	C		N	Nicht genutzt
3233	Second related location identifier	C	an..35	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3232	Second related location name	C	an..70	N	Nicht genutzt
5479	Relation code	C	an..3	N	Nicht genutzt

Location where goods are unloaded from transport vehicle.

Beispiel:

LOC+11+Abladestelle Id.:92:Abladestelle'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
15	RFF	M	1	Reference

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3 ANK Reference number assigned by third party
1154	Reference identifier	C	an..70	R	an..17 DUNS number
1156	Document line identifier	C	an..6	N	Nicht genutzt
1056	Version identifier	C	an..9	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

This segment can be used to transmit the DUNS number of the business partner, in addition to the customer number or the supplier number.

Beispiel:

RFF+ANK:X'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Buyer / Customer
16	NAD	M	1	Buyer's Name and Address

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3
					BY Buyer
C082	Party identification details	C		R	
3039	Party identifier	M	an..35	M	an..35
					Unique identification of a party by an ID.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3
					Code specifying the agency responsible for a code list.
					10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		O	
3036	Party name	M	an..70	M	an..70
					Single text line for specification of a name
3036	Party name	C	an..70	O	an..70
					see 3036#1
3036	Party name	C	an..70	O	an..70
					see 3036#1
3036	Party name	C	an..70	O	an..70
					see 3036#1
3036	Party name	C	an..70	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		O	
3042	Street and number or post office box identifier	M	an..35	M	an..35
					The name that identifies the location of a house or building: usually within a street as part of an address.
3042	Street and number or post office box identifier	C	an..35	O	an..35
					see 3042#1
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	O	an..35
					The name of the city, town, or village of this address.
C819	Country subdivision details	C		O	
3229	Country subdivision identifier	C	an..9	R	an..9
					State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country subdivision name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	O	an..17
					The identifier for one or more properties according to the postal service of that country.
3207	Country identifier	C	an..3	O	an..3
					Provides the country part of an address using a code. Use ISO3166 two alpha code.

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Party to whom merchandise and/or service is sold.

Beispiel:

NAD+BY+88012::91++OEM INC:::X+Industry Road 13:Street2+Smalltown++12345+DE
,

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
17	RFF	M	1	Reference

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3 ANK Reference number assigned by third party
1154	Reference identifier	C	an..70	R	an..70 DUNS number
1156	Document line identifier	C	an..6	N	Nicht genutzt
1056	Version identifier	C	an..9	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

This segment can be used to transmit the DUNS number in addition to the customer number or the supplier number-
Beispiel:

RFF+ANK:DUNS Nummer'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Seller / supplier
18	NAD	M	1	Seller's Name and Address

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3
					SE Seller
C082	Party identification details	C		R	
3039	Party identifier	M	an..35	M	an..35
					Unique identification of a party by an ID.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3
					Code specifying the agency responsible for a code list.
					10 ODETTE 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		O	
3036	Party name	M	an..70	M	an..70
					Single text line for specification of a name
3036	Party name	C	an..70	O	an..70
					see 3036#1
3036	Party name	C	an..70	O	an..70
					see 3036#1
3036	Party name	C	an..70	O	an..70
					see 3036#1
3036	Party name	C	an..70	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		O	
3042	Street and number or post office box identifier	M	an..35	M	an..35
					The name that identifies the location of a house or building: usually within a street as part of an address.
3042	Street and number or post office box identifier	C	an..35	O	an..35
					see 3042#1
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	O	an..35
					The name of the city, town, or village of this address.
C819	Country subdivision details	C		O	
3229	Country subdivision identifier	C	an..9	R	an..9
					State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country subdivision name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	O	an..17
					The identifier for one or more properties according to the postal service of that country.
3207	Country identifier	C	an..3	O	an..3
					Provides the country part of an address using a code. Use ISO3166 two alpha code.

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Beispiel:

**NAD+SE+88012::91++Supplier:::X+Industry Road 13:Street2+Smalltown++12345+D
E'**

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG3	O	1	Additional Party ID (DUNS)
19	RFF	M	1	Reference

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3 ANK Reference number assigned by third party
1154	Reference identifier	C	an..70	R	an..70 DUNS number
1156	Document line identifier	C	an..6	N	Nicht genutzt
1056	Version identifier	C	an..9	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

This segment can be used to transmit the DUNS number in addition to the customer number or the supplier number-
Beispiel:

RFF+ANK:DUNS Nummer'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG9	R	9999999	Article
20	LIN	M	1	Line item

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
1082	Line item identifier	C	an..6	O n..6 Line number
1229	Action code	C	an..3	N - Nicht genutzt
C212	Item number identification	C		R
7140	Item identifier	C	an..35	R an..35 Article Number
7143	Item type identification code	C	an..3	R an..3 IN Buyers item number
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
C829	Sub-line information	C		N Nicht genutzt
5495	Sub-line indicator code	C	an..3	N Nicht genutzt
1082	Line item identifier	C	an..6	N Nicht genutzt
1222	Configuration level number	C	n..2	N Nicht genutzt
7083	Configuration operation code	C	an..3	N Nicht genutzt

Beispiel:

LIN+1++123ABC: IN'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG9	R	9999999	Article
21	PIA	O	1	Additional product id

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
4347	Product identifier code qualifier	M	an..3	M	an..3
					1 Additional identification
C212	Item number identification	M		M	
7140	Item identifier	C	an..35	R	an..35 ID number
7143	Item type identification code	C	an..3	R	an..3 EC - Engineering change status DR - Parts generation status (changes with the tool used in the production of the part) AG - Software status AB - Supply group at BMW - subset of the call off group BT - Hardware status SA Supplier's article number EC Engineering change level AG Software revision number DR Drawing revision number AB Assembly EN International Article Numbering Association (EAN) MN Model number CL Colour number UA Ultimate customer's article number RY Record keeping of model year HS Harmonised system BT Technical phase NB Batch number
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
C212	Item number identification	C		O	
7140	Item identifier	C	an..35	R	an..35 ID number
7143	Item type identification code	C	an..3	R	an..3 For codes, see C212#1/DE 7143
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
C212	Item number identification	C		O	
7140	Item identifier	C	an..35	R	an..35 ID number
7143	Item type identification code	C	an..3	R	an..3 For codes, see C212#1/DE 7143
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
C212	Item number identification	C		O	
7140	Item identifier	C	an..35	R	an..35 ID number
7143	Item type identification code	C	an..3	R	an..3 For codes, see C212#1/DE 7143
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
C212	Item number identification	C		O	
7140	Item identifier	C	an..35	R	an..35 ID number

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
7143	Item type identification code	C	an..3	R	an..3 For codes, see C212#1/DE 7143
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt

The sequence of the individual IDs in C212 is free. The first C212 must however be filled. The remaining C212 are optional.
Beispiel:

**PIA+1+ZusätzlicheProduktidentifikation:SA+ZusätzlicheProduktidentifikation
:HS+ZusätzlicheProduktidentifikation:EC+ZusätzlicheProduktidentifikation:A
B+ZusätzlicheProduktidentifikation:CL'**

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG9	R	9999999	Article
22	PIA	D	10	Properties of steel (only steel process)

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
4347	Product identifier code qualifier	M	an..3	M	an..3
5 Product identification					
C212	Item number identification	M		M	
7140	Item identifier	C	an..35	R	an..35
7143	Item type identification code	C	an..3	R	an..3
NB Batch number AD Cold roll number XA Thickness in mm JAI042 XB Yield stress in N/mm² JAI042 XC Tensile strength in N/mm² JAI042 XD Proportional elongation in % JAI042 XF R value JAI042 XG N value JAI042 XH Roughness above in µm JAI042 XI Roughness bottom in µm JAI042 XJ Number of peaks above in 1/cm JAI042 XK Number of peaks bottom in 1/cm JAI042 XL Oil volume in g/m² JAI042 XM Number of cold rolls JAI042 XN Text information JAI042					
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3
6 UN/ECE (United Nations - Economic Commission for Europe) 272 Joint Automotive Industry agency					
C212	Item number identification	C		O	
7140	Item identifier	C	an..35	R	an..35
7143	Item type identification code	C	an..3	R	an..3
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3
6 UN/ECE (United Nations - Economic Commission for Europe) 272 Joint Automotive Industry agency					
C212	Item number identification	C		O	
7140	Item identifier	C	an..35	R	an..35
7143	Item type identification code	C	an..3	R	an..3

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	R an..3 6 UN/ECE (United Nations - Economic Commission for Europe) 272 Joint Automotive Industry agency
C212	Item number identification	C		O
7140	Item identifier	C	an..35	R an..35
7143	Item type identification code	C	an..3	R an..3
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	R an..3 6 UN/ECE (United Nations - Economic Commission for Europe) 272 Joint Automotive Industry agency
C212	Item number identification	C		O
7140	Item identifier	C	an..35	R an..35
7143	Item type identification code	C	an..3	R an..3
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	R an..3 6 UN/ECE (United Nations - Economic Commission for Europe) 272 Joint Automotive Industry agency

Beispiel:

PIA+5+X:AD::6+123:XA::272+2121:XB::272+2121:XC::272+2121:XD::272'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG9	R	9999999	Article
23	IMD	O	10	Item description

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
7077	Description format code	C	an..3	N	Nicht genutzt
C272	Item characteristic	C		N	Nicht genutzt
7081	Item characteristic code	C	an..3	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
C273	Item description	C		O	
7009	Item description code	C	an..17	O	an..17 <div> 11 Production JAI004 12 Sparepart JAI004 13 Production and sparepart JAI004 14 Try-out JAI004 15 Pilot JAI004 16 Additional requirement JAI004 17 Initial sample JAI004 18 Sample JAI004 19 Other JAI004 </div>
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	O	an..3 272 Joint Automotive Industry agency
7008	Item description	C	an..256	O	an..256 Article Description (Line 1) Description / short name of article in plain text.
7008	Item description	C	an..256	O	an..256 Article Description (Line 2)
3453	Language name code	C	an..3	O	an..3 Language code according to ISO 639-1988
7383	Surface or layer code	C	an..3	N	Nicht genutzt

Beispiel:

IMD+++19::272:Flansch gem. Zeichnung 123::de'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG9	R	9999999	Article
24	ALI	O	1	Country of origin

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
3239	Country of origin identifier	C	an..3	R	a2 Country Of Origin Coded
9213	Duty regime type code	C	an..3	N	Nicht genutzt
4183	Special condition code	C	an..3	N	Nicht genutzt
4183	Special condition code	C	an..3	N	Nicht genutzt
4183	Special condition code	C	an..3	N	Nicht genutzt
4183	Special condition code	C	an..3	N	Nicht genutzt
4183	Special condition code	C	an..3	N	Nicht genutzt

Beispiel:

ALI+DE '

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG9	R	9999999	Article
25	DTM	O	1	Design revision date

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3
					380 Drawing revision date
2380	Date or time or period text	C	an..35	R	an..14 Design Revision Date
2379	Date or time or period format code	C	an..3	R	an..3
					102 CCYYMMDD

Beispiel:

DTM+380:20200701:102'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG9	R	9999999	Article
26	DTM	O	1	Engineering change date

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3
					60 Engineering change level date
2380	Date or time or period text	C	an..35	R	an..14 Engineering Change Date
2379	Date or time or period format code	C	an..3	R	an..3
					102 CCYYMMDD

Beispiel:

DTM+60 : 20200701 : 102 '

Bez = Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG9	R	9999999	Article
27	DTM	D	3	Production date, best before date, expiration date

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3 94 Production/manufacture date 36 Expiry date 361 Product best before date time
2380	Date or time or period text	C	an..35	R	n..12 Date according to qualifier in DE 2005
2379	Date or time or period format code	C	an..3	O	an..3 102 CCYYMMDD

Beispiel:

DTM+94:20130807:102'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG9	R	9999999	Article
28	DTM	D	2	Tempering date (only steel process)

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M	an..3	X01 Cast date JAI043 X02 Annealing date JAI043
2380	Date or time or period text	C	an..35	R n..12
2379	Date or time or period format code	C	an..3	R an..3 102 CCYYMMDD 203 CCYYMMDDHHMM

Beispiel:

DTM+X01:20200701:102 '

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Stock movement
29	INV	M	1	Inventory management related details

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
4501	Inventory movement direction code	C	an..3	R an..3 1 Movement out of inventory 2 Movement into inventory
7491	Inventory type code	C	an..3	N Nicht genutzt
4499	Inventory movement reason code	C	an..3	R an..3 1 Reception 2 Delivery 3 Scrapped parts 4 Difference 5 Property transfer within warehouse 6 Inventory recycling 7 Reversal of previous movement 11 Consumption
4503	Inventory balance method code	C	an..3	N Nicht genutzt
C522	Instruction	C		N Nicht genutzt
4403	Instruction type code qualifier	M	an..3	N Nicht genutzt
4401	Instruction description code	C	an..3	N Nicht genutzt
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
4400	Instruction description	C	an..35	N Nicht genutzt

In a INVRPT message one can transmit either only movement data (this SG-INV) or only Stock balance data (next SG-INV).
Beispiel:

INV+1++1 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Stock movement
30	QTY	M	1	Movement quantity

Standard		Implementierung		
Bez	Name	St Format	St Format	Anwendung / Bemerkung
C186	Quantity details	M	M	
6063	Quantity type code qualifier	M an..3	M an..3	156 Bestandsbewegungsmenge
6060	Quantity	M an..35	M an..35	
6411	Measurement unit code	C an..8	O an..3	Code specifying the unit of measurement, use UN/ECE Rec. 20 PCE and C62 are ynonymous for piece C62 one PCE piece SET set MTR metre CMT centimetre MMT millimetre MTK square metre LEF leaf MTQ cubic metre LTR litre PR pair RO roll TNE tonne (metric ton) KGM kilogram GRM gram KMT kilometre MLT millilitre DR drum

Beispiel:

QTY+156:100:PCE'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Stock movement
31	QTY	O	1	Resulting calculated stock quantity

Standard			Implementierung		
Bez	Name	St Format	St Format	Anwendung / Bemerkung	
C186	Quantity details	M	M		
6063	Quantity type code qualifier	M an..3	M an..3		
				145 Aktueller Lagerbestand	
6060	Quantity	M an..35	M an..35	Resulting calculated stock quantity taking into account the stock movement	
6411	Measurement unit code	C an..8	O an..3	Code specifying the unit of measurement, use UN/ECE Rec. 20 PCE and C62 are ynonymous for piece C62 one PCE piece SET set MTR metre CMT centimetre MMT millimetre MTK square metre LEF leaf MTQ cubic metre LTR litre PR pair RO roll TNE tonne (metric ton) KGM kilogram GRM gram KMT kilometre MLT millilitre DR drum	

Beispiel:

QTY+145:100:PCE'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Stock movement
32	LOC	R	1	Warehouse / storage facility

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
3227	Location function code qualifier	M	an..3	M	an..3
					18 Warehouse
C517	Location identification	C		R	
3225	Location identifier	C	an..35	R	an..35
					ID of the warehouse / storage facility. This may be a logical or virtual storage facility as well. To harmonise the usage, the following standard IDs have been defined: XA – own stock available XB – own stock in quality control process XC – own stock bonded YA – consignment stock available YB – consignment stock in quality control process YC – consignment stock bonded Additional IDs can be defined mutually by the involved business partners.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3224	Location name	C	an..256	O	an..256
C519	Related location one identification	C		N	Nicht genutzt
3223	First related location identifier	C	an..35	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3222	First related location name	C	an..70	N	Nicht genutzt
C553	Related location two identification	C		N	Nicht genutzt
3233	Second related location identifier	C	an..35	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3232	Second related location name	C	an..70	N	Nicht genutzt
5479	Relation code	C	an..3	N	Nicht genutzt

Beispiel:

LOC+18+XA: : X'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Stock movement
33	DTM	D	1	Date / time of the stock movement, if different from message date.

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3
					179 Buchungsdatum/-zeit
2380	Date or time or period text	C	an..35	R	n..12 Date / time of the stock movement respectively the booking.
2379	Date or time or period format code	C	an..3	O	an..3
					102 CCYYMMDD 203 CCYYMMDDHHMM

Beispiel:

DTM+179:20140324:102'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Stock movement
34	STS	O	9	Status / storage regime

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
C601	Status category	C		Nicht genutzt
9015	Status category code	M	an..3	Nicht genutzt
1131	Code list identification code	C	an..17	Nicht genutzt
3055	Code list responsible agency code	C	an..3	Nicht genutzt
C555	Status	C		R
4405	Status description code	M	an..3	M an..3 X01 LIFO - last in first out JAI045 X02 FIFO - first in first out JAI045 X03 OTD - On time delivery JAI045
1131	Code list identification code	C	an..17	Nicht genutzt
3055	Code list responsible agency code	C	an..3	C an..3 272 Joint Automotive Industry agency
4404	Status description	C	an..35	Nicht genutzt
C556	Status reason	C		Nicht genutzt
9013	Status reason description code	M	an..3	Nicht genutzt
1131	Code list identification code	C	an..17	Nicht genutzt
3055	Code list responsible agency code	C	an..3	Nicht genutzt
9012	Status reason description	C	an..256	Nicht genutzt
C556	Status reason	C		Nicht genutzt
9013	Status reason description code	M	an..3	Nicht genutzt
1131	Code list identification code	C	an..17	Nicht genutzt
3055	Code list responsible agency code	C	an..3	Nicht genutzt
9012	Status reason description	C	an..256	Nicht genutzt
C556	Status reason	C		Nicht genutzt
9013	Status reason description code	M	an..3	Nicht genutzt
1131	Code list identification code	C	an..17	Nicht genutzt
3055	Code list responsible agency code	C	an..3	Nicht genutzt
9012	Status reason description	C	an..256	Nicht genutzt
C556	Status reason	C		Nicht genutzt
9013	Status reason description code	M	an..3	Nicht genutzt
1131	Code list identification code	C	an..17	Nicht genutzt
3055	Code list responsible agency code	C	an..3	Nicht genutzt
9012	Status reason description	C	an..256	Nicht genutzt
C556	Status reason	C		Nicht genutzt
9013	Status reason description code	M	an..3	Nicht genutzt

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard			Implementierung			
Bez	Name	St	Format	St	Format	Anwendung / Bemerkung
1131	Code list identification code	C	an..17	N		Nicht genutzt
3055	Code list responsible agency code	C	an..3	N		Nicht genutzt
9012	Status reason description	C	an..256	N		Nicht genutzt

Beispiel:

STS++X01 : : 272 '

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG13	O	1	Ultimate Customer Party
35	NAD	M	1	Ultimate customers's name and address

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3
					UD Ultimate customer
C082	Party identification details	C		O	
3039	Party identifier	M	an..35	M	an..35
					Unique identifier of business partner (customer number, supplier number, DUNS number, etc.).
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3
					Code specifying the agency responsible for a code list. 16 US, D&B (Dun & Bradstreet Corporation) 86 Assigned by party originating the message 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		O	
3036	Party name	M	an..70	M	an..70
					Single text line for specification of a name
3036	Party name	C	an..70	O	an..70
					Single text line for specification of a name
3036	Party name	C	an..70	N	Nicht genutzt
3036	Party name	C	an..70	N	Nicht genutzt
3036	Party name	C	an..70	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		O	
3042	Street and number or post office box identifier	M	an..35	M	an..35
					Part of address identifying the location of a building, normally given together with street
3042	Street and number or post office box identifier	C	an..35	O	an..35
					see 3042 # 1
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	O	an..35
C819	Country subdivision details	C		O	
3229	Country subdivision identifier	C	an..9	O	an..9
					State or region within a country. The use of UN LoCodes is recommended.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country subdivision name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	O	an..17
					Identifier of one or more address data properties according to the postal service of the respective country
3207	Country identifier	C	an..3	O	an..3
					Provides the country part of an address using a code.

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
				Use ISO3166 two alpha code.

This segment is required for example in CKD processes or cog wheel process.

The ultimate customer is the final recipient of the goods. For a multi-tier scheduled shipment, it might be necessary to distinguish between the ship-from (e.g. tier 2 supplier), the ship-to (e.g. tier 1 supplier) and the ultimate customer (e.g. OEM's plant or dealer).

Beispiel:

NAD+UD+Identifier::92++Name1:Name2+Street1:Street2+City++12345+DE '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG15	O	10	Reference documents
36	RFF	M	1	Reference

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3 Document Type Coded AAU Despatch note document identifier AAK Despatch advice number ALO Receiving advice number TN Transaction reference number DQ Delivery note number ON Order document identifier, buyer assigned
1154	Reference identifier	C	an..70	R	an..17 Document Number
1156	Document line identifier	C	an..6	O	an..6
1056	Version identifier	C	an..9	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

Beispiel:

RFF+ALO:9:X'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG15	O	10	Reference documents
37	DTM	O	1	Reference document date/time

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3
					171 Reference date/time
2380	Date or time or period text	C	an..35	R	an..14 Document Date/Time
2379	Date or time or period format code	C	an..3	R	an..3
					102 CCYYMMDD 203 CCYYMMDDHHMM

Beispiel:

DTM+171:20200701:102'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG16	D	9999	Packages
38	CPS	M	1	Consignment packing sequence

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
7164	Hierarchical structure level identifier	M	an..35	M	n..6 Consecutive number; mandatory element: all SG-CPS in the message shall be numbered consecutively.
7166	Hierarchical structure parent identifier	C	an..35	N	Nicht genutzt
7075	Packaging level code	C	an..3	N	Nicht genutzt

Beispiel:

CPS+1 '

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	O	9999	Group of packaging items
39	PAC	M	1	Package

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
7224	Package quantity	C	n..8	O n..6	Number of packages assigned to this group (number of identical packages).
C531	Packaging details	C		R	
7075	Packaging level code	C	an..3	N	Nicht genutzt
7233	Packaging related description code	C	an..3	R an..3	Code 35 identifies main packaging
					35 Type of package
7073	Packaging terms and conditions code	C	an..3	O an..3	AAA One way packaging, supplier pays JAI038 AAB One way packaging, customer pays JAI038 AAC Customer's returnable package item JAI038 AAD Supplier's returnable package item JAI038 AAE Service provider's returnable package item JAI038
C202	Package type	C		O	Packaging type specified by customer
7065	Package type description code	C	an..17	R an..17	Designation of packaging (packaging code of customer)
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	O an..3	
					92 Assigned by buyer or buyer's agent
7064	Type of packages	C	an..35	N	Nicht genutzt
C402	Package type identification	C		O	
7077	Description format code	M	an..3	M an..3	
					X Semi-structured (code + text)
7064	Type of packages	M	an..35	M an..35	Designation of packaging (packaging code of supplier). According to EDIFACT, this element is mandatory. If this DE group is to be used and the supplier has not defined internal packaging codes, enter the same value as in DE 7064 for VDA code.
7143	Item type identification code	C	an..3	O an..3	
					SA Supplier's article number
7064	Type of packages	C	an..35	O an..35	Designation of packaging, VDA code list (see separate documentation)
7143	Item type identification code	C	an..3	N	Nicht genutzt
C532	Returnable package details	C		N	Nicht genutzt
8395	Returnable package freight payment responsibility code	C	an..3	N	Nicht genutzt
8393	Returnable package load contents code	C	an..3	N	Nicht genutzt

Beispiel:

PAC+9+:35:AAA+6428RL::92+X:Packmittelcode des Lieferanten:SA:Packmittelcode VDA'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	D	99	Marking
40	PCI	M	1	Package identification

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
4233	Marking instructions code	C	an..3	R an..3 17 Seller's instructions
C210	Marks & labels	C		N Nicht genutzt
7102	Shipping marks description	M	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
8169	Full or empty indicator code	C	an..3	N Nicht genutzt
C827	Type of marking	C		C
7511	Marking type code	M	an..3	M an..3 The Label identifier is the first part of the transport label. It identifies the label as the outer or inner packaging label. For the outer packaging, it is possible to distinguish between master label and mixed label. In the Global Transport Label documentation, this element is referred to as data identifier. 1J corresponds to former S = single label. 1J Unique license plate number lowest package level JAI019 5J Unique license plate number mixed load JAI019 6J Unique license plate number assigned to a master load JAI019
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	O an..3 Code specifying the agency responsible for a code list. 5 ISO (International Organization for Standardization)

Beispiel:

PCI+17+++1J: : 5'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	D	99	Marking
41	GIN	D	100	Package Label Number

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
7405	Object identification code qualifier	M	an..3	M	an..3
					ML Marking/label number
C208	Identity number range	M		M	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		O	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		O	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		O	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		O	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt

Beispiel:

GIN+ML+9+X+X+X+X'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	D	99	Marking
42	GIN	D	1	Package Label Number

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
7405	Object identification code qualifier	M	an..3	M	an..3
					BU Package buyer assigned identifier
C208	Identity number range	M		M	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7402	Object identifier	C	an..35	N	Nicht genutzt

Beispiel:

GIN+BU+9

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	D	10	Vehicle reference data (e.g. for JIS deliveries)
43	GIR	M	1	Manufacturing reference number and other relevant attributes of the vehicle

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
7297	Set type code qualifier	M	an..3	M	an..3 4 Vehicle reference set
C206	Identification number	M		M	
7402	Object identifier	M	an..35	M	an..35 Reference number according to qualifier in DE 7405
7405	Object identification code qualifier	C	an..3	R	an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		O	
7402	Object identifier	M	an..35	M	an..35 see 7402#1
7405	Object identification code qualifier	C	an..3	R	an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		O	
7402	Object identifier	M	an..35	M	an..35 see 7402#1
7405	Object identification code qualifier	C	an..3	R	an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
				a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N Nicht genutzt
C206	Identification number	C		O
7402	Object identifier	M	an..35	M an..35 see 7402#1
7405	Object identification code qualifier	C	an..3	R an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N Nicht genutzt
C206	Identification number	C		O
7402	Object identifier	M	an..35	M an..35 see 7402#1
7405	Object identification code qualifier	C	an..3	R an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N Nicht genutzt

Beispiel:

GIR+4+1258:AN+9852:VV+1234:AN+47325:XA+1478:AN'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	D	1	GIR-DTM
44	GIR	M	1	Storage place ID

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
7297	Set type code qualifier	M	an..3	M	an..3
					19 Storage place ID JAI044
C206	Identification number	M		M	
7402	Object identifier	M	an..35	M	an..35
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt

To identify the storage location e.g. in a chaotic storage facility where the goods of the identified package or vehicle reference are deposited.

Beispiel:

GIR+19+R01-E02-F05'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Inventory balance per individual warehouse / condition
45	INV	R	1	Inventory management related details

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
4501	Inventory movement direction code	C	an..3	R	an..3 Constant N/A as a place holder, no function: EDIFACT requires at least one data element in a segment. N/A Platzhalter, hat keine Funktion
7491	Inventory type code	C	an..3	N	Nicht genutzt
4499	Inventory movement reason code	C	an..3	N	Nicht genutzt
4503	Inventory balance method code	C	an..3	N	Nicht genutzt
C522	Instruction	C		N	Nicht genutzt
4403	Instruction type code qualifier	M	an..3	N	Nicht genutzt
4401	Instruction description code	C	an..3	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
4400	Instruction description	C	an..35	N	Nicht genutzt

In a INVRPT message one can transmit either only movement data (this SG-INV) or only Stock balance data (next SG-INV).

Trigger for a new INV segments are:

- Condition (available, reserved, QA ...)
- Storage facility / warehouse (logical or physical)

Beispiel:

INV+N/A '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Inventory balance per individual warehouse / condition
46	QTY	M	9	Current stock quantity

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C186	Quantity details	M		M	
6063	Quantity type code qualifier	M	an..3	M	an..3 145 - Endbestand 145 Actual stock
6060	Quantity	M	an..35	M	an..35
6411	Measurement unit code	C	an..8	O	an..3 Code specifying the unit of measurement, use UN/ECE Rec. 20 PCE and C62 are ynonymous for piece C62 one PCE piece SET set MTR metre CMT centimetre MMT millimetre MTK square metre LEF leaf MTQ cubic metre LTR litre PR pair RO roll TNE tonne (metric ton) KGM kilogram GRM gram KMT kilometre MLT millilitre DR drum

Beispiel:

QTY+145:4000:PCE'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Inventory balance per individual warehouse / condition
47	QTY	O	1	Previously reported stock quantity

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
C186	Quantity details	M		M	
6063	Quantity type code qualifier	M	an..3	M	an..3
					18 Previous quantity
6060	Quantity	M	an..35	M	an..35
6411	Measurement unit code	C	an..8	O	an..3
					Code specifying the unit of measurement, use UN/ECE Rec. 20 PCE und C62 sind Synonym für Stück. PCE and C62 are ynonymous for piece C62 one PCE piece SET set MTR metre CMT centimetre MMT millimetre MTK square metre LEF leaf MTQ cubic metre LTR litre PR pair RO roll TNE tonne (metric ton) KGM kilogram GRM gram KMT kilometre MLT millilitre DR drum

Beispiel:

QTY+18:X:PCE'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Inventory balance per individual warehouse / condition
48	LOC	R	5	Warehouse

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
3227	Location function code qualifier	M	an..3	M	an..3
					18 Warehouse
C517	Location identification	C		R	
3225	Location identifier	C	an..35	R	an..35
					ID of the warehouse / storage facility. This may be a logical or virtual storage facility as well. To harmonise the usage, the following standard IDs have been defined: XA – own stock available XB – own stock in quality control process XC – own stock bonded YA – consignment stock available YB – consignment stock in quality control process YC – consignment stock bonded Additional IDs can be defined mutually by the involved business partners.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3224	Location name	C	an..256	O	an..256
					Warehouse (name)
C519	Related location one identification	C		N	Nicht genutzt
3223	First related location identifier	C	an..35	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3222	First related location name	C	an..70	N	Nicht genutzt
C553	Related location two identification	C		N	Nicht genutzt
3233	Second related location identifier	C	an..35	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3232	Second related location name	C	an..70	N	Nicht genutzt
5479	Relation code	C	an..3	N	Nicht genutzt

logical or physical warehouse or storage facility
Beispiel:

LOC+18+X: :X'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG12	D	9999	Inventory balance per individual warehouse / condition
49	DTM	O	1	Message date of the previous message

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3
					127 Previous report date
2380	Date or time or period text	C	an..35	R	n..12 Date / time of previous report
2379	Date or time or period format code	C	an..3	R	an..3
					102 CCYYMMDD 203 CCYYMMDDHHMM

Beispiel:

DTM+127:20200701:102'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG16	D	9999	Packages
50	CPS	M	1	Consignment packing sequence

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
7164	Hierarchical structure level identifier	M	an..35	M	n..6 Consecutive number; mandatory element: all SG-CPS in the message shall benumbered consecutively.
7166	Hierarchical structure parent identifier	C	an..35	N	Nicht genutzt
7075	Packaging level code	C	an..3	N	Nicht genutzt

Beispiel:

CPS+1 '

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	O	9999	Group of packaging items
51	PAC	M	1	Package

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
7224	Package quantity	C	n..8	O n..6	Number of packages assigned to this group (number of identical packages).
C531	Packaging details	C		R	
7075	Packaging level code	C	an..3	N	Nicht genutzt
7233	Packaging related description code	C	an..3	R an..3	Code 35 identifies main packaging
					35 Type of package
7073	Packaging terms and conditions code	C	an..3	O an..3	AAA One way packaging, supplier pays JAI038 AAB One way packaging, customer pays JAI038 AAC Customer's returnable package item JAI038 AAD Supplier's returnable package item JAI038 AAE Service provider's returnable package item JAI038
C202	Package type	C		O	Packaging type specified by customer
7065	Package type description code	C	an..17	R an..17	Designation of packaging (packaging code of customer)
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	O an..3	
					92 Assigned by buyer or buyer's agent
7064	Type of packages	C	an..35	N	Nicht genutzt
C402	Package type identification	C		O	
7077	Description format code	M	an..3	M an..3	
					X Semi-structured (code + text)
7064	Type of packages	M	an..35	M an..35	Designation of packaging (packaging code of supplier). According to EDIFACT, this element is mandatory. If this DE group is to be used and the supplier has not defined internal packaging codes, enter the same value as in DE 7064 for VDA code.
7143	Item type identification code	C	an..3	O an..3	
					SA Supplier's article number
7064	Type of packages	C	an..35	O an..35	Designation of packaging, VDA code list (see separate documentation)
7143	Item type identification code	C	an..3	N	Nicht genutzt
C532	Returnable package details	C		N	Nicht genutzt
8395	Returnable package freight payment responsibility code	C	an..3	N	Nicht genutzt
8393	Returnable package load contents code	C	an..3	N	Nicht genutzt

Beispiel:

PAC+9+:35:AAA+KL T1234::92+X:Packmittelcode des Lieferanten:SA:Packmittelcode VDA'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	D	99	Marking
52	PCI	M	1	Package identification

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
4233	Marking instructions code	C	an..3	R an..3 17 Seller's instructions
C210	Marks & labels	C		N Nicht genutzt
7102	Shipping marks description	M	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
8169	Full or empty indicator code	C	an..3	N Nicht genutzt
C827	Type of marking	C		C
7511	Marking type code	M	an..3	M an..3 The Label identifier is the first part of the transport label. It identifies the label as the outer or inner packaging label. For the outer packaging, it is possible to distinguish between master label and mixed label. In the Global Transport Label documentation, this element is referred to as data identifier. 1J corresponds to former S = single label. 1J Unique license plate number lowest package level JAI019 5J Unique license plate number mixed load JAI019 6J Unique license plate number assigned to a master load JAI019
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	O an..3 Code specifying the agency responsible for a code list. 5 ISO (International Organization for Standardization)

Beispiel:

PCI+17+++1J: :5'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	D	99	Marking
53	GIN	D	100	Package Label Number

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
7405	Object identification code qualifier	M	an..3	M	an..3
					ML Marking/label number
C208	Identity number range	M		M	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		O	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		O	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		O	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		O	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt

Beispiel:

GIN+ML+9+X+X+X+X'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	D	99	Marking
54	GIN	D	1	Package Label Number

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
7405	Object identification code qualifier	M	an..3	M	an..3
					BU Package buyer assigned identifier
C208	Identity number range	M		M	
7402	Object identifier	M	an..35	R	an..35 ID of package
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7402	Object identifier	C	an..35	N	Nicht genutzt
C208	Identity number range	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7402	Object identifier	C	an..35	N	Nicht genutzt

Beispiel:

GIN+BU+9

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	D	10	Vehicle reference data (e.g. for JIS deliveries)
55	GIR	M	1	Manufacturing reference number and other relevant attributes of the vehicle

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
7297	Set type code qualifier	M	an..3	M	an..3 4 Vehicle reference set
C206	Identification number	M		M	
7402	Object identifier	M	an..35	M	an..35 Reference number according to qualifier in DE 7405
7405	Object identification code qualifier	C	an..3	R	an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		O	
7402	Object identifier	M	an..35	M	an..35 see 7402#1
7405	Object identification code qualifier	C	an..3	R	an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		O	
7402	Object identifier	M	an..35	M	an..35 see 7402#1
7405	Object identification code qualifier	C	an..3	R	an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
				a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N Nicht genutzt
C206	Identification number	C		O
7402	Object identifier	M	an..35	M an..35 see 7402#1
7405	Object identification code qualifier	C	an..3	R an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N Nicht genutzt
C206	Identification number	C		O
7402	Object identifier	M	an..35	M an..35 see 7402#1
7405	Object identification code qualifier	C	an..3	R an..3 The codes defined here are to be used for information that concerns more than one manufacturer. Additional codes might be agreed between the parties. Description of codes: AN - Production number = internal order number of vehicle manufacturer for a specific vehicle VV - Chassis number XA - Call group (part type group (VW), part type family (BMW); scope of delivery of supplier, with reference to this production number and physically assembled (e.g. assembled car seat, outside mirror) AN Manufacturing reference number VV Vehicle identity number XA JIS call-off group JAI040
4405	Status description code	C	an..3	N Nicht genutzt

Beispiel:

GIR+4+1258 : AN+9852 : VV+1234 : AN+47325 : XA+1478 : AN '

Bez = Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	D	1	GIR-DTM
56	GIR	M	1	Storage place ID

Standard		Implementierung			
Bez	Name	St	Format	St	Anwendung / Bemerkung
7297	Set type code qualifier	M	an..3	M	an..3
					19 Storage place ID JAI044
C206	Identification number	M		M	
7402	Object identifier	M	an..35	M	an..35
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt
C206	Identification number	C		N	Nicht genutzt
7402	Object identifier	M	an..35	N	Nicht genutzt
7405	Object identification code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt

To identify the storage location e.g. in a chaotic storage facility where the goods of the identified package or vehicle reference are deposited.
Beispiel:

GIR+19+R01-E02-F05'

Segmente

Nr	Bez	St	MaxWdh	Name
57	UNT	M	1	Message trailer

Standard			Implementierung		
Bez	Name	St Format	St Format	Anwendung / Bemerkung	
0074	Number of segments in the message	M n..6	M n..6	Number of segments in the message	
0062	Message reference number	M an..14	M an..14	Message reference number	

Beispiel:

UNT+55+123456'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
58	UNZ	M	1	Interchange trailer

Standard		Implementierung			
Bez	Name	St Format		St Format	Anwendung / Bemerkung
0036	Interchange control count	M	n..6	M n..6	Interchange control count
0020	Interchange control reference	M	an..14	M an..14	Interchange control reference

Beispiel:

UNZ+1+2022000025'

Applicable codes

0001 Syntax identifier		
Code	Name/description	Code list
UNOA	UN/ECE level A	0001
UNOB	UN/ECE level B	0001
UNOC	UN/ECE level C	0001
UNOD	UN/ECE level D	0001
UNOW	UN/ECE level W	0001
0002 Syntax version number		
Code	Name/description	Code list
X	Syntax version 4 ISO 9735-11 profile.	0002
0007 Partner identification code qualifier		
Code	Name/description	Code list
1	DUNS (Data Universal Numbering System)	0007
4	IATA (International Air Transport Association)	0007
5	INSEE (Institut National de la Statistique et des Etudes Economiques) - SIRET	0007
8	UCC Communications ID (Uniform Code Council Communications Identifier)	0007
9	DUNS (Data Universal Numbering System) with 4 digit suffix	0007
12	Telephone number	0007
14	GS1	0007
18	AIAG (Automotive Industry Action Group)	0007
22	INSEE (Institut National de la Statistique et des Etudes Economiques) - SIREN	0007
30	ISO 6523: Organization identification	0007
31	DIN (Deutsches Institut fuer Normung)	0007
33	BfA (Bundesversicherungsanstalt fuer Angestellte)	0007
34	National Statistical Agency	0007
51	GEIS (General Electric Information Services)	0007
52	INS (IBM Network Services)	0007
53	Datenzentrale des Einzelhandels	0007
54	Bundesverband der Deutschen Baustoffhaendler	0007
55	Bank identifier code	0007
57	KTNet (Korea Trade Network Services)	0007
58	UPU (Universal Postal Union)	0007
59	ODETTE (Organization for Data Exchange through Tele- Transmission in Europe)	0007
61	SCAC (Standard Carrier Alpha Code)	0007
63	ECA (Electronic Commerce Australia)	0007
65	TELEBOX 400 (Deutsche Telekom)	0007
80	NHS (National Health Service)	0007
82	Statens Teleforvaltning	0007
84	Athens Chamber of Commerce	0007
85	Swiss Chamber of Commerce	0007
86	US Council for International Business	0007
87	National Federation of Chambers of Commerce and Industry	0007
89	Association of British Chambers of Commerce	0007
90	SITA (Societe Internationale de Telecommunications Aeronautiques)	0007
91	Assigned by seller or seller's agent	0007
92	Assigned by buyer or buyer's agent	0007
103	TW, Trade-van	0007
128	CH, BCNR (Swiss Clearing Bank Number)	0007
129	CH, BPI (Swiss Business Partner Identification)	0007
144	US, DoDAAC (Department of Defense Activity Address Code)	0007
145	FR, DGCP (Direction Generale de la Comptabilite Publique)	0007
146	FR, DGI (Direction Generale des Impots)	0007
147	JP, JIPDEC/ECPC (Japan Information Processing Development Corporation / Electronic Commerce Promotion Center)	0007

Applicable codes

Code	Name/description	Code list
148	ITU (International Telecommunications Union) Data Network Identification Code (DNIC)	0007
500	DE, BDEW (Bundesverband der Energie- und Wasserwirtschaft e.V.)	0007
501	EASEE-gas (European Association for the Streamlining of Energy Exchange)	0007
502	DE, DVGW (Deutsche Vereinigung des Gas- und Wasserfaches e.V.)	0007
Z01	Vehicle registration number	0007
ZZZ	Mutually defined	0007
0035	Test indicator	
Code	Name/description	Code list
1	Interchange is a test	0035
0051	Controlling agency	
Code	Name/description	Code list
UN	UN/ECE/TRADE/WP.4	0051
0052	Message version number	
Code	Name/description	Code list
D	Draft version/UN/EDIFACT Directory	0052
0054	Message release number	
Code	Name/description	Code list
13A	Release 2013 - A	0054
0057	Association assigned code	
Code	Name/description	Code list
GAVJ20	VDA INVRPT Version 2.0	JAI016
0065	Message type	
Code	Name/description	Code list
INVRPT	Inventory report message	0065
0073	First and last transfer	
Code	Name/description	Code list
C	Creation	0073
F	Final	0073
1001	Document name code	
Code	Name/description	Code list
23	Formal Inventory Balance	JAI001
35	Inventory report	1001
78	Inventory movement advice	1001
1153	Reference code qualifier	
Code	Name/description	Code list
AAK	Despatch advice number	1153
AAU	Despatch note document identifier	1153
ALO	Receiving advice number	1153
ANK	Reference number assigned by third party	1153
AOZ	Implementation version number	1153
DQ	Delivery note number	1153
ON	Order document identifier, buyer assigned	1153
TN	Transaction reference number	1153
1225	Message function code	
Code	Name/description	Code list
9	Original	1225
2005	Date or time or period function code qualifier	

Applicable codes

Code	Name/description	Code list
X01	Cast date	JAI043
X02	Annealing date	JAI043
36	Expiry date	2005
60	Engineering change level date	2005
94	Production/manufacture date	2005
127	Previous report date	2005
137	Document issue date time	2005
171	Reference date/time	2005
179	Buchungsdatum/-zeit	2005
361	Product best before date time	2005
380	Drawing revision date	2005
2379 Date or time or period format code		
Code	Name/description	Code list
102	CCYYMMDD	2379
203	CCYYMMDDHHMM	2379
3035 Party function code qualifier		
Code	Name/description	Code list
BY	Buyer	3035
GM	Inventory controller	3035
SE	Seller	3035
SF	Ship from	3035
ST	Ship to	3035
UD	Ultimate customer	3035
WH	Warehouse keeper	3035
3055 Code list responsible agency code		
Code	Name/description	Code list
1	CCC (Customs Co-operation Council)	3055
2	CEC (Commission of the European Communities)	3055
3	IATA (International Air Transport Association)	3055
4	ICC (International Chamber of Commerce)	3055
5	ISO (International Organization for Standardization)	3055
6	UN/ECE (United Nations - Economic Commission for Europe)	3055
7	CEFIC (Conseil Europeen des Federations de l'Industrie Chimique)	3055
8	EDIFICE	3055
9	GS1	3055
10	ODETTE	3055
11	Lloyd's register of shipping	3055
12	UIC (International union of railways)	3055
13	ICAO (International Civil Aviation Organization)	3055
14	ICS (International Chamber of Shipping)	3055
15	RINET (Reinsurance and Insurance Network)	3055
16	US, D&B (Dun & Bradstreet Corporation)	3055
17	S.W.I.F.T.	3055
18	Conventions on SAD and transit (EC and EFTA)	3055
19	FRRC (Federal Reserve Routing Code)	3055
20	BIC (Bureau International des Containeurs)	3055
21	Assigned by transport company	3055
22	US, ISA (Information Systems Agreement)	3055
23	FR, EDITRANSPORT	3055
24	AU, ROA (Railways of Australia)	3055
25	EDITEX (Europe)	3055
26	NL, Foundation Uniform Transport Code	3055
27	US, FDA (Food and Drug Administration)	3055

Applicable codes

Code	Name/description	Code list
28	EDITEUR (European book sector electronic data interchange group)	3055
29	GB, FLEETNET	3055
30	GB, ABTA (Association of British Travel Agencies)	3055
31	FI, Finish State Railway	3055
32	PL, Polish State Railway	3055
33	BG, Bulgaria State Railway	3055
34	RO, Rumanian State Railway	3055
35	CZ, Tchechian State Railway	3055
36	HU, Hungarian State Railway	3055
37	GB, British Railways	3055
38	ES, Spanish National Railway	3055
39	SE, Swedish State Railway	3055
40	NO, Norwegian State Railway	3055
41	DE, German Railway	3055
42	AT, Austrian Federal Railways	3055
43	LU, Luxembourg National Railway Company	3055
44	IT, Italian State Railways	3055
45	NL, Netherlands Railways	3055
46	CH, Swiss Federal Railways	3055
47	DK, Danish State Railways	3055
48	FR, French National Railway Company	3055
49	BE, Belgian National Railway Company	3055
50	PT, Portuguese Railways	3055
51	SK, Slovakian State Railways	3055
52	IE, Irish Transport Company	3055
53	FIATA (International Federation of Freight Forwarders Associations)	3055
54	IMO (International Maritime Organisation)	3055
55	US, DOT (United States Department of Transportation)	3055
56	TW, Trade-van	3055
57	TW, Chinese Taipei Customs	3055
58	EUROFER	3055
59	DE, EDIBAU	3055
60	Assigned by national trade agency	3055
61	Association Europeenne des Constructeurs de Materiel Aerospatial (AECMA)	3055
62	US, Distilled Spirits Council of the United States (DISCUS)	3055
63	North Atlantic Treaty Organization (NATO)	3055
64	FR, CLEEF	3055
65	GS1 France	3055
66	MY, Malaysian Customs and Excise	3055
67	MY, Malaysia Central Bank	3055
68	GS1 Italy	3055
69	US, National Alcohol Beverage Control Association (NABCA)	3055
70	MY, Dagang.Net	3055
71	US, FCC (Federal Communications Commission)	3055
72	US, MARAD (Maritime Administration)	3055
73	US, DSAA (Defense Security Assistance Agency)	3055
74	US, NRC (Nuclear Regulatory Commission)	3055
75	US, ODTC (Office of Defense Trade Controls)	3055
76	US, ATF (Bureau of Alcohol, Tobacco and Firearms)	3055
77	US, BXA (Bureau of Export Administration)	3055
78	US, FWS (Fish and Wildlife Service)	3055
79	US, OFAC (Office of Foreign Assets Control)	3055
80	BRMA/RAA - LIMNET - RINET Joint Venture	3055
81	RU, (SFT) Society for Financial Telecommunications	3055
82	NO, Enhetsregisteret ved Bronnoysundregisterne	3055

Applicable codes

Code	Name/description	Code list
83	US, National Retail Federation	3055
84	DE, BRD (Gesetzgeber der Bundesrepublik Deutschland)	3055
85	North America, Telecommunications Industry Forum	3055
86	Assigned by party originating the message	3055
87	Assigned by carrier	3055
88	Assigned by owner of operation	3055
89	Assigned by distributor	3055
90	Assigned by manufacturer	3055
91	Assigned by seller or seller's agent	3055
92	Assigned by buyer or buyer's agent	3055
93	AT, Austrian Customs	3055
94	AT, Austrian PTT	3055
95	AU, Australian Customs Service	3055
96	CA, Revenue Canada, Customs and Excise	3055
97	CH, Administration federale des contributions	3055
98	CH, Direction generale des douanes	3055
99	CH, Division des importations et exportations, OFAEE	3055
100	CH, Entreprise des PTT	3055
101	CH, Carburant	3055
102	CH, Centrale suisse pour l'importation du charbon	3055
103	CH, Office fiduciaire des importateurs de denrees alimentaires	3055
104	CH, Association suisse code des articles	3055
105	DK, Ministry of taxation, Central Customs and Tax Administration	3055
106	FR, Direction generale des douanes et droits indirects	3055
107	FR, INSEE	3055
108	FR, Banque de France	3055
109	GB, H.M. Customs & Excise	3055
110	IE, Revenue Commissioners, Customs AEP project	3055
111	US, U.S. Customs Service	3055
112	US, U.S. Census Bureau	3055
113	GS1 US	3055
114	US, ABA (American Bankers Association)	3055
116	US, ANSI ASC X12	3055
117	AT, Geldausgabeautomaten-Service Gesellschaft m.b.H.	3055
118	SE, Svenska Bankforeningen	3055
119	IT, Associazione Bancaria Italiana	3055
120	IT, Societa' Interbancaria per l'Automazione	3055
121	CH, Telekurs AG	3055
122	CH, Swiss Securities Clearing Corporation	3055
123	NO, Norwegian Interbank Research Organization	3055
124	NO, Norwegian Bankers' Association	3055
125	FI, The Finnish Bankers' Association	3055
126	US, NCCMA (Account Analysis Codes)	3055
127	DE, ARE (Abrechnungs Einheit)	3055
128	BE, Belgian Bankers' Association	3055
129	BE, Belgian Ministry of Finance	3055
130	DK, Danish Bankers Association	3055
131	DE, German Bankers Association	3055
132	GB, BACS Limited	3055
133	GB, Association for Payment Clearing Services	3055
134	GB, APACS (Association of payment clearing services)	3055
135	GB, The Clearing House	3055
136	GS1 UK	3055
137	AT, Verband oesterreichischer Banken und Bankiers	3055
138	FR, CFONB (Comite francais d'organ. et de normalisation bancaires)	3055

Applicable codes

Code	Name/description	Code list
139	Universal Postal Union (UPU)	3055
140	CEC (Commission of the European Communities), DG/XXI-01	3055
141	CEC (Commission of the European Communities), DG/XXI-B-1	3055
142	CEC (Commission of the European Communities), DG/XXXIV	3055
143	NZ, New Zealand Customs	3055
144	NL, Netherlands Customs	3055
145	SE, Swedish Customs	3055
146	DE, German Customs	3055
147	BE, Belgian Customs	3055
148	ES, Spanish Customs	3055
149	IL, Israel Customs	3055
150	HK, Hong Kong Customs	3055
151	JP, Japan Customs	3055
152	SA, Saudi Arabia Customs	3055
153	IT, Italian Customs	3055
154	GR, Greek Customs	3055
155	PT, Portuguese Customs	3055
156	LU, Luxembourg Customs	3055
157	NO, Norwegian Customs	3055
158	FI, Finnish Customs	3055
159	IS, Iceland Customs	3055
160	LI, Liechtenstein authority	3055
161	UNCTAD (United Nations - Conference on Trade And Development)	3055
162	CEC (Commission of the European Communities), DG/XIII-D-5	3055
163	US, FMC (Federal Maritime Commission)	3055
164	US, DEA (Drug Enforcement Agency)	3055
165	US, DCI (Distribution Codes, INC.)	3055
166	US, National Motor Freight Classification Association	3055
167	US, AIAG (Automotive Industry Action Group)	3055
168	US, FIPS (Federal Information Publishing Standard)	3055
169	CA, SCC (Standards Council of Canada)	3055
170	CA, CPA (Canadian Payment Association)	3055
171	NL, Interpay Girale Services	3055
172	NL, Interpay Debit Card Services	3055
173	NO, NORPRO	3055
174	DE, DIN (Deutsches Institut fuer Normung)	3055
175	FCI (Factors Chain International)	3055
176	BR, Banco Central do Brazil	3055
177	AU, LIFA (Life Insurance Federation of Australia)	3055
178	AU, SAA (Standards Association of Australia)	3055
179	US, Air transport association of America	3055
180	DE, BIA (Berufsgenossenschaftliches Institut fuer Arbeitssicherheit)	3055
181	Edibuild	3055
182	US, Standard Carrier Alpha Code (Motor)	3055
183	US, American Petroleum Institute	3055
184	AU, ACOS (Australian Chamber of Shipping)	3055
185	DE, BDI (Bundesverband der Deutschen Industrie e.V.)	3055
186	US, GSA (General Services Administration)	3055
187	US, DLMSO (Defense Logistics Management Standards Office)	3055
188	US, NIST (National Institute of Standards and Technology)	3055
189	US, DoD (Department of Defense)	3055
190	US, VA (Department of Veterans Affairs)	3055
191	IAPSO (United Nations Inter-Agency Procurement Services Office)	3055
192	Shipper's association	3055
193	EU, European Telecommunications Informatics Services (ETIS)	3055

Applicable codes

Code	Name/description	Code list
194	AU, AQIS (Australian Quarantine and Inspection Service)	3055
195	CO, DIAN (Direccion de Impuestos y Aduanas Nacionales)	3055
196	US, COPAS (Council of Petroleum Accounting Society)	3055
197	US, DISA (Data Interchange Standards Association)	3055
198	CO, Superintendencia Bancaria De Colombia	3055
199	FR, Direction de la Comptabilite Publique	3055
200	GS1 Netherlands	3055
201	US, WSSA(Wine and Spirits Shippers Association)	3055
202	PT, Banco de Portugal	3055
203	FR, GALIA (Groupement pour l'Amelioration des Liaisons dans l'Industrie Automobile)	3055
204	DE, VDA (Verband der Automobilindustrie E.V.)	3055
205	IT, ODETTE Italy	3055
206	NL, ODETTE Netherlands	3055
207	ES, ODETTE Spain	3055
208	SE, ODETTE Sweden	3055
209	GB, ODETTE United Kingdom	3055
210	EU, EDI for financial, informational, cost, accounting, auditing and social areas (EDIFICAS) - Europe	3055
211	FR, EDI for financial, informational, cost, accounting, auditing and social areas (EDIFICAS) - France	3055
212	DE, Deutsch Telekom AG	3055
213	JP, NACCS Center (Nippon Automated Cargo Clearance System Operations Organization)	3055
214	US, AISI (American Iron and Steel Institute)	3055
215	AU, APCA (Australian Payments Clearing Association)	3055
216	US, Department of Labor	3055
217	US, N.A.I.C. (National Association of Insurance Commissioners)	3055
218	GB, The Association of British Insurers	3055
219	FR, d'ArvA	3055
220	FI, Finnish tax board	3055
221	FR, CNAMTS (Caisse Nationale de l'Assurance Maladie des Travailleurs Salaries)	3055
222	DK, Danish National Board of Health	3055
223	DK, Danish Ministry of Home Affairs	3055
224	US, Aluminum Association	3055
225	US, CIDX (Chemical Industry Data Exchange)	3055
226	US, Carbide Manufacturers	3055
227	US, NWDA (National Wholesale Druggist Association)	3055
228	US, EIA (Electronic Industry Association)	3055
229	US, American Paper Institute	3055
230	US, VICS (Voluntary Inter-Industry Commerce Standards)	3055
231	Copper and Brass Fabricators Council	3055
232	GB, Inland Revenue	3055
233	US, OMB (Office of Management and Budget)	3055
234	DE, Siemens AG	3055
235	AU, Tradegate (Electronic Commerce Australia)	3055
236	US, United States Postal Service (USPS)	3055
237	US, United States health industry	3055
238	US, TDCC (Transportation Data Coordinating Committee)	3055
239	US, HL7 (Health Level 7)	3055
240	US, CHIPS (Clearing House Interbank Payment Systems)	3055
241	PT, SIBS (Sociedade Interbancaria de Servicos)	3055
244	US, Department of Health and Human Services	3055
245	GS1 Denmark	3055
246	GS1 Germany	3055
247	US, HBICC (Health Industry Business Communication Council)	3055

Applicable codes

Code	Name/description	Code list
248	US, ASTM (American Society of Testing and Materials)	3055
249	IP (Institute of Petroleum)	3055
250	US, UOP (Universal Oil Products)	3055
251	AU, HIC (Health Insurance Commission)	3055
252	AU, AIHW (Australian Institute of Health and Welfare)	3055
253	AU, NCCH (National Centre for Classification in Health)	3055
254	AU, DOH (Australian Department of Health)	3055
255	AU, ADA (Australian Dental Association)	3055
256	US, AAR (Association of American Railroads)	3055
257	ECCMA (Electronic Commerce Code Management Association)	3055
258	JP, Japanese Ministry of Transport	3055
259	JP, Japanese Maritime Safety Agency	3055
260	ebIX (European forum for energy Business Information eXchange)	3055
261	EEG7, European Expert Group 7 (Insurance)	3055
262	DE, GDV (Gesamtverband der Deutschen Versicherungswirtschaft e.V.)	3055
263	CA, CSIO (Centre for Study of Insurance Operations)	3055
264	FR, AGF (Assurances Generales de France)	3055
265	SE, Central bank	3055
266	US, DoA (Department of Agriculture)	3055
267	RU, Central Bank of Russia	3055
268	FR, DGI (Direction Generale des Impots)	3055
269	GRE (Reference Group of Experts)	3055
270	Concord EDI group	3055
271	InterContainer InterFrigo	3055
272	Joint Automotive Industry agency	3055
273	CH, SCC (Swiss Chambers of Commerce)	3055
274	ITIGG (International Transport Implementation Guidelines Group)	3055
275	ES, Banco de España	3055
276	Assigned by Port Community	3055
277	BIGNet (Business Information Group Network)	3055
278	Eurogate	3055
279	NL, Graydon	3055
280	FR, Euler	3055
281	GS1 Belgium and Luxembourg	3055
282	DE, Creditreform International e.V.	3055
283	DE, Hermes Kreditversicherungs AG	3055
284	TW, Taiwanese Bankers' Association	3055
285	ES, Asociación Española de Banca	3055
286	SE, TCO (Tjänstemännens Central Organisation)	3055
287	DE, FORTRAS (Forschungs- und Entwicklungsgesellschaft für Transportwesen GMBH)	3055
288	OSJD (Organizacija Sotrudnichestva Zeleznih Dorog)	3055
289	JP, JIPDEC/ECPC (Japan Information Processing Development Center / Electronic Commerce Promotion Center)	3055
290	JP, JAMA	3055
291	JP, JAPIA	3055
292	FI, TIEKE The Information Technology Development Centre of Finland	3055
293	DE, BDEW (Bundesverband der Energie- und Wasserwirtschaft e.V.)	3055
294	GS1 Austria	3055
295	AU, Australian Therapeutic Goods Administration	3055
296	ITU (International Telecommunication Union)	3055
297	IT, Ufficio IVA	3055
298	GS1 Spain	3055
299	BE, Seagha	3055
300	SE, Swedish International Freight Association	3055
301	DE, BauDatenbank GmbH	3055

Applicable codes

Code	Name/description	Code list
302	DE, Bundesverband des Deutschen Textileinzelhandels e.V.	3055
303	GB, Trade Service Information Ltd (TSI)	3055
304	DE, Bundesverband Deutscher Heimwerker-, Bau- und Gartenfachmaerkte e.V.	3055
305	ETSO (European Transmission System Operator)	3055
306	SMDG (Ship-planning Message Design Group)	3055
307	JP, Ministry of Justice	3055
308	DE, FORTRAS (Forschungs- und Entwicklungsgesellschaft furTransportwesen mbH)	3055
309	JP, JASTPRO (Japan Association for Simplification of International Trade Procedures)	3055
310	DE, SAP AG (Systeme, Anwendungen und Produkte)	3055
311	JP, TDB (Teikoku Databank, Ltd.)	3055
312	FR, AGRO EDI EUROPE	3055
313	FR, Groupement National Interprofessionnel des Semences et Plants	3055
314	OAGi (Open Applications Group, Incorporated)	3055
315	US, STAR (Standards for Technology in Automotive Retail)	3055
316	GS1 Finland	3055
317	GS1 Brazil	3055
318	IETF (Internet Engineering Task Force)	3055
319	FR, GTF	3055
320	DK, Danish National IT and Telcom Agency (ITA)	3055
321	EASEE-Gas (European Association for the Streamlining of Energy Exchange for gas)	3055
322	IS, ICEPRO	3055
323	PROTECT	3055
324	GS1 Ireland	3055
325	GS1 Russia	3055
326	GS1 Poland	3055
327	GS1 Estonia	3055
328	Assigned by ultimate recipient of the message	3055
329	Assigned by loading dock operator	3055
330	Nordic Ediel Group	3055
331	US, Agricultural Marketing Service (AMS)	3055
332	DE, DVGW Service & Consult GmbH	3055
333	US, Animal and Plant Health Inspection Service (APHIS)	3055
334	US, Bureau of Labor Statistics (BLS)	3055
335	US, Bureau of Transportation Statistics (BTS)	3055
336	US, Customs and Border Protection (CBP)	3055
337	US, Center for Disease Control (CDC)	3055
338	US, Consumer Product Safety Commission (CPSC)	3055
339	US, Directorate of Defense Trade Controls (DDTC)	3055
340	US, Environmental Protection Agency (EPA)	3055
341	US, Federal Aviation Administration (FAA)	3055
342	US, Foreign Agriculture Service (FAS)	3055
343	US, Federal Motor Carrier Safety Administration (FMCSA)	3055
344	US, Food Safety Inspection Service (FSIS)	3055
345	US, Foreign Trade Zones Board (FTZB)	3055
346	US, The Grain Inspection, Packers and Stockyards Administration (GIPSA)	3055
347	US, Import Administration (IA)	3055
348	US, Internal Revenue Service (IRS)	3055
349	US, International Trade Commission (ITC)	3055
350	US, National Highway Traffic Safety Administration (NHTSA)	3055
351	US, National Marine Fisheries Service (NMFS)	3055
352	US, Office of Fossil Energy (OFE)	3055
353	US, Office of Foreign Missions (OFM)	3055
354	US, Bureau of Oceans and International Environmental and Scientific Affairs (OES)	3055
355	US, Office of Naval Intelligence (ONI)	3055
356	US, Pipeline and Hazardous Materials Safety Administration (PHMSA)	3055

Applicable codes

Code	Name/description	Code list
357	US, Alcohol and Tobacco Tax and Trade Bureau (TTB)	3055
358	US, Army Corp of Engineers (USACE)	3055
359	US, Agency for International Development (USAID)	3055
360	US, Coast Guard (USCG)	3055
361	US, Office of the United States Trade Representative (USTR)	3055
362	International Commission for the Conservation of Atlantic Tunas (ICCAT)	3055
363	Inter-American Tropical Tuna Commission (IATTC)	3055
364	Commission for the Conservation of Southern Bluefin Tuna (CCSBT)	3055
365	Indian Ocean Tuna Commission (IOTC)	3055
366	International Botanical Congress	3055
367	International Commission on Zoological Nomenclature	3055
368	International Society for Horticulture Science	3055
369	Chemical Abstract Service (CAS)	3055
370	Social Security Administration (SSA)	3055
371	INMARSAT	3055
372	Agent of ship at the intended port of arrival	3055
373	US Air Force	3055
374	US, Bureau of Explosives	3055
375	Basel Convention Secretariat	3055
376	PANTONE	3055
377	IS, National Registry of Iceland	3055
378	IS, Internal Revenue Directorate of Iceland	3055
379	IANA (Internet Assigned Numbers Authority)	3055
380	Korea Customs Service	3055
381	Israel Tax Authority	3055
382	Israeli Ministry of Interior	3055
383	FR, LUMD (Logistique Urbaine Mutualisée Durable)	3055
384	DE, BiPRO (Brancheninitiative Prozessoptimierung)	3055
385	JO, Jordan Ministry of Agriculture	3055
386	JO, Jordan Customs	3055
387	JO, Jordan Food & Drug Administration	3055
388	JO, Jordan Institution for Standards and Metrology	3055
389	JO, Jordan Telecommunication Regulatory Commission	3055
390	JO, Jordan Nuclear Regulatory Commission	3055
391	JO, Jordan Ministry of Environment	3055
392	Hazardous waste collector	3055
393	Hazardous waste generator	3055
394	Marketing agent	3055
395	BE, TELEBIB Centre	3055
396	BE, BNB	3055
397	BE, FSMA	3055
398	FR, PHAST	3055
399	EXIS (Exis Technologies Ltd.)	3055
400	FAO (Food and Agriculture Organisation)	3055
401	CH, Spedlogswiss	3055
402	JP, National Tax Agency	3055
403	Comite Européen de Normalisation	3055
404	Assigned by logistics service provider	3055
405	Assigned by transport ministry	3055
406	AR, Customs Administration of Argentina	3055
407	BO, Customs Administration of Bolivia	3055
408	BR, Customs Administration of Brazil	3055
409	PY, Customs Administration of Paraguay	3055
410	UY, Customs Administration of Uruguay	3055
411	VE, Customs Administration of Venezuela	3055

Applicable codes

Code	Name/description	Code list
412	IN, Customs Administration of India	3055
ZZZ	Mutually defined	3055
3207	Country identifier	
Code	Name/description	Code list
AD	ANDORRA	3207
AE	UNITED ARAB EMIRATES	3207
AF	AFGHANISTAN	3207
AG	ANTIGUA AND BARBUDA	3207
AI	ANGUILLA	3207
AL	ALBANIA	3207
AM	ARMENIA	3207
AN	NETHERLANDS ANTILLES	3207
AO	ANGOLA	3207
AQ	ANTARCTICA	3207
AR	ARGENTINA	3207
AS	AMERICAN SAMOA	3207
AT	AUSTRIA	3207
AU	AUSTRALIA	3207
AW	ARUBA	3207
AX	ÅLAND ISLANDS	3207
AZ	AZERBAIJAN	3207
BA	BOSNIA AND HERZEGOVINA	3207
BB	BARBADOS	3207
BD	BANGLADESH	3207
BE	BELGIUM	3207
BF	BURKINA FASO	3207
BG	BULGARIA	3207
BH	BAHRAIN	3207
BI	BURUNDI	3207
BJ	BENIN	3207
BL	SAINT BARTHÉLEMY	3207
BM	BERMUDA	3207
BN	BRUNEI DARUSSALAM	3207
BO	BOLIVIA (PLURINATIONAL STATE OF)	3207
BQ	BONAIRE, SINT EUSTATIUS AND SABA	3207
BR	BRAZIL	3207
BS	BAHAMAS	3207
BT	BHUTAN	3207
BV	BOUVET ISLAND	3207
BW	BOTSWANA	3207
BY	BELARUS	3207
BZ	BELIZE	3207
CA	CANADA	3207
CC	COCOS (KEELING) ISLANDS	3207
CD	CONGO, DEMOCRATIC REPUBLIC OF	3207
CF	CENTRAL AFRICAN REPUBLIC	3207
CG	CONGO	3207
CH	SWITZERLAND	3207
CI	COTE D'IVOIRE	3207
CK	COOK ISLANDS	3207
CL	CHILE	3207
CM	CAMEROON	3207
CN	CHINA	3207
CO	COLOMBIA	3207

Applicable codes

Code	Name/description	Code list
CR	COSTA RICA	3207
CS	SERBIA AND MONTENEGRO	3207
CU	CUBA	3207
CV	CAPE VERDE	3207
CW	CURAÇAO	3207
CX	CHRISTMAS ISLAND	3207
CY	CYPRUS	3207
CZ	CZECHIA	3207
DE	GERMANY	3207
DJ	DJIBOUTI	3207
DK	DENMARK	3207
DM	DOMINICA	3207
DO	DOMINICAN REPUBLIC	3207
DZ	ALGERIA	3207
EC	ECUADOR	3207
EE	ESTONIA	3207
EG	EGYPT	3207
EH	WESTERN SAHARA	3207
ER	ERITREA	3207
ES	SPAIN	3207
ET	ETHIOPIA	3207
FI	FINLAND	3207
FJ	FIJI	3207
FK	FALKLAND ISLANDS (MALVINAS)	3207
FM	MICRONESIA (FEDERATED STATES OF)	3207
FO	FAROE ISLANDS	3207
FR	FRANCE	3207
GA	GABON	3207
GB	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	3207
GD	GRENADA	3207
GE	GEORGIA	3207
GF	FRENCH GUIANA	3207
GG	GUERNSEY	3207
GH	GHANA	3207
GI	GIBRALTAR	3207
GL	GREENLAND	3207
GM	GAMBIA	3207
GN	GUINEA	3207
GP	GUADELOUPE	3207
GQ	EQUATORIAL GUINEA	3207
GR	GREECE	3207
GS	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	3207
GT	GUATEMALA	3207
GU	GUAM	3207
GW	GUINEA-BISSAU	3207
GY	GUYANA	3207
HK	HONG KONG	3207
HM	HEARD ISLAND AND MCDONALD ISLANDS	3207
HN	HONDURAS	3207
HR	CROATIA	3207
HT	HAITI	3207
HU	HUNGARY	3207
ID	INDONESIA	3207
IE	IRELAND	3207
IL	ISRAEL	3207

Applicable codes

Code	Name/description	Code list
IM	ISLE OF MAN	3207
IN	INDIA	3207
IO	BRITISH INDIAN OCEAN TERRITORY	3207
IQ	IRAQ	3207
IR	IRAN (ISLAMIC REPUBLIC OF)	3207
IS	ICELAND	3207
IT	ITALY	3207
JE	JERSEY	3207
JM	JAMAICA	3207
JO	JORDAN	3207
JP	JAPAN	3207
KE	KENYA	3207
KG	KYRGYZSTAN	3207
KH	CAMBODIA	3207
KI	KIRIBATI	3207
KM	COMOROS	3207
KN	SAINT KITTS AND NEVIS	3207
KP	KOREA (DEMOCRATIC PEOPLE'S REPUBLIC OF)	3207
KR	KOREA, REPUBLIC OF	3207
KW	KUWAIT	3207
KY	CAYMAN ISLANDS	3207
KZ	KAZAKHSTAN	3207
LA	LAO PEOPLE'S DEMOCRATIC REPUBLIC	3207
LB	LEBANON	3207
LC	SAINT LUCIA	3207
LI	LIECHTENSTEIN	3207
LK	SRI LANKA	3207
LR	LIBERIA	3207
LS	LESOTHO	3207
LT	LITHUANIA	3207
LU	LUXEMBOURG	3207
LV	LATVIA	3207
LY	LIBYA	3207
MA	MOROCCO	3207
MC	MONACO	3207
MD	MOLDOVA, REPUBLIC OF	3207
ME	MONTENEGRO	3207
MF	SAINT MARTIN (FRENCH PART)	3207
MG	MADAGASCAR	3207
MH	MARSHALL ISLANDS	3207
MK	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF	3207
ML	MALI	3207
MM	MYANMAR	3207
MN	MONGOLIA	3207
MO	MACAO	3207
MP	NORTHERN MARIANA ISLANDS	3207
MQ	MARTINIQUE	3207
MR	MAURITANIA	3207
MS	MONTSERRAT	3207
MT	MALTA	3207
MU	MAURITIUS	3207
MV	MALDIVES	3207
MW	MALAWI	3207
MX	MEXICO	3207
MY	MALAYSIA	3207

Applicable codes

Code	Name/description	Code list
MZ	MOZAMBIQUE	3207
NA	NAMIBIA	3207
NC	NEW CALEDONIA	3207
NE	NIGER	3207
NF	NORFOLK ISLAND	3207
NG	NIGERIA	3207
NI	NICARAGUA	3207
NL	NETHERLANDS	3207
NO	NORWAY	3207
NP	NEPAL	3207
NR	NAURU	3207
NU	NIUE	3207
NZ	NEW ZEALAND	3207
OM	OMAN	3207
PA	PANAMA	3207
PE	PERU	3207
PF	FRENCH POLYNESIA	3207
PG	PAPUA NEW GUINEA	3207
PH	PHILIPPINES	3207
PK	PAKISTAN	3207
PL	POLAND	3207
PM	SAINT PIERRE AND MIQUELON	3207
PN	PITCAIRN	3207
PR	PUERTO RICO	3207
PS	PALESTINE, STATE OF	3207
PT	PORTUGAL	3207
PW	PALAU	3207
PY	PARAGUAY	3207
QA	QATAR	3207
RE	REUNION	3207
RO	ROMANIA	3207
RS	SERBIA	3207
RU	RUSSIAN FEDERATION	3207
RW	RWANDA	3207
SA	SAUDI ARABIA	3207
SB	SOLOMON ISLANDS	3207
SC	SEYCHELLES	3207
SD	SUDAN	3207
SE	SWEDEN	3207
SG	SINGAPORE	3207
SH	SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	3207
SI	SLOVENIA	3207
SJ	SVALBARD AND JAN MAYEN	3207
SK	SLOVAKIA	3207
SL	SIERRA LEONE	3207
SM	SAN MARINO	3207
SN	SENEGAL	3207
SO	SOMALIA	3207
SR	SURINAME	3207
SS	SOUTH SUDAN	3207
ST	SAO TOME AND PRINCIPE	3207
SV	EL SALVADOR	3207
SX	SINT MAARTEN (DUTCH PART)	3207
SY	SYRIAN ARAB REPUBLIC	3207
SZ	SWAZILAND	3207

Applicable codes

Code	Name/description	Code list
TC	TURKS AND CAICOS ISLANDS	3207
TD	CHAD	3207
TF	FRENCH SOUTHERN TERRITORIES	3207
TG	TOGO	3207
TH	THAILAND	3207
TJ	TAJIKISTAN	3207
TK	TOKELAU	3207
TL	TIMOR-LESTE	3207
TM	TURKMENISTAN	3207
TN	TUNISIA	3207
TO	TONGA	3207
TR	TURKEY	3207
TT	TRINIDAD AND TOBAGO	3207
TV	TUVALU	3207
TW	TAIWAN, PROVINCE OF CHINA	3207
TZ	TANZANIA, UNITED REPUBLIC OF	3207
UA	UKRAINE	3207
UG	UGANDA	3207
UM	UNITED STATES MINOR OUTLYING ISLANDS	3207
US	UNITED STATES OF AMERICA	3207
UY	URUGUAY	3207
UZ	UZBEKISTAN	3207
VA	HOLY SEE	3207
VC	SAINT VINCENT AND THE GRENADINES	3207
VE	VENEZUELA (BOLIVARIAN REPUBLIC OF)	3207
VG	VIRGIN ISLANDS, BRITISH	3207
VI	VIRGIN ISLANDS, U.S.	3207
VN	VIET NAM	3207
VU	VANUATU	3207
WF	WALLIS AND FUTUNA	3207
WS	SAMOA	3207
YE	YEMEN	3207
YT	MAYOTTE	3207
YU	YUGOSLAVIA	3207
ZA	SOUTH AFRICA	3207
ZM	ZAMBIA	3207
ZW	ZIMBABWE	3207

3227 Location function code qualifier

Code	Name/description	Code list
11	Place of discharge	3227
18	Warehouse	3227

3239 Country of origin identifier

Code	Name/description	Code list
AD	ANDORRA	3239
AE	UNITED ARAB EMIRATES	3239
AF	AFGHANISTAN	3239
AG	ANTIGUA AND BARBUDA	3239
AI	ANGUILLA	3239
AL	ALBANIA	3239
AM	ARMENIA	3239
AN	NETHERLANDS ANTILLES	3239
AO	ANGOLA	3239
AQ	ANTARCTICA	3239

Applicable codes

Code	Name/description	Code list
AR	ARGENTINA	3239
AS	AMERICAN SAMOA	3239
AT	AUSTRIA	3239
AU	AUSTRALIA	3239
AW	ARUBA	3239
AX	ÅLAND ISLANDS	3239
AZ	AZERBAIJAN	3239
BA	BOSNIA AND HERZEGOVINA	3239
BB	BARBADOS	3239
BD	BANGLADESH	3239
BE	BELGIUM	3239
BF	BURKINA FASO	3239
BG	BULGARIA	3239
BH	BAHRAIN	3239
BI	BURUNDI	3239
BJ	BENIN	3239
BL	SAINT BARTHÉLEMY	3239
BM	BERMUDA	3239
BN	BRUNEI DARUSSALAM	3239
BO	BOLIVIA (PLURINATIONAL STATE OF)	3239
BQ	BONAIRE, SINT EUSTATIUS AND SABA	3239
BR	BRAZIL	3239
BS	BAHAMAS	3239
BT	BHUTAN	3239
BV	BOUVET ISLAND	3239
BW	BOTSWANA	3239
BY	BELARUS	3239
BZ	BELIZE	3239
CA	CANADA	3239
CC	COCOS (KEELING) ISLANDS	3239
CD	CONGO, DEMOCRATIC REPUBLIC OF THE	3239
CF	CENTRAL AFRICAN REPUBLIC	3239
CG	CONGO	3239
CH	SWITZERLAND	3239
CI	COTE D'IVOIRE	3239
CK	COOK ISLANDS	3239
CL	CHILE	3239
CM	CAMEROON	3239
CN	CHINA	3239
CO	COLOMBIA	3239
CR	COSTA RICA	3239
CS	SERBIA AND MONTENEGRO	3239
CU	CUBA	3239
CV	CAPE VERDE	3239
CW	CURAÇAO	3239
CX	CHRISTMAS ISLAND	3239
CY	CYPRUS	3239
CZ	CZECHIA	3239
DE	GERMANY	3239
DJ	DJIBOUTI	3239
DK	DENMARK	3239
DM	DOMINICA	3239
DO	DOMINICAN REPUBLIC	3239
DZ	ALGERIA	3239
EC	ECUADOR	3239

Applicable codes

Code	Name/description	Code list
EE	ESTONIA	3239
EG	EGYPT	3239
EH	WESTERN SAHARA	3239
ER	ERITREA	3239
ES	SPAIN	3239
ET	ETHIOPIA	3239
FI	FINLAND	3239
FJ	FIJI	3239
FK	FALKLAND ISLANDS (MALVINAS)	3239
FM	MICRONESIA (FEDERATED STATES OF)	3239
FO	FAROE ISLANDS	3239
FR	FRANCE	3239
GA	GABON	3239
GB	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	3239
GD	GRENADA	3239
GE	GEORGIA	3239
GF	FRENCH GUIANA	3239
GG	GUERNSEY	3239
GH	GHANA	3239
GI	GIBRALTAR	3239
GL	GREENLAND	3239
GM	GAMBIA	3239
GN	GUINEA	3239
GP	GUADELOUPE	3239
GQ	EQUATORIAL GUINEA	3239
GR	GREECE	3239
GS	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	3239
GT	GUATEMALA	3239
GU	GUAM	3239
GW	GUINEA-BISSAU	3239
GY	GUYANA	3239
HK	HONG KONG	3239
HM	HEARD ISLAND AND MCDONALD ISLANDS	3239
HN	HONDURAS	3239
HR	CROATIA	3239
HT	HAITI	3239
HU	HUNGARY	3239
ID	INDONESIA	3239
IE	IRELAND	3239
IL	ISRAEL	3239
IM	ISLE OF MAN	3239
IN	INDIA	3239
IO	BRITISH INDIAN OCEAN TERRITORY	3239
IQ	IRAQ	3239
IR	IRAN (ISLAMIC REPUBLIC OF)	3239
IS	ICELAND	3239
IT	ITALY	3239
JE	JERSEY	3239
JM	JAMAICA	3239
JO	JORDAN	3239
JP	JAPAN	3239
KE	KENYA	3239
KG	KYRGYZSTAN	3239
KH	CAMBODIA	3239
KI	KIRIBATI	3239

Applicable codes

Code	Name/description	Code list
KM	COMOROS	3239
KN	SAINT KITTS AND NEVIS	3239
KP	KOREA (DEMOCRATIC PEOPLE'S REPUBLIC OF)	3239
KR	KOREA, REPUBLIC OF	3239
KW	KUWAIT	3239
KY	CAYMAN ISLANDS	3239
KZ	KAZAKHSTAN	3239
LA	LAO PEOPLE'S DEMOCRATIC REPUBLIC	3239
LB	LEBANON	3239
LC	SAINT LUCIA	3239
LI	LIECHTENSTEIN	3239
LK	SRI LANKA	3239
LR	LIBERIA	3239
LS	LESOTHO	3239
LT	LITHUANIA	3239
LU	LUXEMBOURG	3239
LV	LATVIA	3239
LY	LIBYA	3239
MA	MOROCCO	3239
MC	MONACO	3239
MD	MOLDOVA, REPUBLIC OF	3239
ME	MONTENEGRO	3239
MF	SAINT MARTIN (FRENCH PART)	3239
MG	MADAGASCAR	3239
MH	MARSHALL ISLANDS	3239
MK	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF	3239
ML	MALI	3239
MM	MYANMAR	3239
MN	MONGOLIA	3239
MO	MACAO	3239
MP	NORTHERN MARIANA ISLANDS	3239
MQ	MARTINIQUE	3239
MR	MAURITANIA	3239
MS	MONTserrat	3239
MT	MALTA	3239
MU	MAURITIUS	3239
MV	MALDIVES	3239
MW	MALAWI	3239
MX	MEXICO	3239
MY	MALAYSIA	3239
MZ	MOZAMBIQUE	3239
NA	NAMIBIA	3239
NC	NEW CALEDONIA	3239
NE	NIGER	3239
NF	NORFOLK ISLAND	3239
NG	NIGERIA	3239
NI	NICARAGUA	3239
NL	NETHERLANDS	3239
NO	NORWAY	3239
NP	NEPAL	3239
NR	NAURU	3239
NU	NIUE	3239
NZ	NEW ZEALAND	3239
OM	OMAN	3239
PA	PANAMA	3239

Applicable codes

Code	Name/description	Code list
PE	PERU	3239
PF	FRENCH POLYNESIA	3239
PG	PAPUA NEW GUINEA	3239
PH	PHILIPPINES	3239
PK	PAKISTAN	3239
PL	POLAND	3239
PM	SAINT PIERRE AND MIQUELON	3239
PN	PITCAIRN	3239
PR	PUERTO RICO	3239
PS	PALESTINE, STATE OF	3239
PT	PORTUGAL	3239
PW	PALAU	3239
PY	PARAGUAY	3239
QA	QATAR	3239
RE	REUNION	3239
RO	ROMANIA	3239
RS	SERBIA	3239
RU	RUSSIAN FEDERATION	3239
RW	RWANDA	3239
SA	SAUDI ARABIA	3239
SB	SOLOMON ISLANDS	3239
SC	SEYCHELLES	3239
SD	SUDAN	3239
SE	SWEDEN	3239
SG	SINGAPORE	3239
SH	SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	3239
SI	SLOVENIA	3239
SJ	SVALBARD AND JAN MAYEN	3239
SK	SLOVAKIA	3239
SL	SIERRA LEONE	3239
SM	SAN MARINO	3239
SN	SENEGAL	3239
SO	SOMALIA	3239
SR	SURINAME	3239
SS	SOUTH SUDAN	3239
ST	SAO TOME AND PRINCIPE	3239
SV	EL SALVADOR	3239
SX	SINT MAARTEN (DUTCH PART)	3239
SY	SYRIAN ARAB REPUBLIC	3239
SZ	SWAZILAND	3239
TC	TURKS AND CAICOS ISLANDS	3239
TD	CHAD	3239
TF	FRENCH SOUTHERN TERRITORIES	3239
TG	TOGO	3239
TH	THAILAND	3239
TJ	TAJKISTAN	3239
TK	TOKELAU	3239
TL	TIMOR-LESTE	3239
TM	TURKMENISTAN	3239
TN	TUNISIA	3239
TO	TONGA	3239
TR	TURKEY	3239
TT	TRINIDAD AND TOBAGO	3239
TV	TUVALU	3239
TW	TAIWAN, PROVINCE OF CHINA	3239

Applicable codes

Code	Name/description	Code list
TZ	TANZANIA, UNITED REPUBLIC OF	3239
UA	UKRAINE	3239
UG	UGANDA	3239
UM	UNITED STATES MINOR OUTLYING ISLANDS	3239
US	UNITED STATES OF AMERICA	3239
UY	URUGUAY	3239
UZ	UZBEKISTAN	3239
VA	HOLY SEE	3239
VC	SAINT VINCENT AND THE GRENADINES	3239
VE	VENEZUELA (BOLIVARIAN REPUBLIC OF)	3239
VG	VIRGIN ISLANDS, BRITISH	3239
VI	VIRGIN ISLANDS, U.S.	3239
VN	VIET NAM	3239
VU	VANUATU	3239
WF	WALLIS AND FUTUNA	3239
WS	SAMOA	3239
YE	YEMEN	3239
YT	MAYOTTE	3239
YU	YUGOSLAVIA	3239
ZA	SOUTH AFRICA	3239
ZM	ZAMBIA	3239
ZW	ZIMBABWE	3239
3453 Language name code		
Code	Name/description	Code list
AA	Afar	3453
aa	Afar	3453
AB	Abkhazian	3453
ab	Abkhazian	3453
AE	Avestan	3453
ae	Avestan	3453
AF	Afrikaans	3453
af	Afrikaans	3453
AK	Akan	3453
ak	Akan	3453
AM	Amharic	3453
am	Amharic	3453
AN	Aragonese	3453
an	Aragonese	3453
AR	Arabic	3453
ar	Arabic	3453
AS	Assamese	3453
as	Assamese	3453
AV	Avaric	3453
av	Avaric	3453
AY	Aymara	3453
ay	Aymara	3453
AZ	Azerbaijani	3453
az	Azerbaijani	3453
BA	Bashkir	3453
ba	Bashkir	3453
BE	Belarusian	3453
be	Belarusian	3453
BG	Bulgarian	3453
bg	Bulgarian	3453

Applicable codes

Code	Name/description	Code list
BH	Bihari languages	3453
bh	Bihari languages	3453
BI	Bislama	3453
bi	Bislama	3453
BM	Bambara	3453
bm	Bambara	3453
BN	Bengali	3453
bn	Bengali	3453
BO	Tibetan	3453
bo	Tibetan	3453
BR	Breton	3453
br	Breton	3453
BS	Bosnian	3453
bs	Bosnian	3453
CA	Catalan; Valencian	3453
ca	Catalan; Valencian	3453
CE	Chechen	3453
ce	Chechen	3453
CH	Chamorro	3453
ch	Chamorro	3453
CO	Corsican	3453
co	Corsican	3453
CR	Cree	3453
cr	Cree	3453
CS	Czech	3453
cs	Czech	3453
CU	Church Slavic; Old Slavonic; Church Slavonic; Old Bulgarian; Old Church Slavonic	3453
cu	Church Slavic; Old Slavonic; Church Slavonic; Old Bulgarian; Old Church Slavonic	3453
CV	Chuvash	3453
cv	Chuvash	3453
CY	Welsh	3453
cy	Welsh	3453
DA	Danish	3453
da	Danish	3453
DE	German	3453
de	German	3453
DV	Divehi; Dhivehi; Maldivian	3453
dv	Divehi; Dhivehi; Maldivian	3453
DZ	Dzongkha	3453
dz	Dzongkha	3453
EE	Ewe	3453
ee	Ewe	3453
EL	Greek; Modern (1453-)	3453
el	Greek; Modern (1453-)	3453
EN	English	3453
en	English	3453
EO	Esperanto	3453
eo	Esperanto	3453
ES	Spanish; Castilian	3453
es	Spanish; Castilian	3453
ET	Estonian	3453
et	Estonian	3453
EU	Basque	3453
eu	Basque	3453
FA	Persian	3453

Applicable codes

Code	Name/description	Code list
fa	Persian	3453
FF	Fulah	3453
ff	Fulah	3453
FI	Finnish	3453
fi	Finnish	3453
FJ	Fijian	3453
fj	Fijian	3453
FO	Faroese	3453
fo	Faroese	3453
FR	French	3453
fr	French	3453
FY	Western Frisian	3453
fy	Western Frisian	3453
GA	Irish	3453
ga	Irish	3453
GD	Gaelic; Scottish Gaelic	3453
gd	Gaelic; Scottish Gaelic	3453
GL	Galician	3453
gl	Galician	3453
GN	Guarani	3453
gn	Guarani	3453
GU	Gujarati	3453
gu	Gujarati	3453
GV	Manx	3453
gv	Manx	3453
HA	Hausa	3453
ha	Hausa	3453
HE	Hebrew	3453
he	Hebrew	3453
HI	Hindi	3453
hi	Hindi	3453
HO	Hiri Motu	3453
ho	Hiri Motu	3453
HR	Croatian	3453
hr	Croatian	3453
HT	Haitian; Haitian Creole	3453
ht	Haitian; Haitian Creole	3453
HU	Hungarian	3453
hu	Hungarian	3453
HY	Armenian	3453
hy	Armenian	3453
HZ	Herero	3453
hz	Herero	3453
IA	Interlingua (International Auxiliary Language Association)	3453
ia	Interlingua (International Auxiliary Language Association)	3453
ID	Indonesian	3453
id	Indonesian	3453
IE	Interlingue; Occidental	3453
ie	Interlingue; Occidental	3453
IG	Igbo	3453
ig	Igbo	3453
II	Sichuan Yi; Nuosu	3453
ii	Sichuan Yi; Nuosu	3453
IK	Inupiaq	3453
ik	Inupiaq	3453

Applicable codes

Code	Name/description	Code list
IO	Ido	3453
io	Ido	3453
IS	Icelandic	3453
is	Icelandic	3453
IT	Italian	3453
it	Italian	3453
IU	Inuktitut	3453
iu	Inuktitut	3453
JA	Japanese	3453
ja	Japanese	3453
JV	Javanese	3453
jv	Javanese	3453
JW	Javanese	3453
jw	Javanese	3453
KA	Georgian	3453
ka	Georgian	3453
KG	Kongo	3453
kg	Kongo	3453
KI	Kikuyu; Gikuyu	3453
ki	Kikuyu; Gikuyu	3453
KJ	Kuanyama; Kwanyama	3453
kj	Kuanyama; Kwanyama	3453
KK	Kazakh	3453
kk	Kazakh	3453
KL	Kalaallisut; Greenlandic	3453
kl	Kalaallisut; Greenlandic	3453
KM	Central Khmer	3453
km	Central Khmer	3453
KN	Kannada	3453
kn	Kannada	3453
KO	Korean	3453
ko	Korean	3453
KR	Kanuri	3453
kr	Kanuri	3453
KS	Kashmiri	3453
ks	Kashmiri	3453
KU	Kurdish	3453
ku	Kurdish	3453
KV	Komi	3453
kv	Komi	3453
KW	Cornish	3453
kw	Cornish	3453
KY	Kirghiz; Kyrgyz	3453
ky	Kirghiz; Kyrgyz	3453
LA	Latin	3453
la	Latin	3453
LB	Luxembourgish; Letzeburgesch	3453
lb	Luxembourgish; Letzeburgesch	3453
LG	Ganda	3453
lg	Ganda	3453
LI	Limburgan; Limburger; Limburgish	3453
li	Limburgan; Limburger; Limburgish	3453
LN	Lingala	3453
ln	Lingala	3453
LO	Lao	3453

Applicable codes

Code	Name/description	Code list
lo	Lao	3453
LT	Lithuanian	3453
lt	Lithuanian	3453
LU	Luba-Katanga	3453
lu	Luba-Katanga	3453
LV	Latvian	3453
lv	Latvian	3453
MG	Malagasy	3453
mg	Malagasy	3453
MH	Marshallese	3453
mh	Marshallese	3453
MI	Maori	3453
mi	Maori	3453
MK	Macedonian	3453
mk	Macedonian	3453
ML	Malayalam	3453
ml	Malayalam	3453
MN	Mongolian	3453
mn	Mongolian	3453
MO	Moldavian; Moldovan	3453
mo	Moldavian; Moldovan	3453
MR	Marathi	3453
mr	Marathi	3453
MS	Malay	3453
ms	Malay	3453
MT	Maltese	3453
mt	Maltese	3453
MY	Burmese	3453
my	Burmese	3453
NA	Nauru	3453
na	Nauru	3453
NB	Bokmal Norwegian; Norwegian Bokmal	3453
nb	Bokmal Norwegian; Norwegian Bokmal	3453
ND	Ndebele; North; North Ndebele	3453
nd	Ndebele; North; North Ndebele	3453
NE	Nepali	3453
ne	Nepali	3453
NG	Ndonga	3453
ng	Ndonga	3453
NL	Dutch; Flemish	3453
nl	Dutch; Flemish	3453
NN	Norwegian Nynorsk; Nynorsk, Norwegian	3453
nn	Norwegian Nynorsk; Nynorsk, Norwegian	3453
NO	Norwegian	3453
no	Norwegian	3453
NR	Ndebele; South; South Ndebele	3453
nr	Ndebele; South; South Ndebele	3453
NV	Navajo; Navaho	3453
nv	Navajo; Navaho	3453
NY	Chichewa; Chewa; Nyanja	3453
ny	Chichewa; Chewa; Nyanja	3453
OC	Occitan (post 1500)	3453
oc	Occitan (post 1500)	3453
OJ	Ojibwa	3453
oj	Ojibwa	3453

Applicable codes

Code	Name/description	Code list
OM	Oromo	3453
om	Oromo	3453
OR	Oriya	3453
or	Oriya	3453
OS	Ossetian; Ossetic	3453
os	Ossetian; Ossetic	3453
PA	Panjabi; Punjabi	3453
pa	Panjabi; Punjabi	3453
PI	Pali	3453
pi	Pali	3453
PL	Polish	3453
pl	Polish	3453
PS	Pushto; Pashto	3453
ps	Pushto; Pashto	3453
PT	Portuguese	3453
pt	Portuguese	3453
QU	Quechua	3453
qu	Quechua	3453
RM	Romansh	3453
rm	Romansh	3453
RN	Rundi	3453
rn	Rundi	3453
RO	Romanian	3453
ro	Romanian	3453
RU	Russian	3453
ru	Russian	3453
RW	Kinyarwanda	3453
rw	Kinyarwanda	3453
SA	Sanskrit	3453
sa	Sanskrit	3453
SC	Sardinian	3453
sc	Sardinian	3453
SD	Sindhi	3453
sd	Sindhi	3453
SE	Northern Sami	3453
se	Northern Sami	3453
SG	Sango	3453
sg	Sango	3453
SH	Serbo-Croatian	3453
sh	Serbo-Croatian	3453
SI	Sinhala; Sinhalese	3453
si	Sinhala; Sinhalese	3453
SK	Slovak	3453
sk	Slovak	3453
SL	Slovenian	3453
sl	Slovenian	3453
SM	Samoa	3453
sm	Samoa	3453
SN	Shona	3453
sn	Shona	3453
SO	Somali	3453
so	Somali	3453
SQ	Albanian	3453
sq	Albanian	3453
SR	Serbian	3453

Applicable codes

Code	Name/description	Code list
sr	Serbian	3453
SS	Swati	3453
ss	Swati	3453
ST	Sotho, Southern	3453
st	Sotho, Southern	3453
SU	Sundanese	3453
su	Sundanese	3453
SV	Swedish	3453
sv	Swedish	3453
SW	Swahili	3453
sw	Swahili	3453
TA	Tamil	3453
ta	Tamil	3453
TE	Telugu	3453
te	Telugu	3453
TG	Tajik	3453
tg	Tajik	3453
TH	Thai	3453
th	Thai	3453
TI	Tigrinya	3453
ti	Tigrinya	3453
TK	Turkmen	3453
tk	Turkmen	3453
TL	Tagalog	3453
tl	Tagalog	3453
TN	Tswana	3453
tn	Tswana	3453
TO	Tonga (Tonga Islands)	3453
to	Tonga (Tonga Islands)	3453
TR	Turkish	3453
tr	Turkish	3453
TS	Tsonga	3453
ts	Tsonga	3453
TT	Tatar	3453
tt	Tatar	3453
TW	Twi	3453
tw	Twi	3453
TY	Tahitian	3453
ty	Tahitian	3453
UG	Uighur; Uyghur	3453
ug	Uighur; Uyghur	3453
UK	Ukrainian	3453
uk	Ukrainian	3453
UR	Urdu	3453
ur	Urdu	3453
UZ	Uzbek	3453
uz	Uzbek	3453
VE	Venda	3453
ve	Venda	3453
VI	Vietnamese	3453
vi	Vietnamese	3453
VO	Volapük	3453
vo	Volapük	3453
WA	Walloon	3453
wa	Walloon	3453

Applicable codes

Code	Name/description	Code list
WO	Wolof	3453
wo	Wolof	3453
XH	Xhosa	3453
xh	Xhosa	3453
YI	Yiddish	3453
yi	Yiddish	3453
YO	Yoruba	3453
yo	Yoruba	3453
ZA	Zhuang; Chuang	3453
za	Zhuang; Chuang	3453
ZH	Chinese	3453
zh	Chinese	3453
ZU	Zulu	3453
zu	Zulu	3453
4233	Marking instructions code	
Code	Name/description	Code list
17	Seller's instructions	4233
4347	Product identifier code qualifier	
Code	Name/description	Code list
1	Additional identification	4347
5	Product identification	4347
4403	Instruction type code qualifier	
Code	Name/description	Code list
1	Action required	4403
2	Party instructions	4403
3	Maximum value exceeded instructions	4403
4	Confirmation instructions	4403
5	Method of issuance	4403
6	Pre-advice instructions	4403
7	Documents delivery instruction	4403
8	Additional terms and/or conditions documentary credit	4403
9	Investment instruction	4403
10	Reimbursement instructions	4403
11	Instructions to the paying and/or accepting and/or negotiating bank	4403
12	Instructions and/or information to the applicant	4403
13	Case of need party power instructions	4403
14	Instructions for payment in local currency	4403
15	Instructions for return of acceptance draft	4403
16	Method for advice of non-payment	4403
17	Documentary credit advice of non-acceptance method	4403
18	Documentary credit advice of payment method	4403
19	Documentary credit advice of acceptance method	4403
20	Instructions for the first transmission of documents	4403
21	Instructions for the second transmission of documents	4403
22	Instructions for terms of delivery of documents	4403
23	Instructions and/or information to the beneficiary	4403
24	Protest instructions	4403
25	Warehouse and/or insurance instructions	4403
26	Charges waiver instructions	4403
27	Interest waiver instructions	4403
28	Deferral of payment and/or acceptance instructions	4403
29	Patient preparation	4403
30	Dosage of medicine	4403

Applicable codes

Code	Name/description	Code list
31	Instruction about patient	4403
32	Meter reading instruction	4403
33	Meter change instruction	4403
34	Return instruction	4403
4405	Status description code	
Code	Name/description	Code list
X01	LIFO - last in first out	JAI045
X02	FIFO - first in first out	JAI045
X03	OTD - On time delivery	JAI045
4499	Inventory movement reason code	
Code	Name/description	Code list
1	Reception	4499
2	Delivery	4499
3	Scrapped parts	4499
4	Difference	4499
5	Property transfer within warehouse	4499
6	Inventory recycling	4499
7	Reversal of previous movement	4499
11	Consumption	4499
4501	Inventory movement direction code	
Code	Name/description	Code list
1	Movement out of inventory	4501
2	Movement into inventory	4501
N/A	Platzhalter, hat keine Funktion	4501
6063	Quantity type code qualifier	
Code	Name/description	Code list
18	Previous quantity	6063
145	Aktueller Lagerbestand	6063
156	Bestandsbewegungsmenge	6063
6411	Measurement unit code	
Code	Name/description	Code list
C62	one	6411
CMT	centimetre	6411
DR	drum	6411
GRM	gram	6411
KGM	kilogram	6411
KMT	kilometre	6411
LEF	leaf	6411
LTR	litre	6411
MLT	millilitre	6411
MMT	millimetre	6411
MTK	square metre	6411
MTQ	cubic metre	6411
MTR	metre	6411
PCE	piece	6411
PR	pair	6411
RO	roll	6411
SET	set	6411
TNE	tonne (metric ton)	6411
7009	Item description code	

Applicable codes

Code	Name/description	Code list
11	Production	JAI004
12	Sparepart	JAI004
13	Production and sparepart	JAI004
14	Try-out	JAI004
15	Pilot	JAI004
16	Additional requirement	JAI004
17	Initial sample	JAI004
18	Sample	JAI004
19	Other	JAI004
7064 Type of packages		
Code	Name/description	Code list
080607	VDA GLT 800 x 600 x 700	7064
121010	VDA GLT 1200 x 1000 x 975	7064
0000BEH	sonst. Flüssigkeitsbehälter, Gebinde, Kanister, Hobbock, Tank, Container, nicht näher spezifiziert	7064
0000BLE	Sheet metal packaging, sheet metal coils, not specified	7064
0000BUN	Bunches, not specified	7064
0000FAS	Barrel, not specified	7064
0000LOS	Loose material (unpacked)	7064
0000PAL	120 x 80 cm, palette until 15 cm high	7064
0000SAC	Bag, not specified	7064
0000SCH	Box, case, package, not specified	7064
0000SON	Additional packages, not specified	7064
0000UMR	Hoop, tightening strap, not specified	7064
0001PAL	120 x 80 cm, until 50 cm high	7064
0001SCH	Box, case, package: Dimension until 30 x 20 x 14 cm	7064
0001SON	Additional packages > 1 cbm, not specified	7064
0002PAL	120 x 80 cm, palette until 100 cm high	7064
0002SCH	Box, case, package: Dimension until 30 x 20 x 28 cm	7064
0002SON	Additional packages < 1 cbm, not specified	7064
0003PAL	120 x 80 cm, palette until 150 cm high	7064
0003SCH	Box, case, package: Dimension until 40 x 30 x 14 cm	7064
0004PAL	120 x 80 cm, palette until 200 cm high	7064
0004SCH	Box, case, package: Dimension until 40 x 20 x 28 cm	7064
0005PAL	120 x 100 cm, palette until 50 cm high	7064
0005SCH	Box, case, package: Dimension until 50 x 30 x 20 cm	7064
0006PAL	120 x 100 cm, palette until 100 cm high	7064
0006SCH	Box, case, package: Dimension until 50 x 50 x 50 cm	7064
0007PAL	120 x 100 cm, palette until 150 cm high	7064
0007SCH	Box, case, package: Dimension until 58 x 48 x 36 cm	7064
0008PAL	120 x 100 cm, palette until 200 cm high	7064
0008SCH	Box, case, package: Dimension until 60 x 40 x 14 cm	7064
0009PAL	Palette: 120 x 100 cm, Flachpalette bis 15 cm Höhe	7064
0009SCH	Box, case, package: Dimension until 60 x 40 x 28 cm	7064
0010PAL	Palette 160 x 120 x 15 cm	7064
0010SCH	Box, case, package: Dimension until 80 x 60 x 40 cm	7064
0011SCH	Box, case, package: Dimension until 98 x 58 x 36 cm	7064
0012SCH	Box, case, package: Dimension until 100 x 60 x 73 cm	7064
0013SCH	Box, case, package: Dimension until 120 x 78 x 110 cm	7064
0014SCH	Box, case, package: Dimension until 120 x 80 x 40 cm	7064
0015SCH	Box, case, package: Dimension until 120 x 80 x 90 cm	7064
0016SCH	Box, case, package: Dimension until 120 x 100 x 90 cm	7064
0017SCH	Schachtel, Kiste, Paket: Abmessung bis 160 x 120 x 90 cm	7064
12081A	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 800 x 84	7064

Applicable codes

Code	Name/description	Code list
12081AE	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 800 x 84	7064
1208A	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 800 x 94	7064
1208SP	VDA KLT Sicherungsplatte für Palette 1200 x 800	7064
1210A	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 1000 x 94	7064
1210AE	VDA KLT Ladeeinheit Abschlussdeckel 1200 x 1000 x 94	7064
13L	EWPS Zwischenlage 13 Zoll beschichtet	7064
13S	EWPS Zwischenlage 13 Zoll unbeschichtet	7064
14L	EWPS Zwischenlage 14 Zoll beschichtet	7064
14S	EWPS Zwischenlage 14 Zoll unbeschichtet	7064
15L	EWPS Zwischenlage 15 Zoll beschichtet	7064
15S	EWPS Zwischenlage 15 Zoll unbeschichtet	7064
16L	EWPS Zwischenlage 16 Zoll beschichtet	7064
16S	EWPS Zwischenlage 16 Zoll unbeschichtet	7064
175S	EWPS Zwischenlage 17.5 Zoll unbeschichtet	7064
175SDC	EWPS Zwischenlage 17.5 Zoll unbeschichtet Steilschulter	7064
17L	EWPS Zwischenlage 17 Zoll beschichtet	7064
17S	EWPS Zwischenlage 17 Zoll unbeschichtet	7064
18L	EWPS Zwischenlage 18 Zoll beschichtet	7064
18S	EWPS Zwischenlage 18 Zoll unbeschichtet	7064
195SDC	EWPS Zwischenlage 19.5 Zoll unbeschichtet Steilschulter	7064
19L	EWPS Zwischenlage 19 Zoll beschichtet	7064
19S	EWPS Zwischenlage 19 Zoll unbeschichtet	7064
1BP	EWPS Grundpalette Größe 1	7064
1TP	EWPS Abschlussrahmen Größe 1	7064
20L	EWPS Zwischenlage 20 Zoll beschichtet	7064
20S	EWPS Zwischenlage 20 Zoll unbeschichtet	7064
20STBS	EWPS Zwischenlage 20 Zoll unbeschichtet Schrägschulter	7064
21L	EWPS Zwischenlage 21 Zoll beschichtet	7064
21S	EWPS Zwischenlage 21 Zoll unbeschichtet	7064
225SDC	EWPS Zwischenlage 22.5 Zoll unbeschichtet Steilschulter	7064
22L	EWPS Zwischenlage 22 Zoll beschichtet	7064
22S	EWPS Zwischenlage 22 Zoll unbeschichtet	7064
2BP	EWPS Grundpalette Größe 2	7064
2TP	EWPS Abschlussrahmen Größe 2	7064
3115RE	VDA R KLT ESD300 x 200 x 147	7064
3115RLE	VDA RL KLT ESD 300 x 200 x 147	7064
3147RL	VDA RL KLT 300 x 200 x 147	7064
31DE	VDA KLT Deckel ESD 300 x 200	7064
3214C	VDA C KLT 300 x 200 x 147	7064
3215R	VDA R KLT 300 x 200 x 147	7064
3217C	VDA C KLT 300 x 200 x 174	7064
35D	VDA KLT Deckel 300 x 200	7064
3715RF	VDA R KLT 300 x 200 x 147 mit RFID (Retrofit)	7064
3747RLF	VDA RL KLT 300 x 200 x 147 mit RFID (Retrofit)	7064
3BP	EWPS Grundpalette Größe 3	7064
3TP	EWPS Abschlussrahmen Größe 3	7064
4047RLE	VDA RL KLT ESD 400 x 300 x 147	7064
4080RLE	VDA RL KLT ESD 400 x 300 x 280	7064
4115RE	VDA R KLT ESD 400 x 300 x 147	7064
4129RE	VDA R KLT ESD 400 x 300 x 280	7064
4147RL	VDA RL KLT 400 x 300 x 147	7064
41DE	VDA KLT Deckel ESD 400 x 300	7064
4280RL	VDA RL KLT 400 x 300 x 280	7064
4314C	VDA C KLT 400 x 300 x 147	7064
4315R	VDA R KLT 400 x 300 x 147	7064

Applicable codes

Code	Name/description	Code list
4317C	VDA C KLT 400 x 300 x 174	7064
4321C	VDA C KLT 400 x 300 x 214	7064
4328C	VDA C KLT 400 x 300 x 280	7064
4329R	VDA R KLT 400 x 300 x 280	7064
45D	VDA KLT Deckel 400 x 300	7064
4713RLF	VDA RL KLT 400 x 300 x 213 mit RFID (Retrofit)	7064
4715RF	VDA R KLT 400 x 300 x 147 mit RFID (Retrofit)	7064
4722RF	VDA R KLT 400 x 300 x 213 mit RFID (Retrofit)	7064
4729RF	VDA R KLT 400 x 300 x 280 mit RFID (Retrofit)	7064
4747RLF	VDA RL KLT 400 x 300 x 147 mit RFID (Retrofit)	7064
4780RLF	VDA RL KLT 400 x 300 x 280 mit RFID (Retrofit)	7064
4BP	EWPS Grundpalette Größe 4	7064
4TP	EWPS Abschlussrahmen Größe 4	7064
6047RLE	VDA RL KLT ESD 600 x 400 x 147	7064
6080RLE	VDA RL KLT ESD 600 x 400 x 280	7064
6115RE	VDA R KLT ESD 600 x 400 x 147	7064
6129RE	VDA R KLT ESD 600 x 400 x 280	7064
6147RL	VDA RL KLT 600 x 400 x 147	7064
61DE	VDA KLT Deckel ESD 600 x 400	7064
6280RL	VDA RL KLT 600 x 400 x 280	7064
6410F	VDA F KLT 600 x 400 x 280 (94.5)	7064
6414C	VDA C KLT 600 x 400 x 147	7064
6415R	VDA R KLT 600 x 400 x 147	7064
6417C	VDA C KLT 600 x 400 x 174	7064
6421C	VDA C KLT 600 x 400 x 214	7064
6428C	VDA C KLT 600 x 400 x 280	7064
6429R	VDA R KLT 600 x 400 x 280	7064
65D	VDA KLT Deckel 600 x 400	7064
6713RLF	VDA RL KLT 600 x 400 x 213 mit RFID (Retrofit)	7064
6715RF	VDA R KLT 600 x 400 x 147 mit RFID (Retrofit)	7064
6722RF	VDA R KLT 600 x 400 x 213 mit RFID (Retrofit)	7064
6729RF	VDA R KLT 600 x 400 x 280 with RFID (Retrofit)	7064
6747RLF	VDA RL KLT 600 x 400 x 147 mit RFID (Retrofit)	7064
6780RLF	VDA RL KLT 600 x 400 x 280 mit RFID (Retrofit)	7064
COPACK	Virtuelle Verpackung	7064
UNPACKD	unverpackte Ware (lose oder Schüttgut)	7064
7065	Package type description code	
Code	Name/description	Code list
43	Bag, super bulk	7065
44	Bag, polybag	7065
1A	Drum, steel	7065
1B	Drum, aluminium	7065
1D	Drum, plywood	7065
1F	Container, flexible	7065
1G	Drum, fibre	7065
1W	Drum, wooden	7065
2C	Barrel, wooden	7065
3A	Jerrican, steel	7065
3H	Jerrican, plastic	7065
4A	Box, steel	7065
4B	Box, aluminium	7065
4C	Box, natural wood	7065
4D	Box, plywood	7065
4F	Box, reconstituted wood	7065

Applicable codes

Code	Name/description	Code list
4G	Box, fibreboard	7065
4H	Box, plastic	7065
5H	Bag, woven plastic	7065
5L	Bag, textile	7065
5M	Bag, paper	7065
6H	Composite packaging, plastic receptacle	7065
6P	Composite packaging, glass receptacle	7065
7A	Case, car	7065
7B	Case, wooden	7065
8A	Pallet, wooden	7065
8B	Crate, wooden	7065
8C	Bundle, wooden	7065
AA	Intermediate bulk container, rigid plastic	7065
AB	Receptacle, fibre	7065
AC	Receptacle, paper	7065
AD	Receptacle, wooden	7065
AE	Aerosol	7065
AF	Pallet, modular, collars 80cms x 60cms	7065
AG	Pallet, shrinkwrapped	7065
AH	Pallet, 100cms x 110cms	7065
AI	Clamshell	7065
AJ	Cone	7065
AL	Ball	7065
AM	Ampoule, non-protected	7065
AP	Ampoule, protected	7065
AT	Atomizer	7065
AV	Capsule	7065
B4	Belt	7065
BA	Barrel	7065
BB	Bobbin	7065
BC	Bottlecrate / bottlerack	7065
BD	Board	7065
BE	Bundle	7065
BF	Balloon, non-protected	7065
BG	Bag	7065
BH	Bunch	7065
BI	Bin	7065
BJ	Bucket	7065
BK	Basket	7065
BL	Bale, compressed	7065
BM	Basin	7065
BN	Bale, non-compressed	7065
BO	Bottle, non-protected, cylindrical	7065
BP	Balloon, protected	7065
BQ	Bottle, protected cylindrical	7065
BR	Bar	7065
BS	Bottle, non-protected, bulbous	7065
BT	Bolt	7065
BU	Butt	7065
BV	Bottle, protected bulbous	7065
BW	Box, for liquids	7065
BX	Box	7065
BY	Board, in bundle/bunch/truss	7065
BZ	Bars, in bundle/bunch/truss	7065
CA	Can, rectangular	7065

Applicable codes

Code	Name/description	Code list
CB	Crate, beer	7065
CC	Churn	7065
CD	Can, with handle and spout	7065
CE	Creel	7065
CF	Coffer	7065
CG	Cage	7065
CH	Chest	7065
CI	Canister	7065
CJ	Coffin	7065
CK	Cask	7065
CL	Coil	7065
CM	Card	7065
CN	Container, not otherwise specified as transport equipment	7065
CO	Carboy, non-protected	7065
CP	Carboy, protected	7065
CQ	Cartridge	7065
CR	Crate	7065
CS	Case	7065
CT	Carton	7065
CU	Cup	7065
CV	Cover	7065
CW	Cage, roll	7065
CX	Can, cylindrical	7065
CY	Cylinder	7065
CZ	Canvas	7065
DA	Crate, multiple layer, plastic	7065
DB	Crate, multiple layer, wooden	7065
DC	Crate, multiple layer, cardboard	7065
DG	Cage, Commonwealth Handling Equipment Pool (CHEP)	7065
DH	Box, Commonwealth Handling Equipment Pool (CHEP), Eurobox	7065
DI	Drum, iron	7065
DJ	Demijohn, non-protected	7065
DK	Crate, bulk, cardboard	7065
DL	Crate, bulk, plastic	7065
DM	Crate, bulk, wooden	7065
DN	Dispenser	7065
DP	Demijohn, protected	7065
DR	Drum	7065
DS	Tray, one layer no cover, plastic	7065
DT	Tray, one layer no cover, wooden	7065
DU	Tray, one layer no cover, polystyrene	7065
DV	Tray, one layer no cover, cardboard	7065
DW	Tray, two layers no cover, plastic tray	7065
DX	Tray, two layers no cover, wooden	7065
DY	Tray, two layers no cover, cardboard	7065
EC	Bag, plastic	7065
ED	Case, with pallet base	7065
EE	Case, with pallet base, wooden	7065
EF	Case, with pallet base, cardboard	7065
EG	Case, with pallet base, plastic	7065
EH	Case, with pallet base, metal	7065
EI	Case, isothermic	7065
EN	Envelope	7065
FB	Flexibag	7065
FC	Crate, fruit	7065

Applicable codes

Code	Name/description	Code list
FD	Crate, framed	7065
FE	Flexitank	7065
FI	Firkin	7065
FL	Flask	7065
FO	Footlocker	7065
FP	Filmpack	7065
FR	Frame	7065
FT	Foodtainer	7065
FW	Cart, flatbed	7065
FX	Bag, flexible container	7065
GB	Bottle, gas	7065
GI	Girder	7065
GL	Container, gallon	7065
GR	Receptacle, glass	7065
GU	Tray, containing horizontally stacked flat items	7065
GY	Bag, gunny	7065
GZ	Girders, in bundle/bunch/truss	7065
HA	Basket, with handle, plastic	7065
HB	Basket, with handle, wooden	7065
HC	Basket, with handle, cardboard	7065
HG	Hogshead	7065
HN	Hanger	7065
HR	Hamper	7065
IA	Package, display, wooden	7065
IB	Package, display, cardboard	7065
IC	Package, display, plastic	7065
ID	Package, display, metal	7065
IE	Package, show	7065
IF	Package, flow	7065
IG	Package, paper wrapped	7065
IH	Drum, plastic	7065
IK	Package, cardboard, with bottle grip-holes	7065
IL	Tray, rigid, lidded stackable (CEN TS 14482:2002)	7065
IN	Ingot	7065
IZ	Ingots, in bundle/bunch/truss	7065
JB	Bag, jumbo	7065
JC	Jerrican, rectangular	7065
JG	Jug	7065
JR	Jar	7065
JT	Jutebag	7065
JY	Jerrican, cylindrical	7065
KG	Keg	7065
KI	Kit	7065
LE	Luggage	7065
LG	Log	7065
LT	Lot	7065
LU	Lug	7065
LV	Liftvan	7065
LZ	Logs, in bundle/bunch/truss	7065
MA	Crate, metal	7065
MB	Bag, multiply	7065
MC	Crate, milk	7065
ME	Container, metal	7065
MR	Receptacle, metal	7065
MS	Sack, multi-wall	7065

Applicable codes

Code	Name/description	Code list
MT	Mat	7065
MW	Receptacle, plastic wrapped	7065
MX	Matchbox	7065
NA	Not available	7065
NE	Unpacked or unpackaged	7065
NF	Unpacked or unpackaged, single unit	7065
NG	Unpacked or unpackaged, multiple units	7065
NS	Nest	7065
NT	Net	7065
NU	Net, tube, plastic	7065
NV	Net, tube, textile	7065
OA	Pallet, CHEP 40 cm x 60 cm	7065
OB	Pallet, CHEP 80 cm x 120 cm	7065
OC	Pallet, CHEP 100 cm x 120 cm	7065
OD	Pallet, AS 4068-1993	7065
OE	Pallet, ISO T11	7065
OF	Platform, unspecified weight or dimension	7065
OK	Block	7065
OT	Octabin	7065
OU	Container, outer	7065
P2	Pan	7065
PA	Packet	7065
PB	Pallet, box	7065
PC	Parcel	7065
PD	Pallet, modular, collars 80cms * 100cms	7065
PE	Pallet, modular, collars 80cms * 120cms	7065
PF	Pen	7065
PG	Plate	7065
PH	Pitcher	7065
PI	Pipe	7065
PJ	Punnet	7065
PK	Package	7065
PL	Pail	7065
PN	Plank	7065
PO	Pouch	7065
PP	Piece	7065
PR	Receptacle, plastic	7065
PT	Pot	7065
PU	Tray pack	7065
PV	Pipes, in bundle/bunch/truss	7065
PX	Pallet	7065
PY	Plates, in bundle/bunch/truss	7065
PZ	Planks, in bundle/bunch/truss	7065
QA	Drum, steel, non-removable head	7065
QB	Drum, steel, removable head	7065
QC	Drum, aluminium, non-removable head	7065
QD	Drum, aluminium, removable head	7065
QF	Drum, plastic, non-removable head	7065
QG	Drum, plastic, removable head	7065
QH	Barrel, wooden, bung type	7065
QJ	Barrel, wooden, removable head	7065
QK	Jerrican, steel, non-removable head	7065
QL	Jerrican, steel, removable head	7065
QM	Jerrican, plastic, non-removable head	7065
QN	Jerrican, plastic, removable head	7065

Applicable codes

Code	Name/description	Code list
QP	Box, wooden, natural wood, ordinary	7065
QQ	Box, wooden, natural wood, with sift proof walls	7065
QR	Box, plastic, expanded	7065
QS	Box, plastic, solid	7065
RD	Rod	7065
RG	Ring	7065
RJ	Rack, clothing hanger	7065
RK	Rack	7065
RL	Reel	7065
RO	Roll	7065
RT	Rednet	7065
RZ	Rods, in bundle/bunch/truss	7065
SA	Sack	7065
SB	Slab	7065
SC	Crate, shallow	7065
SD	Spindle	7065
SE	Sea-chest	7065
SH	Sachet	7065
SI	Skid	7065
SK	Case, skeleton	7065
SL	Slipsheet	7065
SM	Sheetmetal	7065
SO	Spool	7065
SP	Sheet, plastic wrapping	7065
SS	Case, steel	7065
ST	Sheet	7065
SU	Suitcase	7065
SV	Envelope, steel	7065
SW	Shrinkwrapped	7065
SX	Set	7065
SY	Sleeve	7065
SZ	Sheets, in bundle/bunch/truss	7065
T1	Tablet	7065
TB	Tub	7065
TC	Tea-chest	7065
TD	Tube, collapsible	7065
TE	Tyre	7065
TG	Tank container, generic	7065
TI	Tierce T1	7065
TK	Tank, rectangular	7065
TL	Tub, with lid	7065
TN	Tin	7065
TO	Tun	7065
TR	Trunk	7065
TS	Truss	7065
TT	Bag, tote	7065
TU	Tube	7065
TV	Tube, with nozzle	7065
TW	Pallet, triwall	7065
TY	Tank, cylindrical	7065
TZ	Tubes, in bundle/bunch/truss	7065
UC	Uncaged	7065
UN	Unit	7065
VA	Vat	7065
VG	Bulk, gas (at 1031 mbar and 15 degree C)	7065

Applicable codes

Code	Name/description	Code list
VI	Vial	7065
VK	Vanpack	7065
VL	Bulk, liquid	7065
VN	Vehicle	7065
VO	Bulk, solid, large particles ("nodules")	7065
VP	Vacuum-packed	7065
VQ	Bulk, liquefied gas (at abnormal temperature/pressure)	7065
VR	Bulk, solid, granular particles ("grains")	7065
VS	Bulk, scrap metal	7065
VY	Bulk, solid, fine particles ("powders")	7065
WA	Intermediate bulk container	7065
WB	Wickerbottle	7065
WC	Intermediate bulk container, steel	7065
WD	Intermediate bulk container, aluminium	7065
WF	Intermediate bulk container, metal	7065
WG	Intermediate bulk container, steel, pressurised > 10 kpa	7065
WH	Intermediate bulk container, aluminium, pressurised > 10 kpa	7065
WJ	Intermediate bulk container, metal, pressure 10 kpa	7065
WK	Intermediate bulk container, steel, liquid	7065
WL	Intermediate bulk container, aluminium, liquid	7065
WM	Intermediate bulk container, metal, liquid	7065
WN	Intermediate bulk container, woven plastic, without coat/liner	7065
WP	Intermediate bulk container, woven plastic, coated	7065
WQ	Intermediate bulk container, woven plastic, with liner	7065
WR	Intermediate bulk container, woven plastic, coated and liner	7065
WS	Intermediate bulk container, plastic film	7065
WT	Intermediate bulk container, textile with out coat/liner	7065
WU	Intermediate bulk container, natural wood, with inner liner	7065
WV	Intermediate bulk container, textile, coated	7065
WW	Intermediate bulk container, textile, with liner	7065
WX	Intermediate bulk container, textile, coated and liner	7065
WY	Intermediate bulk container, plywood, with inner liner	7065
WZ	Intermediate bulk container, reconstituted wood, with inner liner	7065
XA	Bag, woven plastic, without inner coat/liner	7065
XB	Bag, woven plastic, sift proof	7065
XC	Bag, woven plastic, water resistant	7065
XD	Bag, plastics film	7065
XF	Bag, textile, without inner coat/liner	7065
XG	Bag, textile, sift proof	7065
XH	Bag, textile, water resistant	7065
XJ	Bag, paper, multi-wall	7065
XK	Bag, paper, multi-wall, water resistant	7065
YA	Composite packaging, plastic receptacle in steel drum	7065
YB	Composite packaging, plastic receptacle in steel crate box	7065
YC	Composite packaging, plastic receptacle in aluminium drum	7065
YD	Composite packaging, plastic receptacle in aluminium crate	7065
YF	Composite packaging, plastic receptacle in wooden box	7065
YG	Composite packaging, plastic receptacle in plywood drum	7065
YH	Composite packaging, plastic receptacle in plywood box	7065
YJ	Composite packaging, plastic receptacle in fibre drum	7065
YK	Composite packaging, plastic receptacle in fibreboard box	7065
YL	Composite packaging, plastic receptacle in plastic drum	7065
YM	Composite packaging, plastic receptacle in solid plastic box	7065
YN	Composite packaging, glass receptacle in steel drum	7065
YP	Composite packaging, glass receptacle in steel crate box	7065

Applicable codes

Code	Name/description	Code list
YQ	Composite packaging, glass receptacle in aluminium drum	7065
YR	Composite packaging, glass receptacle in aluminium crate	7065
YS	Composite packaging, glass receptacle in wooden box	7065
YT	Composite packaging, glass receptacle in plywood drum	7065
YV	Composite packaging, glass receptacle in wickerwork hamper	7065
YW	Composite packaging, glass receptacle in fibre drum	7065
YX	Composite packaging, glass receptacle in fibreboard box	7065
YY	Composite packaging, glass receptacle in expandable plastic pack	7065
YZ	Composite packaging, glass receptacle in solid plastic pack	7065
ZA	Intermediate bulk container, paper, multi-wall	7065
ZB	Bag, large	7065
ZC	Intermediate bulk container, paper, multi-wall, water resistant	7065
ZD	Intermediate bulk container, rigid plastic, with structural equipment, solids	7065
ZF	Intermediate bulk container, rigid plastic, freestanding, solids	7065
ZG	Intermediate bulk container, rigid plastic, with structural equipment, pressurised	7065
ZH	Intermediate bulk container, rigid plastic, freestanding, pressurised	7065
ZJ	Intermediate bulk container, rigid plastic, with structural equipment, liquids	7065
ZK	Intermediate bulk container, rigid plastic, freestanding, liquids	7065
ZL	Intermediate bulk container, composite, rigid plastic, solids	7065
ZM	Intermediate bulk container, composite, flexible plastic, solids	7065
ZN	Intermediate bulk container, composite, rigid plastic, pressurised	7065
ZP	Intermediate bulk container, composite, flexible plastic, pressurised	7065
ZQ	Intermediate bulk container, composite, rigid plastic, liquids	7065
ZR	Intermediate bulk container, composite, flexible plastic, liquids	7065
ZS	Intermediate bulk container, composite	7065
ZT	Intermediate bulk container, fibreboard	7065
ZU	Intermediate bulk container, flexible	7065
ZV	Intermediate bulk container, metal, other than steel	7065
ZW	Intermediate bulk container, natural wood	7065
ZX	Intermediate bulk container, plywood	7065
ZY	Intermediate bulk container, reconstituted wood	7065
ZZ	Mutually defined	7065
7073 Packaging terms and conditions code		
Code	Name/description	Code list
AAA	One way packaging, supplier pays	JAI038
AAB	One way packaging, customer pays	JAI038
AAC	Customer's returnable package item	JAI038
AAD	Supplier's returnable package item	JAI038
AAE	Service provider's returnable package item	JAI038
7077 Description format code		
Code	Name/description	Code list
X	Semi-structured (code + text)	7077
7143 Item type identification code		
Code	Name/description	Code list
XA	Thickness in mm	JAI042
XB	Yield stress in N/mm ²	JAI042
XC	Tensile strength in N/mm ²	JAI042
XD	Proportional elongation in %	JAI042
XF	R value	JAI042
XG	N value	JAI042
XH	Roughness above in µm	JAI042
XI	Roughness bottom in µm	JAI042
XJ	Number of peaks above in 1/cm	JAI042

Applicable codes

Code	Name/description	Code list
XK	Number of peaks bottom in 1/cm	JAI042
XL	Oil volume in g/m ²	JAI042
XM	Number of cold rolls	JAI042
XN	Text information	JAI042
AB	Assembly	7143
AD	Cold roll number	7143
AG	Software revision number	7143
BT	Technical phase	7143
CL	Colour number	7143
DR	Drawing revision number	7143
EC	Engineering change level	7143
EN	International Article Numbering Association (EAN)	7143
HS	Harmonised system	7143
IN	Buyers item number	7143
MN	Model number	7143
NB	Batch number	7143
RY	Record keeping of model year	7143
SA	Supplier's article number	7143
UA	Ultimate customer's article number	7143
7233	Packaging related description code	
Code	Name/description	Code list
35	Type of package	7233
7297	Set type code qualifier	
Code	Name/description	Code list
19	Storage place ID	JAI044
4	Vehicle reference set	7297
7405	Object identification code qualifier	
Code	Name/description	Code list
XA	JIS call-off group	JAI040
AN	Manufacturing reference number	7405
BU	Package buyer assigned identifier	7405
ML	Marking/label number	7405
VV	Vehicle identity number	7405
7511	Marking type code	
Code	Name/description	Code list
1J	Unique license plate number lowest package level	JAI019
5J	Unique license plate number mixed load	JAI019
6J	Unique license plate number assigned to a master load	JAI019
9013	Status reason description code	
Code	Name/description	Code list
1	Address ex delivery area	9013
2	After transport departed	9013
3	Agent refusal	9013
4	Altered seals	9013
5	Appointment scheduled	9013
6	Attempt unsuccessful	9013
7	Business closed	9013
8	Changed schedule	9013
9	Complementary address needed	9013
10	Computer system down	9013
11	Credit approval requested	9013
	Customer arrangements	9013

Applicable codes

Code	Name/description	Code list
12		
13	Customs refusal	9013
14	Damaged	9013
15	Delivery at specific requested dates/times/periods	9013
16	Destination incorrect	9013
17	Departure delay	9013
18	Derailment	9013
19	Discrepancy	9013
20	Dock strike	9013
21	Due to customer	9013
22	Empty	9013
23	Equipment failure	9013
24	Examination required by relevant authority	9013
25	Export restrictions	9013
26	Frustrated export	9013
27	Goods units missing	9013
28	Import restrictions	9013
29	Incorrect pick information	9013
30	Incorrect address	9013
31	Industrial dispute	9013
32	Instructions awaited	9013
33	Lost goods/consignments/equipment	9013
34	Means of transport damaged	9013
35	Mechanical breakdown	9013
36	Mechanical inspection	9013
37	Missing and/or incorrect documents	9013
38	New delivery arrangements	9013
39	No recipient contact information	9013
40	Not identified	9013
41	Not loaded	9013
42	On deck	9013
43	Package not ready	9013
44	Package tracking number unknown	9013
45	Partly missing	9013
46	Payment not received	9013
47	Payment refused	9013
48	Plundered	9013
49	Refused without reason given	9013
50	Scheduled past cut-off	9013
51	Shunted to siding	9013
52	Signature not required	9013
53	Sorted wrong route	9013
54	Special service required	9013
55	Split	9013
56	Totally missing	9013
57	Tracking information unavailable	9013
58	Transit delay	9013
59	Unable to locate	9013
60	Unacceptable condition	9013
61	Under deck	9013
62	Unknown	9013
63	Weather conditions	9013
64	Expired free time	9013
65	Outstanding claims settled	9013
66	Stolen	9013

Applicable codes

Code	Name/description	Code list
67	Administrative error	9013
68	Undefined incident attributed to buyer	9013
69	Undefined incident attributed to carrier	9013
70	Undefined incident attributed to logistic service provider	9013
71	Change in agreed product reference	9013
72	Difference in replenishment figures	9013
73	Lost quantity of variable measurement product	9013
74	Damaged during manipulation in warehouse	9013
75	Product degenerated during storage or transport	9013
76	Destroyed	9013
77	Best before date expired	9013
78	Log number assignment	9013
79	Entry point assessment of Data Maintenance Request (DMR) initial comment	9013
80	Entry point assessment of Data Maintenance Request (DMR) latest comment	9013
81	Unable to take corrective action	9013
82	International assessment group reporting on Data Maintenance Request (DMR)	9013
83	Missing	9013
84	Central secretariat review cycle start	9013
85	Data structure tag assigned	9013
86	Non-operational periods	9013
87	Error	9013
88	Accident involving means of transport	9013
89	Order or instruction status change	9013
90	Not accepted by delivery party	9013
91	Delivery requested to another location by ordering party	9013
92	Incorrect goods delivered	9013
93	Undefined incident attributed to customs authority	9013
94	Imperfect item	9013
95	Excess goods delivered	9013
96	Goods partially delivered	9013
97	Remove to federal court	9013
98	Change of venue granted	9013
99	Replenish inventory	9013
100	Unloading date and or time not received	9013
101	Stacked pallets not acceptable	9013
102	Pallets containing mixed goods not acceptable	9013
103	Product expiry date not acceptable	9013
104	Pallet and goods height higher than permitted	9013
105	Delivery order not received	9013
106	Back-orders not permitted by goods recipient	9013
107	Article identification not found in computer system	9013
108	Goods not barcoded	9013
109	Delivered later than scheduled date/time	9013
110	Delivery different date	9013
111	Delayed due to various reasons	9013
112	Goods previously delivered	9013
113	Loading error	9013
114	Delivery too late	9013
115	Partial delivery not accepted	9013
116	Unloading of goods delayed	9013
117	Product out of stock	9013
118	Incident attributed to seller	9013
119	Incident not attributed	9013
120	Manufacturing defects	9013
121	Other	9013

Applicable codes

Code	Name/description	Code list
122	Monetary amount error	9013
123	Product not ordered	9013
124	Product not accepted	9013
125	Despatch preparation error	9013
126	Inventory differences	9013
127	Physical movement between warehouses	9013
128	Manipulation	9013
129	Importation	9013
130	Delivery party premise closed during normal hours	9013
131	Delivery incomplete - time shortage at delivery location	9013
132	Delivery party premise closed for stock taking	9013
133	Delivery party premise closed on Saturday	9013
134	Delivery party premise closed on national holiday	9013
135	Postponed delivery	9013
136	After action taken by logistics service provider	9013
137	Logistics service provider following instructions by owner	9013
138	Arrived	9013
139	Expiration of sales period	9013
140	Awaiting release	9013
141	Quality control held	9013
142	Incident attributed to despatch party	9013
9015	Status category code	
Code	Name/description	Code list
1	Transport	9015
2	Order administration	9015
3	Inspection result	9015
4	Publication issue claim	9015
5	Legal category	9015
6	Contract	9015
7	Transaction	9015
8	Meter reading quality	9015
9	Capacity	9015
10	Measurement classification	9015
11	Transport means security status	9015
12	Activity	9015
13	Claim	9015
14	Order	9015
15	Cash on delivery order	9015
16	Urgent order	9015
17	Previous call off order	9015