

Despatch advice bypass and third-party business

Recommendation VDA 4948 Part 3

Version 2.0, June 2022



Short Description

This VDA recommendation aims at the following objectives:

The recommendation shall be a basis for standardisation of bypass and third-party business processes in the aftermarket area.

The recommendation shall serve as a guideline in the building and developing of bypass and third-party business processes.

The VDA recommendation 4948 consists of four parts:

T0: Process description and general considerations

T1: Order

T2: Order response

T3: Despatch advice

Disclaimer

The VDA Recommendations are recommendations that may be freely adopted by anyone. Users are responsible for correct implementation of the recommendations as required on a case-by-case basis.

The recommendations take into account the prevailing technology at the time of publication. Use of the VDA Recommendations does not absolve anyone from responsibility for his/her own actions, and all users act at their own risk. Liability of VDA and those involved in drafting of VDA Recommendations is excluded.

If you notice any errors, omissions or ambiguities in these recommendations, please contact VDA without delay so that these errors can be rectified.

Publisher Verband der Automobilindustrie e.V. (VDA)
Behrenstrasse 35, 10117 Berlin
www.vda.de

This recommendation was developed by AK SID.

Copyright Verband der Automobilindustrie e.V. (VDA)

Reprint, also in extracts, is only permitted, if the source is stated.

Version Version 2.0, June 2022

Table of contents

Table of contents..... 3

List of changes 4

Structure of an UN/EDIFACT interchange 5

Branching diagram 6

Message structure..... 12

Segment details 14

Applicable codes 81

List of changes

No.	Change Change Request	Date	Version	Segment(-group) and data element
01	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	3.0	02 UNB Interchange header
02	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	3.0	01 UNA Service string advice
03	1000 Profilkennzeichen hinzugefügt. / Additional profile information added.	2022-04-29	2.0	04 BGM C002 1000 Beginning of message
04	Status O --> R Code GMI021 --> V22020	2022-04-29	2.0	03 UNH S009 0057 Message header
05	2021-018 Anpassung an S3 konformen Profil der EDIFACT S4 (ISO 9735 Part 11). / Adaptation to S3 compliant profile of EDIFACT S4 (ISO 9735 Part 11).	2022-01-20	2.0	

Structure of an UN/EDIFACT interchange


An EDIFACT interchange file contains an interchange frame (UNB-UNZ) with one or more messages (UNH-UNT). The interchange frame can be preceded by a service string advice to define the used separator characters (recommended).

Usually one interchange file contains only messages of the same type, DESADV
e.g.

For more information, please refer to recommendation VDA 4900.

Status	Segment	Description
Optional	UNA	Service String Advice
Mandatory	UNB	Interchange header
Mandatory	UNH	1. Message header
	...	Message segments
Mandatory	UNT	1. Message trailer
	UNH	2. Message header
	...	Message segments
	UNT	2. Message trailer
	etc.	
	UNH	n. Message header
	...	Message segments
	UNT	n. Message trailer
Mandatory	UNZ	Interchange trailer


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)


Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen
St MaxWdh	St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Branchingdiagramm



Die schwarzen Segmente/Gruppen werden genutzt, die grauen Segmente/Gruppen sind im Nachrichtentyp enthalten, werden aber nicht genutzt.

Bez	Bez = Segment-/Gruppen-Bezeichner, MaxWdh = Maximale Wiederholung der Segmente/Gruppen St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)
St MaxWdh	

Structure / content

No.	Tag	St	MaxRep	Content
1	UNA	R	1	Service string advice
2	UNB	M	1	Interchange header
3	UNH	M	1	Message header
4	BGM	M	1	Beginning of message
5	DTM	R	1	Despatch advice date
6	MEA	O	1	Consignment's gross weight
7	MEA	O	1	Consignment's net weight
8	MEA	O	1	Consignment volume (Total cube)
9	MEA	O	1	Consignment's loading meters
10	MEA	O	1	Number of handling units in shipment
	SG1	O	1	Conveyance reference number
11	RFF	M	1	Conveyance reference number
	SG1	O	1	Fiscal note
12	RFF	M	1	Fiscal registration number
	SG2	D	1	Ship-to
13	NAD	M	1	Ship-to's ID
	SG2	D	1	Ship-to's plant
14	NAD	M	1	Plant of Ship-to party
15	LOC	O	1	Place of discharge
	SG2	R	1	Buyer
16	NAD	M	1	Buyer's ID
	SG2	R	1	Seller / Supplier
17	NAD	M	1	Seller's ID
	SG2	O	1	Carrier
18	NAD	M	1	Carrier's ID and name
	SG2	O	1	Ship-from
19	NAD	M	1	Ship-from's ID
	SG2	O	1	Freight forwarder
20	NAD	M	1	Freight forwarder's ID and name
	SG6	O	10	Means of transport
21	TDT	M	1	Transport information
	SG10	R	9999	Despatch control line / group of packaging items and article line
22	CPS	M	1	Consignment packing sequence
23	FTX	O	1	Free text
	SG11	O	9999	Group of packaging items / handling units
24	PAC	M	1	Package
25	MEA	O	1	Package length
26	MEA	O	1	Package width
27	MEA	O	1	Package height
28	MEA	O	1	Packaging item gross weight
29	MEA	O	1	Packaging item net weight
30	QTY	O	1	Actual quantity per package
31	QTY	O	1	Maximum stackability
32	QTY	O	1	Number of contained packages/items
	SG13	O	1000	Individual packaging item / handling unit
33	PCI	M	1	Package identification
34	RFF	O	1	Reference to outer package
	SG15	D	99	Individual packaging item's / handling unit's transport label number as required by the bu

Tag = Tag; No. = consecutive segment number in the guide; MaxRep = maximum repetition; St = status (M=mandatory, C=conditional, R=required, O=optional, D=dependent, A=advised)

Structure / content

No.	Tag	St	MaxRep	Content
35	GIN	M	1	Package ID as required by buyer
	SG11	O	9999	Packaging aid
36	PAC	M	1	Package
	SG17	R	9999	Article identification and despatched quantities
37	LIN	M	1	Line item
38	PIA	O	2	Additional product ID
39	IMD	O	25	Item description
40	MEA	O	1	Net weight
41	QTY	O	1	Despatched quantity
42	QTY	O	1	Quantity ordered
43	ALI	O	1	Country of origin, duty regime and nature of transaction
44	GIN	O	100	Serial Number(s)
45	MOA	O	1	Customs declared value
46	MOA	O	2	Purchase price / End user price
	SG18	O	1	Shipment / Delivery note reference
47	RFF	M	1	Shipment / Delivery note reference
48	DTM	O	1	Delivery note date
	SG18	O	99	Other References
49	RFF	M	1	Reference
50	DTM	O	1	Reference date
	SG19	O	1	Dangerous goods information
51	DGS	M	1	Dangerous goods
52	FTX	O	1	Dangerous goods description (technical name)
53	FTX	O	1	Dangerous goods declaration concerning exception permission
	SG20	D	1	Place of discharge
54	LOC	M	1	Place/location identification
55	UNT	M	1	Message trailer
56	UNZ	M	1	Interchange trailer

Tag = Tag; No. = consecutive segment number in the guide; MaxRep = maximum repetition; St = status (M=mandatory, C=conditional, R=required, O=optional, D=dependent, A=advised)

Segmente

Nr	Bez	St	MaxWdh	Name
1	UNA	R	1	Service string advice

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
UNA1	Component data element separator	M	an1	Colon
UNA2	Data element separator	M	an1	Plus sign
UNA3	Decimal notation	M	an1	Decimal point or comma This differs from version 4 that only allows decimal point.
UNA4	Release indicator	M	an1	Question mark
UNA5	Reserved for future use	M	an1	Blank
UNA6	Segment terminator	M	an1	Apostrophe

The use of UNA is strongly recommended and UNA5 must be blank.
Beispiel:

UNA: + . ? ' '

Segmente

Nr	Bez	St	MaxWdh	Name
2	UNB	M	1	Interchange header

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
S001	Syntax identifier	M	M	
0001	Syntax identifier	M	a4	UNOW shall only be used, if agreed upon by partners in their interchange agreement. UNOA UNOB UNOC UNOD UNOW
0002	Syntax version number	M	an1	To use syntax version 4 according to the ISO 9735-11 profile, code "X" must be used here. X
0080	Service code list directory version number	C	an..6	Nicht genutzt
0133	Character encoding, coded	C	an..3	Nicht genutzt
0076	Syntax release number	C	an2	Nicht genutzt
S002	Interchange sender	M	M	
0004	Sender identification	M	an..35	Unique ID of the sender in the data transmission network or system used.
0007	Partner identification code qualifier	C	an..4	O an..4 Qualifier for the organisation that assigned the identifier, e.g. 59 for Odette.
0008	Address for reverse routing	C	an..14	O an..14 Address for reverse routing Address of an application or internal system at sender's site to which reply messages should be routed.
0042	Interchange sender internal sub-identification	C	an..35	Nicht genutzt
S003	Interchange recipient	M	M	
0010	Recipient identification	M	an..35	Unique ID of the recipient in the data transmission network or system used.
0007	Partner identification code qualifier	C	an..4	O an..4 Qualifier for the organisation that assigned the identifier, e.g. 59 for Odette.
0014	Routing address	C	an..14	O an..14 Address for reverse routing Address of an application or an internal system at the recipient: For some buyers, the delivery schedules or similar can be generated from different ERP systems. After receipt by the buyer, the messages must then be forwarded to this system and processed there.
0046	Interchange recipient internal sub-identification	C	an..35	Nicht genutzt
S004	Date/time of preparation	M	M	
0017	Date of preparation	M	n8	M n8 Attention: Difference to S3, 8 digits (including century)! Format CCYYMMDD
0019	Time of preparation	M	n4	M n4 Format hhmm
0020	Interchange control reference	M	an..14	M an..14 Unique ID of a data transmission.
S005	Recipient's reference, password	C	N	Nicht genutzt
0022	Recipient's reference/password	M	an..14	Nicht genutzt
0025	Recipient's reference/password qualifier	C	an2	Nicht genutzt
0026	Application reference	C	an..14	Nicht genutzt
0029	Processing priority code	C	a1	Nicht genutzt
0031	Acknowledgement request	C	n1	Nicht genutzt

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
0032	Communications agreement ID	C	an..35	N	Nicht genutzt
0035	Test indicator	C	n1	O	n1 Only used if the data exchange is for test purposes. This data element is not transmitted for valid transmissions. 1

The structure of the EDIFACT interchange and the specification of the service segments for electronic data exchange used in the automotive industry are described in detail in the VDA Recommendation 4900.

Due to the change in ISO standard 9735, VDA-EDIFACT recommendations will be based on the EDIFACT Syntax 3 compliant profile of EDIFACT Syntax 4 (ISO 9735 Part 11) from 2021-12. The service segments (UNA, UNB, UNH, UNS, UNT, UNZ) were adapted accordingly. The user data segments were not changed.

Beispiel:

**UNB+UNOC:X+VA13:59:EDI-Outbound+XB05:59:EDI-Inbound+20220721:0719+20220000
25++++++1'**

Segmente

Nr	Bez	St	MaxWdh	Name
3	UNH	M	1	Message header

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
0062	Message reference number	M	an..14	M an..14 Message reference number (in the interchange)
S009	Message identifier	M		M
0065	Message type	M	an..6	M an..6 DESADV Despatch advice message
0052	Message version number	M	an..3	M an..3 D Draft version/UN/EDIFACT Directory
0054	Message release number	M	an..3	M an..3 05B Release 2005 - B
0051	Controlling agency	M	an..2	M an..2 UN UN/CEFACT
0057	Association assigned code	C	an..6	R an..6 V22020 Subset ID for VDA Despatsch advice bypass and third-party business Version 2.0 JAI016
0110	Code list directory version number	C	an..6	N Nicht genutzt
0113	Message type sub-function identification	C	an..6	N Nicht genutzt
0068	Common access reference	C	an..35	N Nicht genutzt
S010	Status of the transfer	C		N Nicht genutzt
0070	Sequence of transfers	M	n..2	N Nicht genutzt
0073	First and last transfer	C	a1	N Nicht genutzt
S016	Message subset identification	C		N Nicht genutzt
0115	Message subset identification	M	an..14	N Nicht genutzt
0116	Message subset version number	C	an..3	N Nicht genutzt
0118	Message subset release number	C	an..3	N Nicht genutzt
0051	Controlling agency	C	an..2	N Nicht genutzt
S017	Message implementation guideline identification	C		N Nicht genutzt
0121	Message implementation guideline identification	M	an..14	N Nicht genutzt
0122	Message implementation guideline version number	C	an..3	N Nicht genutzt
0124	Message implementation guideline release number	C	an..3	N Nicht genutzt
0051	Controlling agency	C	an..2	N Nicht genutzt
S018	Scenario identification	C		N Nicht genutzt
0127	Scenario identification	M	an..14	N Nicht genutzt
0128	Scenario version number	C	an..3	N Nicht genutzt
0130	Scenario release number	C	an..3	N Nicht genutzt
0051	Controlling agency	C	an..2	N Nicht genutzt

Beispiel:

UNH+12345+DESADV:D:05B:UN:V22020'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
4	BGM	M	1	Beginning of message

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
C002	Document/message name	C		R	
1001	Document name code	C	an..3	R	an..3
					351 Despatch advice
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
1000	Document name	C	an..35	O	an..35 Additional profile information Can be used to specify a company-specific profile of this application description.
C106	Document/message identification	C		R	
1004	Document identifier	C	an..35	R	an..35 Document number
1056	Version identifier	C	an..9	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt
1225	Message function code	C	an..3	O	an..3 7 Duplicate 9 Original
4343	Response type code	C	an..3	N	Nicht genutzt

The document identifier (DE 1004) is also referred to as despatch number. The reference to any other physical document going alongside with the goods is referred to as delivery note and may be referenced to either on header level or on handling unit level or on article / line item level.

Beispiel:

BGM+351:::X+4711+9'

Segmente

Nr	Bez	St	MaxWdh	Name
5	DTM	R	1	Despatch advice date

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3 137 Document issue date time
2380	Date or time or period text	C	an..35	R	an..12 Message date
2379	Date or time or period format code	C	an..3	O	an..3 102 CCYYMMDD 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS

Beispiel:

DTM+137:20220301:102'

Segmente

Nr	Bez	St	MaxWdh	Name
6	MEA	O	1	Consignment's gross weight

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
6311	Measurement purpose code qualifier	M	an..3	M	an..3
					AAX Consignment measurement
C502	Measurement details	C		R	
6313	Measured attribute code	C	an..3	R	an..3
					AAD Consignment gross weight
6321	Measurement significance code	C	an..3	N	Nicht genutzt
6155	Non-discrete measurement name code	C	an..17	N	Nicht genutzt
6154	Non-discrete measurement name	C	an..70	N	Nicht genutzt
C174	Value/range	C		C	
6411	Measurement unit code	M	an..8	M	an..8
					All codes of UN/ECE Rec. 20 are applicable. The codes of this codelist are documented in a separate document
6314	Measure	C	an..18	R	n..12
					Gross weight measure
6162	Range minimum quantity	C	n..18	N	Nicht genutzt
6152	Range maximum quantity	C	n..18	N	Nicht genutzt
6432	Significant digits quantity	C	n..2	N	Nicht genutzt
7383	Surface or layer code	C	an..3	N	Nicht genutzt

Beispiel:

MEA+AAX+AAD+TNE : 2 '

Segmente

Nr	Bez	St	MaxWdh	Name
7	MEA	O	1	Consignment's net weight

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
6311	Measurement purpose code qualifier	M	an..3	M an..3 AAX Consignment measurement
C502	Measurement details	C		R
6313	Measured attribute code	C	an..3	R an..3 AAL Net weight
6321	Measurement significance code	C	an..3	N Nicht genutzt
6155	Non-discrete measurement name code	C	an..17	N Nicht genutzt
6154	Non-discrete measurement name	C	an..70	N Nicht genutzt
C174	Value/range	C		R
6411	Measurement unit code	M	an..8	M an..8 All codes of UN/ECE Rec. 20 are applicable. The codes of this codelist are documented in a separate document.
6314	Measure	C	an..18	R n..12 Net weight measure
6162	Range minimum quantity	C	n..18	N Nicht genutzt
6152	Range maximum quantity	C	n..18	N Nicht genutzt
6432	Significant digits quantity	C	n..2	N Nicht genutzt
7383	Surface or layer code	C	an..3	N Nicht genutzt

Beispiel:

MEA+AAX+AAL+KGM : 9 '

Segmente

Nr	Bez	St	MaxWdh	Name
8	MEA	O	1	Consignment volume (Total cube)

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
6311	Measurement purpose code qualifier	M	an..3	M	an..3
					AAX Consignment measurement
C502	Measurement details	C		R	
6313	Measured attribute code	C	an..3	R	an..3
					ABJ Volume
6321	Measurement significance code	C	an..3	N	Nicht genutzt
6155	Non-discrete measurement name code	C	an..17	N	Nicht genutzt
6154	Non-discrete measurement name	C	an..70	N	Nicht genutzt
C174	Value/range	C		R	
6411	Measurement unit code	M	an..8	M	an..8
					All suitable codes of UN/ECE Rec. 20 are applicable. The codes of this codelist are documented in a separate document.
6314	Measure	C	an..18	R	n..9
					Volume measure
6162	Range minimum quantity	C	n..18	N	Nicht genutzt
6152	Range maximum quantity	C	n..18	N	Nicht genutzt
6432	Significant digits quantity	C	n..2	N	Nicht genutzt
7383	Surface or layer code	C	an..3	N	Nicht genutzt

Beispiel:

MEA+AAX+ABJ+LTR: 9 '

Segmente

Nr	Bez	St	MaxWdh	Name
9	MEA	O	1	Consignment's loading meters

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
6311	Measurement purpose code qualifier	M	an..3	M	an..3
					LMT Loading meters
C502	Measurement details	C		N	Nicht genutzt
6313	Measured attribute code	C	an..3	N	Nicht genutzt
6321	Measurement significance code	C	an..3	N	Nicht genutzt
6155	Non-discrete measurement name code	C	an..17	N	Nicht genutzt
6154	Non-discrete measurement name	C	an..70	N	Nicht genutzt
C174	Value/range	C		R	
6411	Measurement unit code	M	an..8	M	an..8
					All suitable codes of UN/ECE Rec. 20 are applicable. The codes of this codelist are documented in a separate document.
6314	Measure	C	an..18	R	n..12
					Loading meters
6162	Range minimum quantity	C	n..18	N	Nicht genutzt
6152	Range maximum quantity	C	n..18	N	Nicht genutzt
6432	Significant digits quantity	C	n..2	N	Nicht genutzt
7383	Surface or layer code	C	an..3	N	Nicht genutzt

Beispiel:

MEA+LMT++MTR: 9'

Segmente

Nr	Bez	St	MaxWdh	Name
10	MEA	O	1	Number of handling units in shipment

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
6311	Measurement purpose code qualifier	M	an..3	M	an..3
					AAE Measurement
C502	Measurement details	C		N	Nicht genutzt
6313	Measured attribute code	C	an..3	N	Nicht genutzt
6321	Measurement significance code	C	an..3	N	Nicht genutzt
6155	Non-discrete measurement name code	C	an..17	N	Nicht genutzt
6154	Non-discrete measurement name	C	an..70	N	Nicht genutzt
C174	Value/range	C		R	
6411	Measurement unit code	M	an..8	M	an..8
					C62 one
6314	Measure	C	an..18	R	an..18 Number of handling units in shipment
6162	Range minimum quantity	C	n..18	N	Nicht genutzt
6152	Range maximum quantity	C	n..18	N	Nicht genutzt
6432	Significant digits quantity	C	n..2	N	Nicht genutzt
7383	Surface or layer code	C	an..3	N	Nicht genutzt

Beispiel:

MEA+AAE++C62 : 9 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG1	O	1	Conveyance reference number
11	RFF	M	1	Conveyance reference number

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3 CRN Transport means journey identifier
1154	Reference identifier	C	an..70	R	an..70 Conveyance reference number
1156	Document line identifier	C	an..6	N	Nicht genutzt
4000	Reference version identifier	C	an..35	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

Beispiel:

RFF+CRN:Consignment0815'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG1	O	1	Fiscal note
12	RFF	M	1	Fiscal registration number

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3
					ARG Registro Informacion Fiscal (RIF) number
1154	Reference identifier	C	an..70	R	an..70 Registration number
1156	Document line identifier	C	an..6	N	Nicht genutzt
4000	Reference version identifier	C	an..35	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

Beispiel:

RFF+ARG:REG6734 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	D	1	Ship-to
13	NAD	M	1	Ship-to's ID

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3
					ST Ship to
C082	Party identification details	C		R	
3039	Party identifier	M	an..35	R	an..20 Ship-to's party ID
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3 Code list responsible agency
					16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		N	Nicht genutzt
3036	Party name	M	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		N	Nicht genutzt
3042	Street and number or post office box identifier	M	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	N	Nicht genutzt
C819	Country sub-entity details	C		N	Nicht genutzt
3229	Country sub-entity name code	C	an..9	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country sub-entity name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	N	Nicht genutzt
3207	Country name code	C	an..3	N	Nicht genutzt

Beispiel:

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

NAD+ST+ID : : 92 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	D	1	Ship-to's plant
14	NAD	M	1	Plant of Ship-to party

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3 DP Delivery party
C082	Party identification details	C		O	
3039	Party identifier	M	an..35	M	an..35 Party ID of Ship-to's plant
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	O	an..3 Code list responsible agency 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		N	Nicht genutzt
3036	Party name	M	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		N	Nicht genutzt
3042	Street and number or post office box identifier	M	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	N	Nicht genutzt
C819	Country sub-entity details	C		N	Nicht genutzt
3229	Country sub-entity name code	C	an..9	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country sub-entity name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	N	Nicht genutzt
3207	Country name code	C	an..3	N	Nicht genutzt

Beispiel:

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

NAD+DP+123456789::16'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	D	1	Ship-to's plant
15	LOC	O	1	Place of discharge

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
3227	Location function code qualifier	M	an..3	M an..3
				11 Place of discharge
C517	Location identification	C		R
3225	Location name code	C	an..35	O an..35 Identifier / code specifying the name of a location.
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	O an..3 Agency responsible for code list / identifier maintenance
				92 Assigned by buyer or buyer's agent
3224	Location name	C	an..256	O an..256 Location name
C519	Related location one identification	C		N Nicht genutzt
3223	First related location name code	C	an..25	N Nicht genutzt
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
3222	First related location name	C	an..70	N Nicht genutzt
C553	Related location two identification	C		N Nicht genutzt
3233	Second related location name code	C	an..25	N Nicht genutzt
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
3232	Second related location name	C	an..70	N Nicht genutzt
5479	Relation code	C	an..3	N Nicht genutzt

If all items of a consignment (e.g. truck load) are to be unloaded at one point, the place of discharge is to be transmitted at header level.

However, if the truck has to unload its freight at several locations in ship-to's premises the place of discharge is identified at line item level.

Beispiel:

LOC+11+ID : : 92 : Name '

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

	SG2	R	1	Buyer
16	NAD	M	1	Buyer's ID

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3 BY Buyer
C082	Party identification details	C		R	
3039	Party identifier	M	an..35	M	an..35 Buyer's party ID
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3 Code list responsible agency 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		N	Nicht genutzt
3036	Party name	M	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		N	Nicht genutzt
3042	Street and number or post office box identifier	M	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	N	Nicht genutzt
C819	Country sub-entity details	C		N	Nicht genutzt
3229	Country sub-entity name code	C	an..9	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country sub-entity name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	N	Nicht genutzt
3207	Country name code	C	an..3	N	Nicht genutzt

Beispiel:

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

NAD+BY+12345 : : 91 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	R	1	Seller / Supplier
17	NAD	M	1	Seller's ID

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3 SE Seller
C082	Party identification details	C		R	
3039	Party identifier	M	an..35	M	an..35 Seller's party ID
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3 Code list responsible agency 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		N	Nicht genutzt
3036	Party name	M	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		N	Nicht genutzt
3042	Street and number or post office box identifier	M	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	N	Nicht genutzt
C819	Country sub-entity details	C		N	Nicht genutzt
3229	Country sub-entity name code	C	an..9	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country sub-entity name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	N	Nicht genutzt
3207	Country name code	C	an..3	N	Nicht genutzt

Seller and supplier are usually synonyms and denominate one and the same business partner. It is recommended though to

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

use the qualifier SE (in Europe). In those cases in which seller and supplier actually are two completely independent business partners and therefore need to be identified in the DESADV, the qualifier SU and the max. occ. 2 have to be included.
Beispiel:

NAD+SE+ID : : 92 '

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

	SG2	O	1	Carrier
18	NAD	M	1	Carrier's ID and name

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3 CA Carrier
C082	Party identification details	C		O	
3039	Party identifier	M	an..35	M	an..35 Carrier's party ID
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	O	an..3 Code list responsible agency 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		O	
3036	Party name	M	an..35	M	an..35 Carrier's name
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		N	Nicht genutzt
3042	Street and number or post office box identifier	M	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	N	Nicht genutzt
C819	Country sub-entity details	C		N	Nicht genutzt
3229	Country sub-entity name code	C	an..9	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country sub-entity name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	N	Nicht genutzt
3207	Country name code	C	an..3	N	Nicht genutzt

Usually the partner is identified with an ID. The name may be used in addition or as an alternative.

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Beispiel:

NAD+CA+987654321 : :16++X'

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

	SG2	O	1	Ship-from
19	NAD	M	1	Ship-from's ID

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3 SF Ship from
C082	Party identification details	C		O	
3039	Party identifier	M	an..35	R	an..20 Ship-from's party ID
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3 Code list responsible agency 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		N	Nicht genutzt
3036	Party name	M	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		N	Nicht genutzt
3042	Street and number or post office box identifier	M	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	N	Nicht genutzt
C819	Country sub-entity details	C		N	Nicht genutzt
3229	Country sub-entity name code	C	an..9	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country sub-entity name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	N	Nicht genutzt
3207	Country name code	C	an..3	N	Nicht genutzt

Beispiel:

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

NAD+SF+ID : : 92 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG2	O	1	Freight forwarder
20	NAD	M	1	Freight forwarder's ID and name

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
3035	Party function code qualifier	M	an..3	M	an..3 FW Freight forwarder
C082	Party identification details	C		O	
3039	Party identifier	M	an..35	R	an..35 Freight forwarder's party ID
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	R	an..3 Code list responsible agency 16 US, D&B (Dun & Bradstreet Corporation) 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent
C058	Name and address	C		N	Nicht genutzt
3124	Name and address description	M	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
3124	Name and address description	C	an..35	N	Nicht genutzt
C080	Party name	C		O	
3036	Party name	M	an..35	M	an..35 Freight forwarder's name
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3036	Party name	C	an..35	N	Nicht genutzt
3045	Party name format code	C	an..3	N	Nicht genutzt
C059	Street	C		N	Nicht genutzt
3042	Street and number or post office box identifier	M	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3042	Street and number or post office box identifier	C	an..35	N	Nicht genutzt
3164	City name	C	an..35	N	Nicht genutzt
C819	Country sub-entity details	C		N	Nicht genutzt
3229	Country sub-entity name code	C	an..9	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
3228	Country sub-entity name	C	an..70	N	Nicht genutzt
3251	Postal identification code	C	an..17	N	Nicht genutzt
3207	Country name code	C	an..3	N	Nicht genutzt

Usually the partner is identified with an ID. The name may be used in addition or as an alternative.

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Beispiel:

NAD+FW+456123789: :16++X'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG6	O	10	Means of transport
21	TDT	M	1	Transport information

Standard			Implementierung		
Bez	Name	St Format	St Format	Anwendung / Bemerkung	
8051	Transport stage code qualifier	M an..3	M an..3	12 At departure	
8028	Means of transport journey identifier	C an..17	N	Nicht genutzt	
C220	Mode of transport	C	O		
8067	Transport mode name code	C an..3	O an..3	1 Maritime transport 2 Rail transport 3 Road transport 4 Air transport 5 Mail	
8066	Transport mode name	C an..17	N	Nicht genutzt	
C001	Transport means	C	N	Nicht genutzt	
8179	Transport means description code	C an..8	N	Nicht genutzt	
1131	Code list identification code	C an..17	N	Nicht genutzt	
3055	Code list responsible agency code	C an..3	N	Nicht genutzt	
8178	Transport means description	C an..17	N	Nicht genutzt	
C040	Carrier	C	N	Nicht genutzt	
3127	Carrier identifier	C an..17	N	Nicht genutzt	
1131	Code list identification code	C an..17	N	Nicht genutzt	
3055	Code list responsible agency code	C an..3	N	Nicht genutzt	
3128	Carrier name	C an..35	N	Nicht genutzt	
8101	Transit direction indicator code	C an..3	N	Nicht genutzt	
C401	Excess transportation information	C	O	Is used to indicate the reason for special transport conditions (e.g. express).	
8457	Excess transportation reason code	M an..3	M an..3	ZZZ Mutually defined	
8459	Excess transportation responsibility code	M an..3	M an..3	To identify the responsible business partner for special transport conditions (and the associated costs). B Material release issuer S Supplier authority	
7130	Customer shipment authorisation identifier	C an..17	O an..17	Approval number	
C222	Transport identification	C	O		
8213	Transport means identification name identifier	C an..35	O an..35	Transport means ID	
1131	Code list identification code	C an..17	N	Nicht genutzt	
3055	Code list responsible agency code	C an..3	N	Nicht genutzt	
8212	Transport means identification name	C an..70	O an..70	Transport means name	
8453	Transport means nationality code	C an..3	N	Nicht genutzt	
	Transport means ownership	C an..3	N	Nicht genutzt	

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
8281	indicator code			

Beispiel:

TDT+12++1++++ZZZ:B:X+:::Transport means name'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG10	R	9999	Despatch control line / group of packaging items and article line
22	CPS	M	1	Consignment packing sequence

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
7164	Hierarchical structure level identifier	M	an..35	R	n..6 Line number
7166	Hierarchical structure parent identifier	C	an..35	O	an..35 Parent ID
7075	Packaging level code	C	an..3	R	an..3 If Code 4 is used, no parent relationship exists (simplified handling unit concept). 1 Inner 2 Intermediate 3 Outer 4 No packaging hierarchy

The hierarchical structure of the message has to be created by a proper combination of values in DE 7164 (line number) and 7166 (parent line number). There is no default article driven or package driven logic. Therefore, the message may be used for every variant of the business process.

Business partners using this message should specify mutually the implementation profile in order to simplify the usage.

The values of this Line Number shall not duplicate other occurrences of the CPS.

Beispiel:

CPS+10+1+1 '

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

	SG10	R	9999	Despatch control line / group of packaging items and article line
--	-------------	---	------	---

23	FTX	O	1	Free text
----	------------	---	---	-----------

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
4451	Text subject code qualifier	M	an..3	M	an..3
					AAI General information
4453	Free text function code	C	an..3	N	Nicht genutzt
C107	Text reference	C		N	Nicht genutzt
4441	Free text description code	M	an..17	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
C108	Text literal	C		R	
4440	Free text	M	an..512	M	an..512 Free Text (Line 1)
4440	Free text	C	an..512	O	an..512 Free Text (Line 2)
4440	Free text	C	an..512	O	an..512 Free Text (Line 3)
4440	Free text	C	an..512	O	an..512 Free Text (Line 4)
4440	Free text	C	an..512	O	an..512 Free Text (Line 5)
3453	Language name code	C	an..3	O	an..3 ISO 639-1 code
4447	Free text format code	C	an..3	N	Nicht genutzt

Beispiel:

FTX+AAI+++Line 1:Line 2:Line 3:Line 4:Line 5+en'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	O	9999	Group of packaging items / handling units
24	PAC	M	1	Package

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
7224	Package quantity	C	n..8	O	n..6 Number Of Identical Packages
C531	Packaging details	C		O	
7075	Packaging level code	C	an..3	N	Nicht genutzt
7233	Packaging related description code	C	an..3	O	an..3
7073	Packaging terms and conditions code	C	an..3	C	an..3 35 Type of package Code 1 and 2 indicate one-way packages, code 11 and 12 indicate returnable container usage. 1 Packaging cost paid by supplier 2 Packaging cost paid by recipient 11 Multiple usage buyer's durable 12 Multiple usage seller's durable
C202	Package type	C		O	
7065	Package type description code	C	an..17	R	an..17 Codes defining packaging classes based on designations by organisations or parties specified in DE 3055.
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	O	an..3 Code list responsible agency 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 204 DE, VDA (Verband der Automobilindustrie E.V.) ZZZ Mutually defined
7064	Type of packages	C	an..35	N	Nicht genutzt
C402	Package type identification	C		N	Nicht genutzt
7077	Description format code	M	an..3	N	Nicht genutzt
7064	Type of packages	M	an..35	N	Nicht genutzt
7143	Item type identification code	C	an..3	N	Nicht genutzt
7064	Type of packages	C	an..35	N	Nicht genutzt
7143	Item type identification code	C	an..3	N	Nicht genutzt
C532	Returnable package details	C		N	Nicht genutzt
8395	Returnable package freight payment responsibility code	C	an..3	N	Nicht genutzt
8393	Returnable package load contents code	C	an..3	N	Nicht genutzt

The number of packages corresponds to the total number of packages of the same type (given in data element 7065). They may be in one or more handling units.

Beispiel:

PAC++ : 35 : 11+4B : : 92 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	O	9999	Group of packaging items / handling units
25	MEA	O	1	Package length

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
6311	Measurement purpose code qualifier	M	an..3	M	an..3
					AA Package measurement
C502	Measurement details	C		R	
6313	Measured attribute code	C	an..3	O	an..3
					LN Length
6321	Measurement significance code	C	an..3	N	Nicht genutzt
6155	Non-discrete measurement name code	C	an..17	N	Nicht genutzt
6154	Non-discrete measurement name	C	an..70	N	Nicht genutzt
C174	Value/range	C		R	
6411	Measurement unit code	M	an..8	M	an..8
					MMT millimetre
6314	Measure	C	an..18	R	n..5 Length
6162	Range minimum quantity	C	n..18	N	Nicht genutzt
6152	Range maximum quantity	C	n..18	N	Nicht genutzt
6432	Significant digits quantity	C	n..2	N	Nicht genutzt
7383	Surface or layer code	C	an..3	N	Nicht genutzt

Beispiel:

MEA+AA+LN+MMT : 9 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	O	9999	Group of packaging items / handling units
26	MEA	O	1	Package width

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
6311	Measurement purpose code qualifier	M	an..3	M	an..3
					AA Package measurement
C502	Measurement details	C		R	
6313	Measured attribute code	C	an..3	R	an..3
					WD Width dimension
6321	Measurement significance code	C	an..3	N	Nicht genutzt
6155	Non-discrete measurement name code	C	an..17	N	Nicht genutzt
6154	Non-discrete measurement name	C	an..70	N	Nicht genutzt
C174	Value/range	C		R	
6411	Measurement unit code	M	an..8	M	an..8
					MMT millimetre
6314	Measure	C	an..18	R	an..18 Width measure
6162	Range minimum quantity	C	n..18	N	Nicht genutzt
6152	Range maximum quantity	C	n..18	N	Nicht genutzt
6432	Significant digits quantity	C	n..2	N	Nicht genutzt
7383	Surface or layer code	C	an..3	N	Nicht genutzt

Beispiel:

MEA+AA+WD+MMT : 9 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	O	9999	Group of packaging items / handling units
27	MEA	O	1	Package height

Standard			Implementierung		
Bez	Name	St Format	St Format	Anwendung / Bemerkung	
6311	Measurement purpose code qualifier	M an..3	M an..3	AA Package measurement	
C502	Measurement details	C	R		
6313	Measured attribute code	C an..3	R an..3	HT Height dimension	
6321	Measurement significance code	C an..3	N	Nicht genutzt	
6155	Non-discrete measurement name code	C an..17	N	Nicht genutzt	
6154	Non-discrete measurement name	C an..70	N	Nicht genutzt	
C174	Value/range	C	R		
6411	Measurement unit code	M an..8	M an..8	MMT millimetre	
6314	Measure	C an..18	R an..18	Height measure	
6162	Range minimum quantity	C n..18	N	Nicht genutzt	
6152	Range maximum quantity	C n..18	N	Nicht genutzt	
6432	Significant digits quantity	C n..2	N	Nicht genutzt	
7383	Surface or layer code	C an..3	N	Nicht genutzt	

Beispiel:

MEA+AA+HT+MMT : 9 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	O	9999	Group of packaging items / handling units
28	MEA	O	1	Packaging item gross weight

Standard			Implementierung		
Bez	Name	St Format	St Format	Anwendung / Bemerkung	
6311	Measurement purpose code qualifier	M an..3	M an..3	AA Package measurement	
C502	Measurement details	C	R		
6313	Measured attribute code	C an..3	R an..3	G Gross weight	
6321	Measurement significance code	C an..3	N	Nicht genutzt	
6155	Non-discrete measurement name code	C an..17	N	Nicht genutzt	
6154	Non-discrete measurement name	C an..70	N	Nicht genutzt	
C174	Value/range	C	R		
6411	Measurement unit code	M an..8	M an..8	KGM kilogram	
6314	Measure	C an..18	R an..18	Gross weight of the packaging item	
6162	Range minimum quantity	C n..18	N	Nicht genutzt	
6152	Range maximum quantity	C n..18	N	Nicht genutzt	
6432	Significant digits quantity	C n..2	N	Nicht genutzt	
7383	Surface or layer code	C an..3	N	Nicht genutzt	

Beispiel:

MEA+AA+G+KGM:100'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	O	9999	Group of packaging items / handling units
29	MEA	O	1	Packaging item net weight

Standard			Implementierung		
Bez	Name	St Format	St Format	Anwendung / Bemerkung	
6311	Measurement purpose code qualifier	M an..3	M an..3	AAY Package measurement	
C502	Measurement details	C	R		
6313	Measured attribute code	C an..3	R an..3	AAL Net weight	
6321	Measurement significance code	C an..3	N	Nicht genutzt	
6155	Non-discrete measurement name code	C an..17	N	Nicht genutzt	
6154	Non-discrete measurement name	C an..70	N	Nicht genutzt	
C174	Value/range	C	R		
6411	Measurement unit code	M an..8	M an..8	KGM kilogram	
6314	Measure	C an..18	R an..18	Net weight of the packaging item	
6162	Range minimum quantity	C n..18	N	Nicht genutzt	
6152	Range maximum quantity	C n..18	N	Nicht genutzt	
6432	Significant digits quantity	C n..2	N	Nicht genutzt	
7383	Surface or layer code	C an..3	N	Nicht genutzt	

Beispiel:

MEA+AAY+AAL+KGM : 90 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	O	9999	Group of packaging items / handling units
30	QTY	O	1	Actual quantity per package

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C186	Quantity details	M		M	
6063	Quantity type code qualifier	M	an..3	M	an..3
					52 Quantity per pack
6060	Quantity	M	an..35	M	an..35 Quantity per pack
6411	Measurement unit code	C	an..8	O	an..8 Any code according to UN/ECE Rec. 20

Mapping comments

In case of single article packages (common situation) this is the number of article in each package.

In case of multi-article packages (sets without article numbers of their own), this value represents the number of sets of articles per package.

To compute the total number of parts per package, (Total), use the following formula:

Tot = CPS(1).PAC.QTY(52)_6060 (number of sets per package)

_ * CPS(1).LIN.QTY(1)_6060 (number of 1st article per set)

_ + CPS(1).PAC.QTY(52)_6060 (number of sets per package)

_ * CPS(1).LIN.QTY(1)_6060 (number of 2nd article per set)

_ + etc. (as many times as there are sets components).

Beispiel:

QTY+52 : 9 : C62 '

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

	SG11	O	9999	Group of packaging items / handling units
--	-------------	---	------	---

31	QTY	O	1	Maximum stackability
----	------------	---	---	----------------------

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C186	Quantity details	M		M	
6063	Quantity type code qualifier	M	an..3	M	an..3
					171 Maximum stackability
6060	Quantity	M	an..35	M	an..35 Stackability
6411	Measurement unit code	C	an..8	O	an..8
					C62 one

Beispiel:

QTY+171:9:C62 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG11	O	9999	Group of packaging items / handling units
32	QTY	O	1	Number of contained packages/items

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C186	Quantity details	M		M	
6063	Quantity type code qualifier	M	an..3	M	an..3
					189 Number of packages in handling unit
6060	Quantity	M	an..35	M	n..6 Number Of contained packages in the handling unit
6411	Measurement unit code	C	an..8	O	an..8
					C62 one

Only applicable for handling units or intermediate packages

Beispiel:

QTY+189:5:C62 '

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

SG13 O 1000 Individual packaging item / handling unit

33 **PCI** M 1 Package identification

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
4233	Marking instructions code	C	an..3	O an..3 17 Seller's instructions
C210	Marks & labels	C		O
7102	Shipping marks description	M	an..35	M an..35 Transport label (e.g. serial number) assigned by seller.
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
7102	Shipping marks description	C	an..35	N Nicht genutzt
8275	Container or package contents indicator code	C	an..3	N Nicht genutzt
C827	Type of marking	C		O
7511	Marking type code	M	an..3	M an..3 Handling Unit Category G Unique number assigned to a mixed handling unit JAI019 M Unique number assigned to a homogeneous handling unit JAI019 S Unique number assigned to a simplified handling unit JAI019
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	R an..3 Code list responsible agency 272 Joint Automotive Industry agency

The data element 4233 should contain the constant value "17" (=Seller's instruction) to avoid the transmission of an empty segment when the Label identifier is not transmitted.

Beispiel:

PCI+17+++G: :272'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG13	O	1000	Individual packaging item / handling unit
34	RFF	O	1	Reference to outer package

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3
					ACI Outerpackaging unit identification
1154	Reference identifier	C	an..70	R	an..70 Outer Package Label ID
1156	Document line identifier	C	an..6	N	Nicht genutzt
4000	Reference version identifier	C	an..35	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

This segment can be used to identify the outer package to which an inner package belongs to.
Beispiel:

RFF+ACI:OuterPack34'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG15	D	99	Individual packaging item's / handling unit's transport label number as required by the buyer
35	GIN	M	1	Package ID as required by buyer

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
7405	Object identification code qualifier	M	an..3	M an..3 ML Marking/label number
C208	Identity number range	M		M
7402	Object identifier	M	an..35	M an..35 ID of package or handling unit, as required by the buyer, to be printed on the label/tag.
7402	Object identifier	C	an..35	N Nicht genutzt
C208	Identity number range	C		N Nicht genutzt
7402	Object identifier	M	an..35	N Nicht genutzt
7402	Object identifier	C	an..35	N Nicht genutzt
C208	Identity number range	C		N Nicht genutzt
7402	Object identifier	M	an..35	N Nicht genutzt
7402	Object identifier	C	an..35	N Nicht genutzt
C208	Identity number range	C		N Nicht genutzt
7402	Object identifier	M	an..35	N Nicht genutzt
7402	Object identifier	C	an..35	N Nicht genutzt
C208	Identity number range	C		N Nicht genutzt
7402	Object identifier	M	an..35	N Nicht genutzt
7402	Object identifier	C	an..35	N Nicht genutzt

Beispiel:

GIN+ML+12345'

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

SG11 O 9999 Packaging aid

The number of SG 11 in a group of packaging items(SG10) shall not exceed 9999.

36 **PAC** M 1 Package

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
7224	Package quantity	C	n..8	O n..6 Number of packaging aids
C531	Packaging details	C		O
7075	Packaging level code	C	an..3	N Nicht genutzt
7233	Packaging related description code	C	an..3	R an..3
7073	Packaging terms and conditions code	C	an..3	O an..3 Coded description of packaging terms and conditions. Applicable codes have to be defined between the business partners.
C202	Package type	C		R
7065	Package type description code	C	an..17	R an..17 Codes defining packaging classes based on designations by organisations or parties specified in DE 3055. Applicable codes of CL 7065 have to be defined between the business partners.
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	O an..3 Code list responsible agency 10 ODETTE 91 Assigned by seller or seller's agent 92 Assigned by buyer or buyer's agent 204 DE, VDA (Verband der Automobilindustrie E.V.) ZZZ Mutually defined
7064	Type of packages	C	an..35	N Nicht genutzt
C402	Package type identification	C		N Nicht genutzt
7077	Description format code	M	an..3	N Nicht genutzt
7064	Type of packages	M	an..35	N Nicht genutzt
7143	Item type identification code	C	an..3	N Nicht genutzt
7064	Type of packages	C	an..35	N Nicht genutzt
7143	Item type identification code	C	an..3	N Nicht genutzt
C532	Returnable package details	C		N Nicht genutzt
8395	Returnable package freight payment responsibility code	C	an..3	N Nicht genutzt
8393	Returnable package load contents code	C	an..3	N Nicht genutzt

Beispiel:

PAC++:37:11+4A::92'

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

	SG17	R	9999	Article identification and despatched quantities
--	-------------	---	------	--

37	LIN	M	1	Line item
----	------------	---	---	-----------

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
1082	Line item identifier	C	an..6	N Nicht genutzt
1229	Action request/notification description code	C	an..3	N Nicht genutzt
C212	Item number identification	C		R
7140	Item identifier	C	an..35	R an..35 Buyer's item ID
7143	Item type identification code	C	an..3	R an..3 IN Buyer's item number
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
C829	Sub-line information	C		N Nicht genutzt
5495	Sub-line indicator code	C	an..3	N Nicht genutzt
1082	Line item identifier	C	an..6	N Nicht genutzt
1222	Configuration level number	C	n..2	C n..2
7083	Configuration operation code	C	an..3	N Nicht genutzt

In case of single-article packages, the Configuration Level (data element 1222) is set to zero. In this system there is only one LIN segment per inner package.

In case of multi-article packages, a specific occurrence of the LIN segment group (SG17) identified by value 1 in data element 1222 is used to transmit the information related to the set of articles. Because a set of articles is not identified by a part number, data elements 7140 & 7143 are not used in those occurrences of LIN. Each despatched article of a set is described by its own LIN segment group occurrence, identified by value 2 in data element 1222.

In order to avoid a too complicated structure of the despatch message it is strongly recommended to assign an individual article number to the set (e.g. left and right headlamps) and use the single article logic.

Beispiel:

LIN+++Item1:IN++0'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	R	9999	Article identification and despatched quantities
38	PIA	O	2	Additional product ID

Standard			Implementierung		
Bez	Name	St Format	St Format	Anwendung / Bemerkung	
4347	Product identifier code qualifier	M an..3	R an..3	1 Additional identification	
C212	Item number identification	M	M		
7140	Item identifier	C an..35	R an..35	Supplier's item number (7143 = SA), Colour number (7143 = CL) Ultimate customer's item number (7143 = UA) EAN Nummer (7143 = EN) Model number(7143 = MN) Model year (7143 = RY)	
7143	Item type identification code	C an..3	R an..3	SA Supplier's article number CL Colour number EN International Article Numbering Association (EAN) MN Model number RY Record keeping of model year UA Ultimate customer's article number	
1131	Code list identification code	C an..17	N	Nicht genutzt	
3055	Code list responsible agency code	C an..3	N	Nicht genutzt	
C212	Item number identification	C	O		
7140	Item identifier	C an..35	R an..35	Supplier's item number (7143 = SA), Colour number (7143 = CL) Ultimate customer's item number (7143 = UA) EAN Nummer (7143 = EN) Model number(7143 = MN) Model year (7143 = RY)	
7143	Item type identification code	C an..3	R an..3	SA Supplier's article number CL Colour number UA Ultimate customer's article number EN International Article Numbering Association (EAN) MN Model number RY Record keeping of model year	
1131	Code list identification code	C an..17	N	Nicht genutzt	
3055	Code list responsible agency code	C an..3	N	Nicht genutzt	
C212	Item number identification	C	O		
7140	Item identifier	C an..35	R an..35	Supplier's item number (7143 = SA), Colour number (7143 = CL) Ultimate customer's item number (7143 = UA) EAN Nummer (7143 = EN) Model number(7143 = MN) Model year (7143 = RY)	
7143	Item type identification code	C an..3	R an..3	SA Supplier's article number CL Colour number UA Ultimate customer's article number EN International Article Numbering Association (EAN) MN Model number RY Record keeping of model year	

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
				MN Model number RY Record keeping of model year
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
C212	Item number identification	C		O
7140	Item identifier	C	an..35	R an..35 Supplier's item number (7143 = SA), Colour number (7143 = CL) Ultimate customer's item number (7143 = UA) EAN Nummer (7143 = EN) Model number(7143 = MN) Model year (7143 = RY)
7143	Item type identification code	C	an..3	R an..3 SA Supplier's article number CL Colour number UA Ultimate customer's article number EN International Article Numbering Association (EAN) MN Model number RY Record keeping of model year
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
C212	Item number identification	C		O
7140	Item identifier	C	an..35	R an..35 Supplier's item number (7143 = SA), Colour number (7143 = CL) Ultimate customer's item number (7143 = UA) EAN Nummer (7143 = EN) Model number(7143 = MN) Model year (7143 = RY)
7143	Item type identification code	C	an..3	R an..3 SA Supplier's article number CL Colour number UA Ultimate customer's article number EN International Article Numbering Association (EAN) MN Model number RY Record keeping of model year
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt

The sequence of C212 in PIA segments qualified with '1' is free. The first occurrence of C212 has to be filled, additional occurrences are optional..

Beispiel:

PIA+1+ABC123 : SA+ABC123 : CL+ABC123 : UA+ABC123 : EN+ABC123 : MN '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	R	9999	Article identification and despatched quantities
39	IMD	O	25	Item description

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
7077	Description format code	C	an..3	O	an..3 F Free-form S Structured (from industry code list)
C272	Item characteristic	C		O	
7081	Item characteristic code	C	an..3	R	an..3 Indicates that a new (successor) item is available and shipped and the successor's item number (assigned by buyer) is used in this line item. The business partners have to agree mutually, whether this indicator allowed or not. 61 New article
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
C273	Item description	C		O	
7009	Item description code	C	an..17	N	Nicht genutzt
1131	Code list identification code	C	an..17	N	Nicht genutzt
3055	Code list responsible agency code	C	an..3	N	Nicht genutzt
7008	Item description	C	an..256	O	an..35 Article Description (line 1)
7008	Item description	C	an..256	O	an..35 Article Description (line 2)
3453	Language name code	C	an..3	N	Nicht genutzt
7383	Surface or layer code	C	an..3	N	Nicht genutzt

Beispiel:

IMD++61+:::Description 1:Description 2'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	R	9999	Article identification and despatched quantities
40	MEA	O	1	Net weight

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
6311	Measurement purpose code qualifier	M	an..3	M	an..3
					PD Physical dimensions (product ordered)
C502	Measurement details	C		R	
6313	Measured attribute code	C	an..3	O	an..3
					AAL Net weight
6321	Measurement significance code	C	an..3	N	Nicht genutzt
6155	Non-discrete measurement name code	C	an..17	N	Nicht genutzt
6154	Non-discrete measurement name	C	an..70	N	Nicht genutzt
C174	Value/range	C		R	
6411	Measurement unit code	M	an..8	R	an..3 All weight measure units according to UN/ECE Rec. 20 are applicable.
6314	Measure	C	an..18	R	n..11 Net Weight
6162	Range minimum quantity	C	n..18	N	Nicht genutzt
6152	Range maximum quantity	C	n..18	N	Nicht genutzt
6432	Significant digits quantity	C	n..2	N	Nicht genutzt
7383	Surface or layer code	C	an..3	N	Nicht genutzt

Beispiel:

MEA+PD+AAL+KGM: 9 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	R	9999	Article identification and despatched quantities
41	QTY	O	1	Despatched quantity

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C186	Quantity details	M		M	
6063	Quantity type code qualifier	M	an..3	M	an..3
					12 Despatch quantity
6060	Quantity	M	an..35	M	n..10 Quantity actually despatched
6411	Measurement unit code	C	an..8	O	an..3 Measure unit according to UN/ECE Rec. 20

Beispiel:

QTY+12:9:C62'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	R	9999	Article identification and despatched quantities
42	QTY	O	1	Quantity ordered

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C186	Quantity details	M		M	
6063	Quantity type code qualifier	M	an..3	M	an..3
					21 Ordered quantity
6060	Quantity	M	an..35	M	n..10 Ordered Quantity
6411	Measurement unit code	C	an..8	O	an..3 Measure unit according to UN/ECE Rec. 20

Beispiel:

QTY+21:9:C62'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	R	9999	Article identification and despatched quantities
43	ALI	O	1	Country of origin, duty regime and nature of transaction

Standard			Implementierung		
Bez	Name	St Format	St Format	Anwendung / Bemerkung	
3239	Country of origin name code	C an..3	O a2	Country Of Origin Coded - use ISO 3166-1	
9213	Duty regime type code	C an..3	O an..3	Type Of Duty Regime Coded 1 Origin subject to EC/EFTA preference 2 Origin subject to other preference agreement 3 No preference origin	
4183	Special condition code	C an..3	D an..3	Nature Of Transaction Coded 7 Subject to commission 35 Consigned to 70 Supply for sale 'on approval' or after trial 71 Exchange of goods compensated in kind 72 Sale for export by foreigner travelling in member state concerned 73 Samples 74 Temporary export, loan or hire 75 Temporary export, leasing 76 Temporary export, operation for job processing 77 Temporary export, repair and maintenance against payment 78 Temporary export, repair and maintenance free of charge 79 Reimport following job processing 80 Reimport following repair and maintenance against payment 81 Reimport following repair and maintenance free of charge 82 Supply of goods under joint production contract for defence purposes 83 Supply of goods under joint production contract for civil purposes 84 Supply of goods for warehousing for foreign account 85 Supply of goods as gifts by country of despatch and food aid under European Economic Community regulation 86 Supply of goods for disaster relief equipment 87 Supply of goods as transactions without compensation 88 Supply of goods as returned consignment on which payment has been made 89 Supply of goods as returned consignment on which no payment has been made 90 Supply of goods in standard exchange giving rise to payment 91 Supply of goods in standard exchange not giving rise to payment 92 Supply of goods/services in standard exchange under warranty	
4183	Special condition code	C an..3	N	Nicht genutzt	
4183	Special condition code	C an..3	N	Nicht genutzt	
4183	Special condition code	C an..3	N	Nicht genutzt	
4183	Special condition code	C an..3	N	Nicht genutzt	

Beispiel:

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

ALI+GB+3+75 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	R	9999	Article identification and despatched quantities
44	GIN	O	100	Serial Number(s)

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
7405	Object identification code qualifier	M	an..3	M an..3 BN Serial number
C208	Identity number range	M		M
7402	Object identifier	M	an..35	M an..35 Single ID or first ID of a complete sequence of serial IDs
7402	Object identifier	C	an..35	O an..35 Last ID of a complete sequence of serial IDs
C208	Identity number range	C		O Further identity numbers
7402	Object identifier	M	an..35	M an..35 Single ID or first ID of a complete sequence of serial IDs
7402	Object identifier	C	an..35	O an..35 Last ID of a complete sequence of serial IDs
C208	Identity number range	C		O Further identity numbers
7402	Object identifier	M	an..35	M an..35 Single ID or first ID of a complete sequence of serial IDs
7402	Object identifier	C	an..35	O an..35 Last ID of a complete sequence of serial IDs
C208	Identity number range	C		O Further identity numbers
7402	Object identifier	M	an..35	M an..35 Single ID or first ID of a complete sequence of serial IDs
7402	Object identifier	C	an..35	O an..35 Last ID of a complete sequence of serial IDs
C208	Identity number range	C		O Further identity numbers
7402	Object identifier	M	an..35	M an..35 Single ID or first ID of a complete sequence of serial IDs
7402	Object identifier	C	an..35	O an..35 Last ID of a complete sequence of serial IDs

All GIN Segments in one SG17 shall not exceed 100 occurrences.

Beispiel:

GIN+BN+123:456+789:101112+131415:161718+192021:222324+252627:282930'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	R	9999	Article identification and despatched quantities
45	MOA	O	1	Customs declared value

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C516	Monetary amount	M		M	
5025	Monetary amount type code qualifier	M	an..3	M	an..3
					40 Goods item for customs declared value amount
5004	Monetary amount	C	n..35	R	n..35 Customs declared value
6345	Currency identification code	C	an..3	O	an..3 Use ISO 4217
6343	Currency type code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt

If this segment is used, it also serves as an indicator that this material is subject to customs procedures.

Beispiel:

MOA+40 : 9 : EUR '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG17	R	9999	Article identification and despatched quantities
46	MOA	O	2	Purchase price / End user price

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C516	Monetary amount	M		M	
5025	Monetary amount type code qualifier	M	an..3	M	an..3 Code 146 - Actual purchase price per unit Code 511 - Sales price to end customer per unit 146 Unit price 511 Unit charge amount
5004	Monetary amount	C	n..35	R	n..35 Price value
6345	Currency identification code	C	an..3	O	an..3 Currency code, use ISO 4217 currency code
6343	Currency type code qualifier	C	an..3	N	Nicht genutzt
4405	Status description code	C	an..3	N	Nicht genutzt

Beispiel:

MOA+146:100:EUR'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	O	1	Shipment / Delivery note reference
47	RFF	M	1	Shipment / Delivery note reference

Standard			Implementierung		
Bez	Name	St	Format	St	Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	M	an..3 DQ Delivery note number
1154	Reference identifier	C	an..70	R	an..70 Document ID
1156	Document line identifier	C	an..6	O	an..6 Optional line Id in the referenced document
4000	Reference version identifier	C	an..35	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

Beispiel:

RFF+DQ:DELIV379:5'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	O	1	Shipment / Delivery note reference
48	DTM	O	1	Delivery note date

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3
					171 Reference date/time
2380	Date or time or period text	C	an..35	R	n..14 Document date
2379	Date or time or period format code	C	an..3	O	an..3
					102 CCYYMMDD 203 CCYYMMDDHHMM

Beispiel:

DTM+171:20220301:102 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	O	99	Other References
49	RFF	M	1	Reference

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C506	Reference	M		M	
1153	Reference code qualifier	M	an..3	R	an..3 Code ON - Order number central warehouse -> supplier Code CR - Order number wholesaler -> central warehouse Code UC - Order number dealer -> wholesaler Code CT - Contract number supplier - OEM Reference ON must be transmitted for each line item, other references are optional or depending on the business case. ON Order document identifier, buyer assigned CR Customer reference number UC Ultimate customer's reference number CT Contract number
1154	Reference identifier	C	an..70	R	an..70 Document Number
1156	Document line identifier	C	an..6	O	an..6
4000	Reference version identifier	C	an..35	N	Nicht genutzt
1060	Revision identifier	C	an..6	N	Nicht genutzt

Beispiel:

RFF+CT : 9512365 : 7 '

Segmente

Nr	Bez	St	MaxWdh	Name
	SG18	O	99	Other References
50	DTM	O	1	Reference date

Standard			Implementierung		
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
C507	Date/time/period	M		M	
2005	Date or time or period function code qualifier	M	an..3	M	an..3
					171 Reference date/time
2380	Date or time or period text	C	an..35	R	n..14 Document Date/Time
2379	Date or time or period format code	C	an..3	C	an..3
					102 CCYYMMDD 203 CCYYMMDDHHMM

Beispiel:

DTM+171:20220301:102'

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

	SG19	O	1	Dangerous goods information
--	-------------	---	---	-----------------------------

51	DGS	M	1	Dangerous goods
----	------------	---	---	-----------------

Standard		Implementierung			
Bez	Name	St	Format	St	Format Anwendung / Bemerkung
8273	Dangerous goods regulations code	C	an..3	O	an..3 Dangerous goods regulations code
C205	Hazard code	C		O	
8351	Hazard identification code	M	an..7	M	an..7 Dangerous goods classification code according to ADR, RID, IMDG or IATA-DGR
8078	Additional hazard classification identifier	C	an..7	O	an..7 Classification ID
8092	Hazard code version identifier	C	an..10	O	an..10 Code list version
C234	UNDG information	C		O	
7124	United Nations Dangerous Goods (UNDG) identifier	C	n4	O	n4 UNDG number
7088	Dangerous goods flashpoint description	C	an..8	N	Nicht genutzt
C223	Dangerous goods shipment flashpoint	C		N	Nicht genutzt
7106	Shipment flashpoint degree	C	n3	N	Nicht genutzt
6411	Measurement unit code	C	an..8	N	Nicht genutzt
8339	Packaging danger level code	C	an..3	N	Nicht genutzt
8364	Emergency procedure for ships identifier	C	an..6	N	Nicht genutzt
8410	Hazard medical first aid guide identifier	C	an..4	N	Nicht genutzt
8126	Transport emergency card identifier	C	an..10	N	Nicht genutzt
C235	Hazard identification placard details	C		N	Nicht genutzt
8158	Orange hazard placard upper part identifier	C	an..4	N	Nicht genutzt
8186	Orange hazard placard lower part identifier	C	an4	N	Nicht genutzt
C236	Dangerous goods label	C		N	Nicht genutzt
8246	Dangerous goods marking identifier	C	an..4	N	Nicht genutzt
8246	Dangerous goods marking identifier	C	an..4	N	Nicht genutzt
8246	Dangerous goods marking identifier	C	an..4	N	Nicht genutzt
8255	Packing instruction type code	C	an..3	N	Nicht genutzt
8325	Hazardous means of transport category code	C	an..3	N	Nicht genutzt
8211	Hazardous cargo transport authorisation code	C	an..3	N	Nicht genutzt

Beispiel:

DGS++ADR: : 8745+1234 '

Bez =Bezeichner; Nr = Laufende Segmentnummer im Guide; MaxWdh = Maximale Wiederholung; St = Status (M=Muss/Mandatory, C=Conditional, R=Erforderlich/Required, O=Optional, D=Abhängig von/Dependent, A=Empfohlen/Advised)

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	O	1	Dangerous goods information
52	FTX	O	1	Dangerous goods description (technical name)

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
4451	Text subject code qualifier	M	an..3	M an..3 AAD Dangerous goods technical name
4453	Free text function code	C	an..3	N Nicht genutzt
C107	Text reference	C		N Nicht genutzt
4441	Free text description code	M	an..17	N Nicht genutzt
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
C108	Text literal	C		R
4440	Free text	M	an..512	M an..512 Free text line
4440	Free text	C	an..512	O an..512 Free text line
4440	Free text	C	an..512	O an..512 Free text line
4440	Free text	C	an..512	O an..512 Free text line
4440	Free text	C	an..512	O an..512 Free text line
3453	Language name code	C	an..3	O an..3 Language
4447	Free text format code	C	an..3	N Nicht genutzt

Beispiel:

FTX+AAD+++Line 1:Line 2:Line 3:Line 4:Line 5+en'

Segmente

Nr	Bez	St	MaxWdh	Name
	SG19	O	1	Dangerous goods information
53	FTX	O	1	Dangerous goods declaration concerning exception permission

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
4451	Text subject code qualifier	M	an..3	M an..3 HAZ Hazard information
4453	Free text function code	C	an..3	N Nicht genutzt
C107	Text reference	C		N Nicht genutzt
4441	Free text description code	M	an..17	N Nicht genutzt
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
C108	Text literal	C		R
4440	Free text	M	an..512	M an..512 Free text line
4440	Free text	C	an..512	O an..512 Free text line
4440	Free text	C	an..512	O an..512 Free text line
4440	Free text	C	an..512	O an..512 Free text line
4440	Free text	C	an..512	O an..512 Free text line
3453	Language name code	C	an..3	O an..3 Language
4447	Free text format code	C	an..3	N Nicht genutzt

Beispiel:

FTX+HAZ+++Line 1:Line 2:Line 3:Line 4:Line 5+en'

Segmente

Nr	Bez	St	MaxWdh	Name
----	-----	----	--------	------

	SG20	D	1	Place of discharge
--	-------------	---	---	--------------------

54	LOC	M	1	Place/location identification
----	------------	---	---	-------------------------------

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
3227	Location function code qualifier	M	an..3	M an..3 11 Place of discharge
C517	Location identification	C		C
3225	Location name code	C	an..35	O an..35 Identifier / code specifying the name of a location.
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	O an..3 Agency responsible for code list / identifier maintenance
3224	Location name	C	an..256	O an..256 Location name
C519	Related location one identification	C		N Nicht genutzt
3223	First related location name code	C	an..25	N Nicht genutzt
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
3222	First related location name	C	an..70	N Nicht genutzt
C553	Related location two identification	C		N Nicht genutzt
3233	Second related location name code	C	an..25	N Nicht genutzt
1131	Code list identification code	C	an..17	N Nicht genutzt
3055	Code list responsible agency code	C	an..3	N Nicht genutzt
3232	Second related location name	C	an..70	N Nicht genutzt
5479	Relation code	C	an..3	N Nicht genutzt

If all items of a consignment (e.g. truck load) are to be unloaded at one point, the place of discharge is to be transmitted at header level.

However, if the truck has to unload its freight at several locations in ship-to's premises the place of discharge is identified at line item level.

Beispiel:

LOC+11+:::X'

Segmente

Nr	Bez	St	MaxWdh	Name
55	UNT	M	1	Message trailer

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
0074	Number of segments in the message	M	n..6	Number of segments in the message
0062	Message reference number	M	an..14	Message reference number

Beispiel:

UNT+53+12345 '

Segmente

Nr	Bez	St	MaxWdh	Name
56	UNZ	M	1	Interchange trailer

Standard		Implementierung		
Bez	Name	St	Format	Anwendung / Bemerkung
0036	Interchange control count	M	n..6	Control value - number of messages in the interchange
0020	Interchange control reference	M	an..14	Control value - interchange control reference (repetition from UNB segment)

Beispiel:

UNZ+1+2022000025'

Applicable codes

0001 Syntax identifier		
Code	Name/description	Code list
UNOA		0001
UNOB		0001
UNOC		0001
UNOD		0001
UNOW		0001
0002 Syntax version number		
Code	Name/description	Code list
X		0002
0007 Partner identification code qualifier		
Code	Name/description	Code list
1	DUNS (Data Universal Numbering System)	0007
4	IATA (International Air Transport Association)	0007
5	INSEE (Institut National de la Statistique et des Etudes Economiques) - SIRET	0007
8	UCC Communications ID (Uniform Code Council Communications Identifier)	0007
9	DUNS (Data Universal Numbering System) with 4 digit suffix	0007
12	Telephone number	0007
14	GS1	0007
18	AIAG (Automotive Industry Action Group)	0007
22	INSEE (Institut National de la Statistique et des Etudes Economiques) - SIREN	0007
30	ISO 6523: Organization identification	0007
31	DIN (Deutsches Institut fuer Normung)	0007
33	BfA (Bundesversicherungsanstalt fuer Angestellte)	0007
34	National Statistical Agency	0007
51	GEIS (General Electric Information Services)	0007
52	INS (IBM Network Services)	0007
53	Datenzentrale des Einzelhandels	0007
54	Bundesverband der Deutschen Baustoffhaendler	0007
55	Bank identifier code	0007
57	KTNet (Korea Trade Network Services)	0007
58	UPU (Universal Postal Union)	0007
59	ODETTE (Organization for Data Exchange through Tele- Transmission in Europe)	0007
61	SCAC (Standard Carrier Alpha Code)	0007
63	ECA (Electronic Commerce Australia)	0007
65	TELEBOX 400 (Deutsche Telekom)	0007
80	NHS (National Health Service)	0007
82	Statens Teleforvaltning	0007
84	Athens Chamber of Commerce	0007
85	Swiss Chamber of Commerce	0007
86	US Council for International Business	0007
87	National Federation of Chambers of Commerce and Industry	0007
89	Association of British Chambers of Commerce	0007
90	SITA (Societe Internationale de Telecommunications Aeronautiques)	0007
91	Assigned by seller or seller's agent	0007
92	Assigned by buyer or buyer's agent	0007
103	TW, Trade-van	0007
128	CH, BCNR (Swiss Clearing Bank Number)	0007
129	CH, BPI (Swiss Business Partner Identification)	0007
144	US, DoDAAC (Department of Defense Activity Address Code)	0007
145	FR, DGCP (Direction Generale de la Comptabilite Publique)	0007
146	FR, DGI (Direction Generale des Impots)	0007
147	JP, JIPDEC/ECPC (Japan Information Processing Development Corporation / Electronic Commerce Promotion Center)	0007

Applicable codes

Code	Name/description	Code list
148	ITU (International Telecommunications Union) Data Network Identification Code (DNIC)	0007
500	DE, BDEW (Bundesverband der Energie- und Wasserwirtschaft e.V.)	0007
501	EASEE-gas (European Association for the Streamlining of Energy Exchange)	0007
502	DE, DVGW (Deutsche Vereinigung des Gas- und Wasserfaches e.V.)	0007
Z01	Vehicle registration number	0007
ZZZ	Mutually defined	0007
0035	Test indicator	
Code	Name/description	Code list
1		0035
0051	Controlling agency	
Code	Name/description	Code list
UN	UN/CEFACT	0051
0052	Message version number	
Code	Name/description	Code list
D	Draft version/UN/EDIFACT Directory	0052
0054	Message release number	
Code	Name/description	Code list
05B	Release 2005 - B	0054
0057	Association assigned code	
Code	Name/description	Code list
V22020	Subset ID for VDA Despatch advice bypass and third-party business Version 2.0	JAI016
0065	Message type	
Code	Name/description	Code list
DESADV	Despatch advice message	0065
1001	Document name code	
Code	Name/description	Code list
351	Despatch advice	1001
1153	Reference code qualifier	
Code	Name/description	Code list
ACI	Outerpackaging unit identification	1153
ARG	Registro Informacion Fiscal (RIF) number	1153
CR	Customer reference number	1153
CRN	Transport means journey identifier	1153
CT	Contract number	1153
DQ	Delivery note number	1153
ON	Order document identifier, buyer assigned	1153
UC	Ultimate customer's reference number	1153
1225	Message function code	
Code	Name/description	Code list
7	Duplicate	1225
9	Original	1225
2005	Date or time or period function code qualifier	
Code	Name/description	Code list
137	Document issue date time	2005
171	Reference date/time	2005
2379	Date or time or period format code	
Code	Name/description	Code list
102	CCYYMMDD	2379

Applicable codes

Code	Name/description	Code list
203	CCYYMMDDHHMM	2379
204	CCYYMMDDHHMMSS	2379
3035	Party function code qualifier	
Code	Name/description	Code list
BY	Buyer	3035
CA	Carrier	3035
DP	Delivery party	3035
FW	Freight forwarder	3035
SE	Seller	3035
SF	Ship from	3035
ST	Ship to	3035
3055	Code list responsible agency code	
Code	Name/description	Code list
1	CCC (Customs Co-operation Council)	3055
2	CEC (Commission of the European Communities)	3055
3	IATA (International Air Transport Association)	3055
4	ICC (International Chamber of Commerce)	3055
5	ISO (International Organization for Standardization)	3055
6	UN/ECE (United Nations - Economic Commission for Europe)	3055
7	CEFIC (Conseil Europeen des Federations de l'Industrie Chimique)	3055
8	EDIFICE	3055
9	GS1	3055
10	ODETTE	3055
11	Lloyd's register of shipping	3055
12	UIC (International union of railways)	3055
13	ICAO (International Civil Aviation Organization)	3055
14	ICS (International Chamber of Shipping)	3055
15	RINET (Reinsurance and Insurance Network)	3055
16	US, D&B (Dun & Bradstreet Corporation)	3055
17	S.W.I.F.T.	3055
18	Conventions on SAD and transit (EC and EFTA)	3055
19	FRRC (Federal Reserve Routing Code)	3055
20	BIC (Bureau International des Containeurs)	3055
21	Assigned by transport company	3055
22	US, ISA (Information Systems Agreement)	3055
23	FR, EDITRANSPORT	3055
24	AU, ROA (Railways of Australia)	3055
25	EDITEX (Europe)	3055
26	NL, Foundation Uniform Transport Code	3055
27	US, FDA (Food and Drug Administration)	3055
28	EDITEUR (European book sector electronic data interchange group)	3055
29	GB, FLEETNET	3055
30	GB, ABTA (Association of British Travel Agencies)	3055
31	FI, Finish State Railway	3055
32	PL, Polish State Railway	3055
33	BG, Bulgaria State Railway	3055
34	RO, Rumanian State Railway	3055
35	CZ, Tchechian State Railway	3055
36	HU, Hungarian State Railway	3055
37	GB, British Railways	3055
38	ES, Spanish National Railway	3055
39	SE, Swedish State Railway	3055
40	NO, Norwegian State Railway	3055

Applicable codes

Code	Name/description	Code list
41	DE, German Railway	3055
42	AT, Austrian Federal Railways	3055
43	LU, Luxembourg National Railway Company	3055
44	IT, Italian State Railways	3055
45	NL, Netherlands Railways	3055
46	CH, Swiss Federal Railways	3055
47	DK, Danish State Railways	3055
48	FR, French National Railway Company	3055
49	BE, Belgian National Railway Company	3055
50	PT, Portuguese Railways	3055
51	SK, Slovakian State Railways	3055
52	IE, Irish Transport Company	3055
53	FIATA (International Federation of Freight Forwarders Associations)	3055
54	IMO (International Maritime Organisation)	3055
55	US, DOT (United States Department of Transportation)	3055
56	TW, Trade-van	3055
57	TW, Chinese Taipei Customs	3055
58	EUROFER	3055
59	DE, EDIBAU	3055
60	Assigned by national trade agency	3055
61	Association Europeenne des Constructeurs de Materiel Aerospatial (AECMA)	3055
62	US, Distilled Spirits Council of the United States (DISCUS)	3055
63	North Atlantic Treaty Organization (NATO)	3055
64	FR, CLEP	3055
65	GS1 France	3055
66	MY, Malaysian Customs and Excise	3055
67	MY, Malaysia Central Bank	3055
68	GS1 Italy	3055
69	US, National Alcohol Beverage Control Association (NABCA)	3055
70	MY, Dagang.Net	3055
71	US, FCC (Federal Communications Commission)	3055
72	US, MARAD (Maritime Administration)	3055
73	US, DSAA (Defense Security Assistance Agency)	3055
74	US, NRC (Nuclear Regulatory Commission)	3055
75	US, ODTC (Office of Defense Trade Controls)	3055
76	US, ATF (Bureau of Alcohol, Tobacco and Firearms)	3055
77	US, BXA (Bureau of Export Administration)	3055
78	US, FWS (Fish and Wildlife Service)	3055
79	US, OFAC (Office of Foreign Assets Control)	3055
80	BRMA/RAA - LIMNET - RINET Joint Venture	3055
81	RU, (SFT) Society for Financial Telecommunications	3055
82	NO, Enhetsregisteret ved Bronnoysundregisterne	3055
83	US, National Retail Federation	3055
84	DE, BRD (Gesetzgeber der Bundesrepublik Deutschland)	3055
85	North America, Telecommunications Industry Forum	3055
86	Assigned by party originating the message	3055
87	Assigned by carrier	3055
88	Assigned by owner of operation	3055
89	Assigned by distributor	3055
90	Assigned by manufacturer	3055
91	Assigned by seller or seller's agent	3055
92	Assigned by buyer or buyer's agent	3055
93	AT, Austrian Customs	3055
94	AT, Austrian PTT	3055
95	AU, Australian Customs Service	3055

Applicable codes

Code	Name/description	Code list
96	CA, Revenue Canada, Customs and Excise	3055
97	CH, Administration federale des contributions	3055
98	CH, Direction generale des douanes	3055
99	CH, Division des importations et exportations, OFAEE	3055
100	CH, Entreprise des PTT	3055
101	CH, Carburant	3055
102	CH, Centrale suisse pour l'importation du charbon	3055
103	CH, Office fiduciaire des importateurs de denrees alimentaires	3055
104	CH, Association suisse code des articles	3055
105	DK, Ministry of taxation, Central Customs and Tax Administration	3055
106	FR, Direction generale des douanes et droits indirects	3055
107	FR, INSEE	3055
108	FR, Banque de France	3055
109	GB, H.M. Customs & Excise	3055
110	IE, Revenue Commissioners, Customs AEP project	3055
111	US, U.S. Customs Service	3055
112	US, U.S. Census Bureau	3055
113	GS1 US	3055
114	US, ABA (American Bankers Association)	3055
116	US, ANSI ASC X12	3055
117	AT, Geldausgabeautomaten-Service Gesellschaft m.b.H.	3055
118	SE, Svenska Bankfoereningen	3055
119	IT, Associazione Bancaria Italiana	3055
120	IT, Societa' Interbancaria per l'Automazione	3055
121	CH, Telekurs AG	3055
122	CH, Swiss Securities Clearing Corporation	3055
123	NO, Norwegian Interbank Research Organization	3055
124	NO, Norwegian Bankers' Association	3055
125	FI, The Finnish Bankers' Association	3055
126	US, NCCMA (Account Analysis Codes)	3055
127	DE, ARE (Abrechnungs Einheit)	3055
128	BE, Belgian Bankers' Association	3055
129	BE, Belgian Ministry of Finance	3055
130	DK, Danish Bankers Association	3055
131	DE, German Bankers Association	3055
132	GB, BACS Limited	3055
133	GB, Association for Payment Clearing Services	3055
134	GB, APACS (Association of payment clearing services)	3055
135	GB, The Clearing House	3055
136	GS1 UK	3055
137	AT, Verband oesterreichischer Banken und Bankiers	3055
138	FR, CFONB (Comite francais d'organ. et de normalisation bancaires)	3055
139	Universal Postal Union (UPU)	3055
140	CEC (Commission of the European Communities), DG/XXI-01	3055
141	CEC (Commission of the European Communities), DG/XXI-B-1	3055
142	CEC (Commission of the European Communities), DG/XXXIV	3055
143	NZ, New Zealand Customs	3055
144	NL, Netherlands Customs	3055
145	SE, Swedish Customs	3055
146	DE, German Customs	3055
147	BE, Belgian Customs	3055
148	ES, Spanish Customs	3055
149	IL, Israel Customs	3055
150	HK, Hong Kong Customs	3055
151	JP, Japan Customs	3055

Applicable codes

Code	Name/description	Code list
152	SA, Saudi Arabia Customs	3055
153	IT, Italian Customs	3055
154	GR, Greek Customs	3055
155	PT, Portuguese Customs	3055
156	LU, Luxembourg Customs	3055
157	NO, Norwegian Customs	3055
158	FI, Finnish Customs	3055
159	IS, Iceland Customs	3055
160	LI, Liechtenstein authority	3055
161	UNCTAD (United Nations - Conference on Trade And Development)	3055
162	CEC (Commission of the European Communities), DG/XIII-D-5	3055
163	US, FMC (Federal Maritime Commission)	3055
164	US, DEA (Drug Enforcement Agency)	3055
165	US, DCI (Distribution Codes, INC.)	3055
166	US, National Motor Freight Classification Association	3055
167	US, AIAG (Automotive Industry Action Group)	3055
168	US, FIPS (Federal Information Publishing Standard)	3055
169	CA, SCC (Standards Council of Canada)	3055
170	CA, CPA (Canadian Payment Association)	3055
171	NL, Interpay Girale Services	3055
172	NL, Interpay Debit Card Services	3055
173	NO, NORPRO	3055
174	DE, DIN (Deutsches Institut fuer Normung)	3055
175	FCI (Factors Chain International)	3055
176	BR, Banco Central do Brazil	3055
177	AU, LIFA (Life Insurance Federation of Australia)	3055
178	AU, SAA (Standards Association of Australia)	3055
179	US, Air transport association of America	3055
180	DE, BIA (Berufsgenossenschaftliches Institut fuer Arbeitssicherheit)	3055
181	Edibuild	3055
182	US, Standard Carrier Alpha Code (Motor)	3055
183	US, American Petroleum Institute	3055
184	AU, ACOS (Australian Chamber of Shipping)	3055
185	DE, BDI (Bundesverband der Deutschen Industrie e.V.)	3055
186	US, GSA (General Services Administration)	3055
187	US, DLMSO (Defense Logistics Management Standards Office)	3055
188	US, NIST (National Institute of Standards and Technology)	3055
189	US, DoD (Department of Defense)	3055
190	US, VA (Department of Veterans Affairs)	3055
191	IAPSO (United Nations Inter-Agency Procurement Services Office)	3055
192	Shipper's association	3055
193	EU, European Telecommunications Informatics Services (ETIS)	3055
194	AU, AQIS (Australian Quarantine and Inspection Service)	3055
195	CO, DIAN (Direccion de Impuestos y Aduanas Nacionales)	3055
196	US, COPAS (Council of Petroleum Accounting Society)	3055
197	US, DISA (Data Interchange Standards Association)	3055
198	CO, Superintendencia Bancaria De Colombia	3055
199	FR, Direction de la Comptabilite Publique	3055
200	GS1 Netherlands	3055
201	US, WSSA(Wine and Spirits Shippers Association)	3055
202	PT, Banco de Portugal	3055
203	FR, GALIA (Groupement pour l'Amelioration des Liaisons dans l'Industrie Automobile)	3055
204	DE, VDA (Verband der Automobilindustrie E.V.)	3055
205	IT, ODETTE Italy	3055
206	NL, ODETTE Netherlands	3055

Applicable codes

Code	Name/description	Code list
207	ES, ODETTE Spain	3055
208	SE, ODETTE Sweden	3055
209	GB, ODETTE United Kingdom	3055
210	EU, EDI for financial, informational, cost, accounting, auditing and social areas (EDIFICAS) - Europe	3055
211	FR, EDI for financial, informational, cost, accounting, auditing and social areas (EDIFICAS) - France	3055
212	DE, Deutsch Telekom AG	3055
213	JP, NACCS Center (Nippon Automated Cargo Clearance System Operations Organization)	3055
214	US, AISI (American Iron and Steel Institute)	3055
215	AU, APCA (Australian Payments Clearing Association)	3055
216	US, Department of Labor	3055
217	US, N.A.I.C. (National Association of Insurance Commissioners)	3055
218	GB, The Association of British Insurers	3055
219	FR, d'ArvA	3055
220	FI, Finnish tax board	3055
221	FR, CNAMTS (Caisse Nationale de l'Assurance Maladie des Travailleurs Salaries)	3055
222	DK, Danish National Board of Health	3055
223	DK, Danish Ministry of Home Affairs	3055
224	US, Aluminum Association	3055
225	US, CIDX (Chemical Industry Data Exchange)	3055
226	US, Carbide Manufacturers	3055
227	US, NWDA (National Wholesale Druggist Association)	3055
228	US, EIA (Electronic Industry Association)	3055
229	US, American Paper Institute	3055
230	US, VICS (Voluntary Inter-Industry Commerce Standards)	3055
231	Copper and Brass Fabricators Council	3055
232	GB, Inland Revenue	3055
233	US, OMB (Office of Management and Budget)	3055
234	DE, Siemens AG	3055
235	AU, Tradegate (Electronic Commerce Australia)	3055
236	US, United States Postal Service (USPS)	3055
237	US, United States health industry	3055
238	US, TDCC (Transportation Data Coordinating Committee)	3055
239	US, HL7 (Health Level 7)	3055
240	US, CHIPS (Clearing House Interbank Payment Systems)	3055
241	PT, SIBS (Sociedade Interbancaria de Servicos)	3055
244	US, Department of Health and Human Services	3055
245	GS1 Denmark	3055
246	GS1 Germany	3055
247	US, HBICC (Health Industry Business Communication Council)	3055
248	US, ASTM (American Society of Testing and Materials)	3055
249	IP (Institute of Petroleum)	3055
250	US, UOP (Universal Oil Products)	3055
251	AU, HIC (Health Insurance Commission)	3055
252	AU, AIHW (Australian Institute of Health and Welfare)	3055
253	AU, NCCH (National Centre for Classification in Health)	3055
254	AU, DOH (Australian Department of Health)	3055
255	AU, ADA (Australian Dental Association)	3055
256	US, AAR (Association of American Railroads)	3055
257	ECCMA (Electronic Commerce Code Management Association)	3055
258	JP, Japanese Ministry of Transport	3055
259	JP, Japanese Maritime Safety Agency	3055
260	ebIX (European forum for energy Business Information eXchange)	3055

Applicable codes

Code	Name/description	Code list
261	EEG7, European Expert Group 7 (Insurance)	3055
262	DE, GDV (Gesamtverband der Deutschen Versicherungswirtschaft e.V.)	3055
263	CA, CSIO (Centre for Study of Insurance Operations)	3055
264	FR, AGF (Assurances Generales de France)	3055
265	SE, Central bank	3055
266	US, DoA (Department of Agriculture)	3055
267	RU, Central Bank of Russia	3055
268	FR, DGI (Direction Generale des Impots)	3055
269	GRE (Reference Group of Experts)	3055
270	Concord EDI group	3055
271	InterContainer InterFrigo	3055
272	Joint Automotive Industry agency	3055
273	CH, SCC (Swiss Chambers of Commerce)	3055
274	ITIGG (International Transport Implementation Guidelines Group)	3055
275	ES, Banco de España	3055
276	Assigned by Port Community	3055
277	BIGNet (Business Information Group Network)	3055
278	Eurogate	3055
279	NL, Graydon	3055
280	FR, Euler	3055
281	GS1 Belgium and Luxembourg	3055
282	DE, Creditreform International e.V.	3055
283	DE, Hermes Kreditversicherungs AG	3055
284	TW, Taiwanese Bankers' Association	3055
285	ES, Asociación Española de Banca	3055
286	SE, TCO (Tjänstemännens Central Organisation)	3055
287	DE, FORTRAS (Forschungs- und Entwicklungsgesellschaft für Transportwesen GMBH)	3055
288	OSJD (Organizacija Sotrudnichestva Zeleznih Dorog)	3055
289	JP, JIPDEC/ECPC (Japan Information Processing Development Center / Electronic Commerce Promotion Center)	3055
290	JP, JAMA	3055
291	JP, JAPIA	3055
292	FI, TIEKE The Information Technology Development Centre of Finland	3055
293	DE, BDEW (Bundesverband der Energie- und Wasserwirtschaft e.V.)	3055
294	GS1 Austria	3055
295	AU, Australian Therapeutic Goods Administration	3055
296	ITU (International Telecommunication Union)	3055
297	IT, Ufficio IVA	3055
298	GS1 Spain	3055
299	BE, Seagha	3055
300	SE, Swedish International Freight Association	3055
301	DE, BauDatenbank GmbH	3055
302	DE, Bundesverband des Deutschen Textileinzelhandels e.V.	3055
303	GB, Trade Service Information Ltd (TSI)	3055
304	DE, Bundesverband Deutscher Heimwerker-, Bau- und Gartenfachmaerkte e.V.	3055
305	ETSO (European Transmission System Operator)	3055
306	SMDG (Ship-planning Message Design Group)	3055
307	JP, Ministry of Justice	3055
308	DE, FORTRAS (Forschungs- und Entwicklungsgesellschaft für Transportwesen mbH)	3055
309	JP, JASTPRO (Japan Association for Simplification of International Trade Procedures)	3055
310	DE, SAP AG (Systeme, Anwendungen und Produkte)	3055
311	JP, TDB (Teikoku Databank, Ltd.)	3055
312	FR, AGRO EDI EUROPE	3055
313	FR, Groupement National Interprofessionnel des Semences et Plants	3055
314	OAGi (Open Applications Group, Incorporated)	3055

Applicable codes

Code	Name/description	Code list
315	US, STAR (Standards for Technology in Automotive Retail)	3055
316	GS1 Finland	3055
317	GS1 Brazil	3055
318	IETF (Internet Engineering Task Force)	3055
319	FR, GTF	3055
320	DK, Danish National IT and Telecom Agency (ITA)	3055
321	EASEE-Gas (European Association for the Streamlining of Energy Exchange for gas)	3055
322	IS, ICEPRO	3055
323	PROTECT	3055
324	GS1 Ireland	3055
325	GS1 Russia	3055
326	GS1 Poland	3055
327	GS1 Estonia	3055
328	Assigned by ultimate recipient of the message	3055
329	Assigned by loading dock operator	3055
330	Nordic Ediel Group	3055
331	US, Agricultural Marketing Service (AMS)	3055
332	DE, DVGW Service & Consult GmbH	3055
333	US, Animal and Plant Health Inspection Service (APHIS)	3055
334	US, Bureau of Labor Statistics (BLS)	3055
335	US, Bureau of Transportation Statistics (BTS)	3055
336	US, Customs and Border Protection (CBP)	3055
337	US, Center for Disease Control (CDC)	3055
338	US, Consumer Product Safety Commission (CPSC)	3055
339	US, Directorate of Defense Trade Controls (DDTC)	3055
340	US, Environmental Protection Agency (EPA)	3055
341	US, Federal Aviation Administration (FAA)	3055
342	US, Foreign Agriculture Service (FAS)	3055
343	US, Federal Motor Carrier Safety Administration (FMCSA)	3055
344	US, Food Safety Inspection Service (FSIS)	3055
345	US, Foreign Trade Zones Board (FTZB)	3055
346	US, The Grain Inspection, Packers and Stockyards Administration (GIPSA)	3055
347	US, Import Administration (IA)	3055
348	US, Internal Revenue Service (IRS)	3055
349	US, International Trade Commission (ITC)	3055
350	US, National Highway Traffic Safety Administration (NHTSA)	3055
351	US, National Marine Fisheries Service (NMFS)	3055
352	US, Office of Fossil Energy (OFE)	3055
353	US, Office of Foreign Missions (OFM)	3055
354	US, Bureau of Oceans and International Environmental and Scientific Affairs (OES)	3055
355	US, Office of Naval Intelligence (ONI)	3055
356	US, Pipeline and Hazardous Materials Safety Administration (PHMSA)	3055
357	US, Alcohol and Tobacco Tax and Trade Bureau (TTB)	3055
358	US, Army Corp of Engineers (USACE)	3055
359	US, Agency for International Development (USAID)	3055
360	US, Coast Guard (USCG)	3055
361	US, Office of the United States Trade Representative (USTR)	3055
362	International Commission for the Conservation of Atlantic Tunas (ICCAT)	3055
363	Inter-American Tropical Tuna Commission (IATTC)	3055
364	Commission for the Conservation of Southern Bluefin Tuna (CCSBT)	3055
365	Indian Ocean Tuna Commission (IOTC)	3055
366	International Botanical Congress	3055
367	International Commission on Zoological Nomenclature	3055
368	International Society for Horticulture Science	3055
369	Chemical Abstract Service (CAS)	3055

Applicable codes

Code	Name/description	Code list
370	Social Security Administration (SSA)	3055
371	INMARSAT	3055
372	Agent of ship at the intended port of arrival	3055
373	US Air Force	3055
374	US, Bureau of Explosives	3055
375	Basel Convention Secretariat	3055
376	PANTONE	3055
377	IS, National Registry of Iceland	3055
378	IS, Internal Revenue Directorate of Iceland	3055
379	IANA (Internet Assigned Numbers Authority)	3055
380	Korea Customs Service	3055
381	Israel Tax Authority	3055
382	Israeli Ministry of Interior	3055
383	FR, LUMD (Logistique Urbaine Mutualisée Durable)	3055
384	DE, BiPRO (Brancheninitiative Prozessoptimierung)	3055
385	JO, Jordan Ministry of Agriculture	3055
386	JO, Jordan Customs	3055
387	JO, Jordan Food & Drug Administration	3055
388	JO, Jordan Institution for Standards and Metrology	3055
389	JO, Jordan Telecommunication Regulatory Commission	3055
390	JO, Jordan Nuclear Regulatory Commission	3055
391	JO, Jordan Ministry of Environment	3055
392	Hazardous waste collector	3055
393	Hazardous waste generator	3055
394	Marketing agent	3055
395	BE, TELEBIB Centre	3055
396	BE, BNB	3055
397	BE, FSMA	3055
398	FR, PHAST	3055
399	EXIS (Exis Technologies Ltd.)	3055
400	FAO (Food and Agriculture Organisation)	3055
401	CH, Spedlogswiss	3055
402	JP, National Tax Agency	3055
403	Comite Européen de Normalisation	3055
404	Assigned by logistics service provider	3055
405	Assigned by transport ministry	3055
406	AR, Customs Administration of Argentina	3055
407	BO, Customs Administration of Bolivia	3055
408	BR, Customs Administration of Brazil	3055
409	PY, Customs Administration of Paraguay	3055
410	UY, Customs Administration of Uruguay	3055
411	VE, Customs Administration of Venezuela	3055
412	IN, Customs Administration of India	3055
413	JP, JEC (UN/CEFACT Japan Committee)	3055
ZZZ	Mutually defined	3055
3227	Location function code qualifier	
Code	Name/description	Code list
11	Place of discharge	3227
3239	Country of origin name code	
Code	Name/description	Code list
AD	ANDORRA	3239
AE	UNITED ARAB EMIRATES	3239
AF	AFGHANISTAN	3239

Applicable codes

Code	Name/description	Code list
AG	ANTIGUA AND BARBUDA	3239
AI	ANGUILLA	3239
AL	ALBANIA	3239
AM	ARMENIA	3239
AN	NETHERLANDS ANTILLES	3239
AO	ANGOLA	3239
AQ	ANTARCTICA	3239
AR	ARGENTINA	3239
AS	AMERICAN SAMOA	3239
AT	AUSTRIA	3239
AU	AUSTRALIA	3239
AW	ARUBA	3239
AX	ÅLAND ISLANDS	3239
AZ	AZERBAIJAN	3239
BA	BOSNIA AND HERZEGOVINA	3239
BB	BARBADOS	3239
BD	BANGLADESH	3239
BE	BELGIUM	3239
BF	BURKINA FASO	3239
BG	BULGARIA	3239
BH	BAHRAIN	3239
BI	BURUNDI	3239
BJ	BENIN	3239
BL	SAINT BARTHÉLEMY	3239
BM	BERMUDA	3239
BN	BRUNEI DARUSSALAM	3239
BO	BOLIVIA (PLURINATIONAL STATE OF)	3239
BQ	BONAIRE, SINT EUSTATIUS AND SABA	3239
BR	BRAZIL	3239
BS	BAHAMAS	3239
BT	BHUTAN	3239
BV	BOUVET ISLAND	3239
BW	BOTSWANA	3239
BY	BELARUS	3239
BZ	BELIZE	3239
CA	CANADA	3239
CC	COCOS (KEELING) ISLANDS	3239
CD	CONGO, DEMOCRATIC REPUBLIC OF THE	3239
CF	CENTRAL AFRICAN REPUBLIC	3239
CG	CONGO	3239
CH	SWITZERLAND	3239
CI	COTE D'IVOIRE	3239
CK	COOK ISLANDS	3239
CL	CHILE	3239
CM	CAMEROON	3239
CN	CHINA	3239
CO	COLOMBIA	3239
CR	COSTA RICA	3239
CS	SERBIA AND MONTENEGRO	3239
CU	CUBA	3239
CV	CAPE VERDE	3239
CW	CURAÇAO	3239
CX	CHRISTMAS ISLAND	3239
CY	CYPRUS	3239
CZ	CZECHIA	3239

Applicable codes

Code	Name/description	Code list
DE	GERMANY	3239
DJ	DJIBOUTI	3239
DK	DENMARK	3239
DM	DOMINICA	3239
DO	DOMINICAN REPUBLIC	3239
DZ	ALGERIA	3239
EC	ECUADOR	3239
EE	ESTONIA	3239
EG	EGYPT	3239
EH	WESTERN SAHARA	3239
ER	ERITREA	3239
ES	SPAIN	3239
ET	ETHIOPIA	3239
FI	FINLAND	3239
FJ	FIJI	3239
FK	FALKLAND ISLANDS (MALVINAS)	3239
FM	MICRONESIA (FEDERATED STATES OF)	3239
FO	FAROE ISLANDS	3239
FR	FRANCE	3239
GA	GABON	3239
GB	UNITED KINGDOM OF GREAT BRITAIN AND NORTHERN IRELAND	3239
GD	GRENADA	3239
GE	GEORGIA	3239
GF	FRENCH GUIANA	3239
GG	GUERNSEY	3239
GH	GHANA	3239
GI	GIBRALTAR	3239
GL	GREENLAND	3239
GM	GAMBIA	3239
GN	GUINEA	3239
GP	GUADELOUPE	3239
GQ	EQUATORIAL GUINEA	3239
GR	GREECE	3239
GS	SOUTH GEORGIA AND THE SOUTH SANDWICH ISLANDS	3239
GT	GUATEMALA	3239
GU	GUAM	3239
GW	GUINEA-BISSAU	3239
GY	GUYANA	3239
HK	HONG KONG	3239
HM	HEARD ISLAND AND MCDONALD ISLANDS	3239
HN	HONDURAS	3239
HR	CROATIA	3239
HT	HAITI	3239
HU	HUNGARY	3239
ID	INDONESIA	3239
IE	IRELAND	3239
IL	ISRAEL	3239
IM	ISLE OF MAN	3239
IN	INDIA	3239
IO	BRITISH INDIAN OCEAN TERRITORY	3239
IQ	IRAQ	3239
IR	IRAN (ISLAMIC REPUBLIC OF)	3239
IS	ICELAND	3239
IT	ITALY	3239
JE	JERSEY	3239

Applicable codes

Code	Name/description	Code list
JM	JAMAICA	3239
JO	JORDAN	3239
JP	JAPAN	3239
KE	KENYA	3239
KG	KYRGYZSTAN	3239
KH	CAMBODIA	3239
KI	KIRIBATI	3239
KM	COMOROS	3239
KN	SAINT KITTS AND NEVIS	3239
KP	KOREA (DEMOCRATIC PEOPLE'S REPUBLIC OF)	3239
KR	KOREA, REPUBLIC OF	3239
KW	KUWAIT	3239
KY	CAYMAN ISLANDS	3239
KZ	KAZAKHSTAN	3239
LA	LAO PEOPLE'S DEMOCRATIC REPUBLIC	3239
LB	LEBANON	3239
LC	SAINT LUCIA	3239
LI	LIECHTENSTEIN	3239
LK	SRI LANKA	3239
LR	LIBERIA	3239
LS	LESOTHO	3239
LT	LITHUANIA	3239
LU	LUXEMBOURG	3239
LV	LATVIA	3239
LY	LIBYA	3239
MA	MOROCCO	3239
MC	MONACO	3239
MD	MOLDOVA, REPUBLIC OF	3239
ME	MONTENEGRO	3239
MF	SAINT MARTIN (FRENCH PART)	3239
MG	MADAGASCAR	3239
MH	MARSHALL ISLANDS	3239
MK	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF	3239
ML	MALI	3239
MM	MYANMAR	3239
MN	MONGOLIA	3239
MO	MACAO	3239
MP	NORTHERN MARIANA ISLANDS	3239
MQ	MARTINIQUE	3239
MR	MAURITANIA	3239
MS	MONTSEERRAT	3239
MT	MALTA	3239
MU	MAURITIUS	3239
MV	MALDIVES	3239
MW	MALAWI	3239
MX	MEXICO	3239
MY	MALAYSIA	3239
MZ	MOZAMBIQUE	3239
NA	NAMIBIA	3239
NC	NEW CALEDONIA	3239
NE	NIGER	3239
NF	NORFOLK ISLAND	3239
NG	NIGERIA	3239
NI	NICARAGUA	3239
NL	NETHERLANDS	3239

Applicable codes

Code	Name/description	Code list
NO	NORWAY	3239
NP	NEPAL	3239
NR	NAURU	3239
NU	NIUE	3239
NZ	NEW ZEALAND	3239
OM	OMAN	3239
PA	PANAMA	3239
PE	PERU	3239
PF	FRENCH POLYNESIA	3239
PG	PAPUA NEW GUINEA	3239
PH	PHILIPPINES	3239
PK	PAKISTAN	3239
PL	POLAND	3239
PM	SAINT PIERRE AND MIQUELON	3239
PN	PITCAIRN	3239
PR	PUERTO RICO	3239
PS	PALESTINE, STATE OF	3239
PT	PORTUGAL	3239
PW	PALAU	3239
PY	PARAGUAY	3239
QA	QATAR	3239
RE	REUNION	3239
RO	ROMANIA	3239
RS	SERBIA	3239
RU	RUSSIAN FEDERATION	3239
RW	RWANDA	3239
SA	SAUDI ARABIA	3239
SB	SOLOMON ISLANDS	3239
SC	SEYCHELLES	3239
SD	SUDAN	3239
SE	SWEDEN	3239
SG	SINGAPORE	3239
SH	SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	3239
SI	SLOVENIA	3239
SJ	SVALBARD AND JAN MAYEN	3239
SK	SLOVAKIA	3239
SL	SIERRA LEONE	3239
SM	SAN MARINO	3239
SN	SENEGAL	3239
SO	SOMALIA	3239
SR	SURINAME	3239
SS	SOUTH SUDAN	3239
ST	SAO TOME AND PRINCIPE	3239
SV	EL SALVADOR	3239
SX	SINT MAARTEN (DUTCH PART)	3239
SY	SYRIAN ARAB REPUBLIC	3239
SZ	SWAZILAND	3239
TC	TURKS AND CAICOS ISLANDS	3239
TD	CHAD	3239
TF	FRENCH SOUTHERN TERRITORIES	3239
TG	TOGO	3239
TH	THAILAND	3239
TJ	TAJIKISTAN	3239
TK	TOKELAU	3239
TL	TIMOR-LESTE	3239

Applicable codes

Code	Name/description	Code list
TM	TURKMENISTAN	3239
TN	TUNISIA	3239
TO	TONGA	3239
TR	TURKEY	3239
TT	TRINIDAD AND TOBAGO	3239
TV	TUVALU	3239
TW	TAIWAN, PROVINCE OF CHINA	3239
TZ	TANZANIA, UNITED REPUBLIC OF	3239
UA	UKRAINE	3239
UG	UGANDA	3239
UM	UNITED STATES MINOR OUTLYING ISLANDS	3239
US	UNITED STATES OF AMERICA	3239
UY	URUGUAY	3239
UZ	UZBEKISTAN	3239
VA	HOLY SEE	3239
VC	SAINT VINCENT AND THE GRENADINES	3239
VE	VENEZUELA (BOLIVARIAN REPUBLIC OF)	3239
VG	VIRGIN ISLANDS, BRITISH	3239
VI	VIRGIN ISLANDS, U.S.	3239
VN	VIET NAM	3239
VU	VANUATU	3239
WF	WALLIS AND FUTUNA	3239
WS	SAMOA	3239
YE	YEMEN	3239
YT	MAYOTTE	3239
YU	YUGOSLAVIA	3239
ZA	SOUTH AFRICA	3239
ZM	ZAMBIA	3239
ZW	ZIMBABWE	3239
3453	Language name code	
Code	Name/description	Code list
AA	Afar	3453
aa	Afar	3453
AB	Abkhazian	3453
ab	Abkhazian	3453
AE	Avestan	3453
ae	Avestan	3453
AF	Afrikaans	3453
af	Afrikaans	3453
AK	Akan	3453
ak	Akan	3453
AM	Amharic	3453
am	Amharic	3453
AN	Aragonese	3453
an	Aragonese	3453
AR	Arabic	3453
ar	Arabic	3453
AS	Assamese	3453
as	Assamese	3453
AV	Avaric	3453
av	Avaric	3453
AY	Aymara	3453
ay	Aymara	3453
AZ	Azerbaijani	3453

Applicable codes

Code	Name/description	Code list
az	Azerbaijani	3453
BA	Bashkir	3453
ba	Bashkir	3453
BE	Belarusian	3453
be	Belarusian	3453
BG	Bulgarian	3453
bg	Bulgarian	3453
BH	Bihari languages	3453
bh	Bihari languages	3453
BI	Bislama	3453
bi	Bislama	3453
BM	Bambara	3453
bm	Bambara	3453
BN	Bengali	3453
bn	Bengali	3453
BO	Tibetan	3453
bo	Tibetan	3453
BR	Breton	3453
br	Breton	3453
BS	Bosnian	3453
bs	Bosnian	3453
CA	Catalan; Valencian	3453
ca	Catalan; Valencian	3453
CE	Chechen	3453
ce	Chechen	3453
CH	Chamorro	3453
ch	Chamorro	3453
CO	Corsican	3453
co	Corsican	3453
CR	Cree	3453
cr	Cree	3453
CS	Czech	3453
cs	Czech	3453
CU	Church Slavonic; Old Slavonic; Church Slavonic; Old Bulgarian; Old Church Slavonic	3453
cu	Church Slavonic; Old Slavonic; Church Slavonic; Old Bulgarian; Old Church Slavonic	3453
CV	Chuvash	3453
cv	Chuvash	3453
CY	Welsh	3453
cy	Welsh	3453
DA	Danish	3453
da	Danish	3453
DE	German	3453
de	German	3453
DV	Divehi; Dhivehi; Maldivian	3453
dv	Divehi; Dhivehi; Maldivian	3453
DZ	Dzongkha	3453
dz	Dzongkha	3453
EE	Ewe	3453
ee	Ewe	3453
EL	Greek; Modern (1453-)	3453
el	Greek; Modern (1453-)	3453
EN	English	3453
en	English	3453
EO	Esperanto	3453
eo	Esperanto	3453

Applicable codes

Code	Name/description	Code list
ES	Spanish; Castilian	3453
es	Spanish; Castilian	3453
ET	Estonian	3453
et	Estonian	3453
EU	Basque	3453
eu	Basque	3453
FA	Persian	3453
fa	Persian	3453
FF	Fulah	3453
ff	Fulah	3453
FI	Finnish	3453
fi	Finnish	3453
FJ	Fijian	3453
fj	Fijian	3453
FO	Faroese	3453
fo	Faroese	3453
FR	French	3453
fr	French	3453
FY	Western Frisian	3453
fy	Western Frisian	3453
GA	Irish	3453
ga	Irish	3453
GD	Gaelic; Scottish Gaelic	3453
gd	Gaelic; Scottish Gaelic	3453
GL	Galician	3453
gl	Galician	3453
GN	Guarani	3453
gn	Guarani	3453
GU	Gujarati	3453
gu	Gujarati	3453
GV	Manx	3453
gv	Manx	3453
HA	Hausa	3453
ha	Hausa	3453
HE	Hebrew	3453
he	Hebrew	3453
HI	Hindi	3453
hi	Hindi	3453
HO	Hiri Motu	3453
ho	Hiri Motu	3453
HR	Croatian	3453
hr	Croatian	3453
HT	Haitian; Haitian Creole	3453
ht	Haitian; Haitian Creole	3453
HU	Hungarian	3453
hu	Hungarian	3453
HY	Armenian	3453
hy	Armenian	3453
HZ	Herero	3453
hz	Herero	3453
IA	Interlingua (International Auxiliary Language Association)	3453
ia	Interlingua (International Auxiliary Language Association)	3453
ID	Indonesian	3453
id	Indonesian	3453
IE	Interlingue; Occidental	3453

Applicable codes

Code	Name/description	Code list
ie	Interlingue; Occidental	3453
IG	Igbo	3453
ig	Igbo	3453
II	Sichuan Yi; Nuosu	3453
ii	Sichuan Yi; Nuosu	3453
IK	Inupiaq	3453
ik	Inupiaq	3453
IO	Ido	3453
io	Ido	3453
IS	Icelandic	3453
is	Icelandic	3453
IT	Italian	3453
it	Italian	3453
IU	Inuktitut	3453
iu	Inuktitut	3453
JA	Japanese	3453
ja	Japanese	3453
JV	Javanese	3453
jv	Javanese	3453
JW	Javanese	3453
jw	Javanese	3453
KA	Georgian	3453
ka	Georgian	3453
KG	Kongo	3453
kg	Kongo	3453
KI	Kikuyu; Gikuyu	3453
ki	Kikuyu; Gikuyu	3453
KJ	Kuanyama; Kwanyama	3453
kj	Kuanyama; Kwanyama	3453
KK	Kazakh	3453
kk	Kazakh	3453
KL	Kalaallisut; Greenlandic	3453
kl	Kalaallisut; Greenlandic	3453
KM	Central Khmer	3453
km	Central Khmer	3453
KN	Kannada	3453
kn	Kannada	3453
KO	Korean	3453
ko	Korean	3453
KR	Kanuri	3453
kr	Kanuri	3453
KS	Kashmiri	3453
ks	Kashmiri	3453
KU	Kurdish	3453
ku	Kurdish	3453
KV	Komi	3453
kv	Komi	3453
KW	Cornish	3453
kw	Cornish	3453
KY	Kirghiz; Kyrgyz	3453
ky	Kirghiz; Kyrgyz	3453
LA	Latin	3453
la	Latin	3453
LB	Luxembourgish; Letzeburgesch	3453
lb	Luxembourgish; Letzeburgesch	3453

Applicable codes

Code	Name/description	Code list
LG	Ganda	3453
Ig	Ganda	3453
LI	Limburgan; Limburger; Limburgish	3453
li	Limburgan; Limburger; Limburgish	3453
LN	Lingala	3453
In	Lingala	3453
LO	Lao	3453
lo	Lao	3453
LT	Lithuanian	3453
lt	Lithuanian	3453
LU	Luba-Katanga	3453
lu	Luba-Katanga	3453
LV	Latvian	3453
lv	Latvian	3453
MG	Malagasy	3453
mg	Malagasy	3453
MH	Marshallese	3453
mh	Marshallese	3453
MI	Maori	3453
mi	Maori	3453
MK	Macedonian	3453
mk	Macedonian	3453
ML	Malayalam	3453
ml	Malayalam	3453
MN	Mongolian	3453
mn	Mongolian	3453
MO	Moldavian; Moldovan	3453
mo	Moldavian; Moldovan	3453
MR	Marathi	3453
mr	Marathi	3453
MS	Malay	3453
ms	Malay	3453
MT	Maltese	3453
mt	Maltese	3453
MY	Burmese	3453
my	Burmese	3453
NA	Nauru	3453
na	Nauru	3453
NB	Bokmal Norwegian; Norwegian Bokmal	3453
nb	Bokmal Norwegian; Norwegian Bokmal	3453
ND	Ndebele; North; North Ndebele	3453
nd	Ndebele; North; North Ndebele	3453
NE	Nepali	3453
ne	Nepali	3453
NG	Ndonga	3453
ng	Ndonga	3453
NL	Dutch; Flemish	3453
nl	Dutch; Flemish	3453
NN	Norwegian Nynorsk; Nynorsk, Norwegian	3453
nn	Norwegian Nynorsk; Nynorsk, Norwegian	3453
NO	Norwegian	3453
no	Norwegian	3453
NR	Ndebele; South; South Ndebele	3453
nr	Ndebele; South; South Ndebele	3453
NV	Navajo; Navaho	3453

Applicable codes

Code	Name/description	Code list
nv	Navajo; Navaho	3453
NY	Chichewa; Chewa; Nyanja	3453
ny	Chichewa; Chewa; Nyanja	3453
OC	Occitan (post 1500)	3453
oc	Occitan (post 1500)	3453
OJ	Ojibwa	3453
oj	Ojibwa	3453
OM	Oromo	3453
om	Oromo	3453
OR	Oriya	3453
or	Oriya	3453
OS	Ossetian; Ossetic	3453
os	Ossetian; Ossetic	3453
PA	Panjabi; Punjabi	3453
pa	Panjabi; Punjabi	3453
PI	Pali	3453
pi	Pali	3453
PL	Polish	3453
pl	Polish	3453
PS	Pushto; Pashto	3453
ps	Pushto; Pashto	3453
PT	Portuguese	3453
pt	Portuguese	3453
QU	Quechua	3453
qu	Quechua	3453
RM	Romansh	3453
rm	Romansh	3453
RN	Rundi	3453
rn	Rundi	3453
RO	Romanian	3453
ro	Romanian	3453
RU	Russian	3453
ru	Russian	3453
RW	Kinyarwanda	3453
rw	Kinyarwanda	3453
SA	Sanskrit	3453
sa	Sanskrit	3453
SC	Sardinian	3453
sc	Sardinian	3453
SD	Sindhi	3453
sd	Sindhi	3453
SE	Northern Sami	3453
se	Northern Sami	3453
SG	Sango	3453
sg	Sango	3453
SH	Serbo-Croatian	3453
sh	Serbo-Croatian	3453
SI	Sinhala; Sinhalese	3453
si	Sinhala; Sinhalese	3453
SK	Slovak	3453
sk	Slovak	3453
SL	Slovenian	3453
sl	Slovenian	3453
SM	Samoa	3453
sm	Samoa	3453

Applicable codes

Code	Name/description	Code list
SN	Shona	3453
sn	Shona	3453
SO	Somali	3453
so	Somali	3453
SQ	Albanian	3453
sq	Albanian	3453
SR	Serbian	3453
sr	Serbian	3453
SS	Swati	3453
ss	Swati	3453
ST	Sotho, Southern	3453
st	Sotho, Southern	3453
SU	Sundanese	3453
su	Sundanese	3453
SV	Swedish	3453
sv	Swedish	3453
SW	Swahili	3453
sw	Swahili	3453
TA	Tamil	3453
ta	Tamil	3453
TE	Telugu	3453
te	Telugu	3453
TG	Tajik	3453
tg	Tajik	3453
TH	Thai	3453
th	Thai	3453
TI	Tigrinya	3453
ti	Tigrinya	3453
TK	Turkmen	3453
tk	Turkmen	3453
TL	Tagalog	3453
tl	Tagalog	3453
TN	Tswana	3453
tn	Tswana	3453
TO	Tonga (Tonga Islands)	3453
to	Tonga (Tonga Islands)	3453
TR	Turkish	3453
tr	Turkish	3453
TS	Tsonga	3453
ts	Tsonga	3453
TT	Tatar	3453
tt	Tatar	3453
TW	Twi	3453
tw	Twi	3453
TY	Tahitian	3453
ty	Tahitian	3453
UG	Uighur; Uyghur	3453
ug	Uighur; Uyghur	3453
UK	Ukrainian	3453
uk	Ukrainian	3453
UR	Urdu	3453
ur	Urdu	3453
UZ	Uzbek	3453
uz	Uzbek	3453
VE	Venda	3453

Applicable codes

Code	Name/description	Code list
ve	Venda	3453
VI	Vietnamese	3453
vi	Vietnamese	3453
VO	Volapük	3453
vo	Volapük	3453
WA	Walloon	3453
wa	Walloon	3453
WO	Wolof	3453
wo	Wolof	3453
XH	Xhosa	3453
xh	Xhosa	3453
YI	Yiddish	3453
yi	Yiddish	3453
YO	Yoruba	3453
yo	Yoruba	3453
ZA	Zhuang; Chuang	3453
za	Zhuang; Chuang	3453
ZH	Chinese	3453
zh	Chinese	3453
ZU	Zulu	3453
zu	Zulu	3453

4183 Special condition code

Code	Name/description	Code list
7	Subject to commission	4183
35	Consigned to	4183
70	Supply for sale 'on approval' or after trial	4183
71	Exchange of goods compensated in kind	4183
72	Sale for export by foreigner travelling in member state concerned	4183
73	Samples	4183
74	Temporary export, loan or hire	4183
75	Temporary export, leasing	4183
76	Temporary export, operation for job processing	4183
77	Temporary export, repair and maintenance against payment	4183
78	Temporary export, repair and maintenance free of charge	4183
79	Reimport following job processing	4183
80	Reimport following repair and maintenance against payment	4183
81	Reimport following repair and maintenance free of charge	4183
82	Supply of goods under joint production contract for defence purposes	4183
83	Supply of goods under joint production contract for civil purposes	4183
84	Supply of goods for warehousing for foreign account	4183
85	Supply of goods as gifts by country of despatch and food aid under European Economic Community regulation	4183
86	Supply of goods for disaster relief equipment	4183
87	Supply of goods as transactions without compensation	4183
88	Supply of goods as returned consignment on which payment has been made	4183
89	Supply of goods as returned consignment on which no payment has been made	4183
90	Supply of goods in standard exchange giving rise to payment	4183
91	Supply of goods in standard exchange not giving rise to payment	4183
92	Supply of goods/services in standard exchange under warranty	4183

4233 Marking instructions code

Code	Name/description	Code list
17	Seller's instructions	4233

4347 Product identifier code qualifier

Applicable codes

Code	Name/description	Code list
1	Additional identification	4347
4441	Free text description code	
Code	Name/description	Code list
-	No restrictions for the transport of dangerous goods	4441
B	Passage forbidden through tunnels of category B, C, D and E	4441
B/D	Passage forbidden through tunnels of category B and C when carried in tanks; Passage forbidden through tunnels of category D and E	4441
B/E	Passage forbidden through tunnels of category B, C and D when carried in tanks; Passage forbidden through tunnels of category E	4441
B1000C	Passage forbidden through tunnels of category B when the total net explosive mass per transport unit is greater than 1000 kg Passage forbidden through tunnels of category C, D and E	4441
C	Passage forbidden through tunnels of category C, D and E	4441
C/D	Passage forbidden through tunnels of category C when carried in tanks; Passage forbidden through tunnels of category D and E	4441
C/E	Passage forbidden through tunnels of category C and D when carried in tanks; Passage forbidden through tunnels of category E	4441
C5000D	Passage forbidden through tunnels of category C when the total net explosive mass per transport unit is greater than 5000 kg; Passage forbidden through tunnels of category D and E	4441
D	Passage forbidden through tunnels of category D and E	4441
D/E	Passage forbidden through tunnels of category D when carried in bulk or in tanks; Passage forbidden through tunnels of category E	4441
E	Passage forbidden through tunnels of category E	4441
4451	Text subject code qualifier	
Code	Name/description	Code list
AAD	Dangerous goods technical name	4451
AAI	General information	4451
HAZ	Hazard information	4451
5025	Monetary amount type code qualifier	
Code	Name/description	Code list
40	Goods item for customs declared value amount	5025
146	Unit price	5025
511	Unit charge amount	5025
6063	Quantity type code qualifier	
Code	Name/description	Code list
12	Despatch quantity	6063
21	Ordered quantity	6063
52	Quantity per pack	6063
171	Maximum stackability	6063
189	Number of packages in handling unit	6063
6311	Measurement purpose code qualifier	
Code	Name/description	Code list
AAE	Measurement	6311
AAX	Consignment measurement	6311
AAY	Package measurement	6311
LMT	Loading meters	6311
PD	Physical dimensions (product ordered)	6311
6313	Measured attribute code	
Code	Name/description	Code list
AAD	Consignment gross weight	6313
AAL	Net weight	6313
ABJ	Volume	6313

Applicable codes

Code	Name/description	Code list
G	Gross weight	6313
HT	Height dimension	6313
LN	Length	6313
WD	Width dimension	6313
6345	Currency identification code	
Code	Name/description	Code list
AED	Dirham	6345
AFN	Afghani	6345
ALL	Lek	6345
AMD	Dram	6345
ANG	Netherlands Antillian Guilder	6345
AOA	Kwanza	6345
ARS	Argentine Peso	6345
AUD	Australian Dollar	6345
AWG	Aruban Florin	6345
AZM	Azerbaijani Manat	6345
AZN	Azerbaijan Manat	6345
BAM	Convertible Mark	6345
BBD	Barbados Dollar	6345
BDT	Taka	6345
BGN	Bulgarian Lev	6345
BHD	Bahraini Dinar	6345
BIF	Burundi Franc	6345
BMD	Bermudian Dollar (customarily: Bermuda Dollar)	6345
BND	Brunei Dollar	6345
BOB	Boliviano	6345
BOV	Mvdol	6345
BRL	Brazilian Real	6345
BSD	Bahamian Dollar	6345
BTN	Ngultrum	6345
BWP	Pula	6345
BYN	Belarussian Ruble	6345
BYR	Belarussian Ruble	6345
BZD	Belize Dollar	6345
CAD	Canadian Dollar	6345
CDF	Franc Congolais	6345
CHE	WIR Euro	6345
CHF	Swiss Franc	6345
CHW	WIR Franc	6345
CLF	Unidad de Fomento	6345
CLP	Chilean Peso	6345
CNY	Yuan Renminbi	6345
COP	Colombian Peso	6345
COU	Unidad de Valor Real	6345
CRC	Costa Rican Colon	6345
CSD	Serbian Dinar	6345
CUC	Peso Convertible	6345
CUP	Cuban Peso	6345
CVE	Cabo Verde Escudo	6345
CYP	Cyprus Pound	6345
CZK	Czech Koruna	6345
DJF	Djibouti Franc	6345
DKK	Danish Krone	6345
DOP	Dominican Peso	6345

Applicable codes

Code	Name/description	Code list
DZD	Algerian Dinar	6345
EEK	Kroon	6345
EGP	Egyptian Pound	6345
ERN	Nakfa	6345
ETB	Ethopian Birr	6345
EUR	Euro	6345
FJD	Fiji Dollar	6345
FKP	Falkland Islands Pound	6345
GBP	Pound Sterling	6345
GEL	Lari	6345
GHC	Cedi	6345
GHS	Ghana Cedi	6345
GIP	Gibraltar Pound	6345
GMD	Dalasi	6345
GNF	Guinean Franc	6345
GTQ	Quetzal	6345
GYD	Guyana Dollar	6345
HKD	Honk Kong Dollar	6345
HNL	Lempira	6345
HRK	Kuna	6345
HTG	Gourde	6345
HUF	Forint	6345
IDR	Rupiah	6345
ILS	New Israeli Sheqel	6345
INR	Indian Rupee	6345
IQD	Iraqi Dinar	6345
IRR	Iranian Rial	6345
ISK	Iceland Krona	6345
JMD	Jamaican Dollar	6345
JOD	Jordanian Dinar	6345
JPY	Yen	6345
KES	Kenyan Shilling	6345
KGS	Som	6345
KHR	Riel	6345
KMF	Comorian Franc	6345
KPW	North Korean Won	6345
KRW	Won	6345
KWD	Kuwaiti Dinar	6345
KYD	Cayman Islands Dollar	6345
KZT	Tenge	6345
LAK	Lao Kip	6345
LBP	Lebanese Pound	6345
LKR	Sri Lanka Rupee	6345
LRD	Liberian Dollar	6345
LSL	Loti	6345
LTL	Lithuanian Litas	6345
LVL	Latvian Lats	6345
LYD	Libyan Dinar	6345
MAD	Moroccan Dirham	6345
MDL	Moldovan Leu	6345
MGA	Ariary	6345
MGF	Malagasy Franc	6345
MKD	Denar	6345
MMK	Kyat	6345
MNT	Tugrik	6345

Applicable codes

Code	Name/description	Code list
MOP	Pataca	6345
MRO	Ouguiya	6345
MRU	Ouguiya	6345
MTL	Maltese Lira	6345
MUR	Mauritius Rupee	6345
MVR	Rufiyaa	6345
MWK	Malawi Kwacha	6345
MXN	Mexican Peso	6345
MXV	Mexican Unidad de Inversion (UDI)	6345
MYR	Malaysian Ringgit	6345
MZM	Metical	6345
MZN	Mozambique Metical	6345
NAD	Namibia Dollar	6345
NGN	Naira	6345
NIO	Cordoba Oro	6345
NOK	Norwegian Krone	6345
NPR	Nepalese Rupee	6345
NZD	New Zealand Dollar	6345
OMR	Rial Omani	6345
PAB	Balboa	6345
PEN	Sol	6345
PGK	Kina	6345
PHP	Philippine Peso	6345
PKR	Pakistan Rupee	6345
PLN	Zloty	6345
PYG	Guarani	6345
QAR	Qatari Rial	6345
ROL	old Romanian Leu	6345
RON	Romanian Leu	6345
RSD	Serbian Dinar	6345
RUB	Russian Ruble	6345
RWF	Rwanda Franc	6345
SAR	Saudi Riyal	6345
SBD	Solomon Islands Dollar	6345
SCR	Seychelles Rupee	6345
SDD	Sudanese Dinar	6345
SDG	Sudanese Pound	6345
SEK	Swedish Krona	6345
SGD	Singapore Dollar	6345
SHP	St. Helena Pound	6345
SIT	Tolar	6345
SKK	Slovak Koruna	6345
SLE	Leone	6345
SLL	Leone	6345
SOS	Somali Shilling	6345
SRD	Suriname Dollar	6345
SRG	Suriname Guilder	6345
SSP	South Sudanese Pound	6345
STD	Dobra	6345
STN	Dobra	6345
SVC	El Salvador Colon	6345
SYF	Syrian Pound	6345
SZL	Lilangeni	6345
THB	Baht	6345
TJS	Somoni	6345

Applicable codes

Code	Name/description	Code list
TMM	Manat	6345
TMT	Turkmenistan New Manat	6345
TND	Tunisian Dinar	6345
TOP	Pa'anga	6345
TRL	Turkish Lira	6345
TRY	Turkish Lira	6345
TTD	Trinidad and Tobago Dollar	6345
TWD	New Taiwan Dollar	6345
TZS	Tanzanian Shilling	6345
UAH	Hryvnia	6345
UGX	Uganda Shilling	6345
USD	US Dollar	6345
USN	US Dollar (Next day)	6345
UYI	Uruguayo Peso en Unidades Indexadas (UI)	6345
UYU	Peso Uruguayo	6345
UYW	Unidad Previsional	6345
UZS	Uzbekistan Sum	6345
VEB	Bolivar	6345
VED	Bolívar Soberano	6345
VEF	Bolívar	6345
VES	Bolívar Soberano	6345
VND	Dong	6345
VUV	Vatu	6345
WST	Tala	6345
XAF	CFA Franc	6345
XAG	Silver	6345
XAU	Gold	6345
XBA	Bond Markets Units European Composite Unit (EURCO)	6345
XBB	European Monetary Unit (E.M.U.-6)	6345
XBC	European Unit of Account 9 (E.U.A.-9)	6345
XBD	European Unit of Account 17 (E.U.A.-17)	6345
XCD	East Carribean Dollar	6345
XDR	SDR	6345
XOF	CFA Franc	6345
XPD	Palladium	6345
XPF	CFP Franc	6345
XPT	Platinum	6345
XSU	Sucre	6345
XTS	Codes specifically reserved for testing purposes	6345
XUA	ADB Unit of Account	6345
XXX	The codes assigned for transactions where no currency is involved	6345
YER	Yemeni Rial	6345
YUM	New Dinar	6345
ZAR	Rand	6345
ZMK	Kwacha	6345
ZMW	Zambian Kwacha	6345
ZWD	Zimbabwe Dollar	6345
ZWL	Zimbabwe Dollar	6345
ZWR	Zimbabwe Dollar	6345
6411	Measurement unit code	
Code	Name/description	Code list
04	small spray	6411
05	lift	6411
06	small spray	6411

Applicable codes

Code	Name/description	Code list
08	heat lot	6411
10	group	6411
11	outfit	6411
13	ration	6411
14	shot	6411
15	stick, military	6411
16	hundred fifteen kg drum	6411
17	hundred lb drum	6411
18	fiftyfive gallon (US) drum	6411
19	tank truck	6411
20	twenty foot container	6411
21	forty foot container	6411
22	decilitre per gram	6411
23	gram per cubic centimetre	6411
24	theoretical pound	6411
25	gram per square centimetre	6411
26	actual ton	6411
27	theoretical ton	6411
28	kilogram per square metre	6411
29	pound per thousand square feet	6411
30	horse power day per air dry metric ton	6411
31	catch weight	6411
32	kilogram per air dry metric ton	6411
33	kilopascal square metre per gram	6411
34	kilopascal per millimetre	6411
35	millilitre per square centimetre second	6411
36	cubic feet per minute per square foot	6411
37	ounce per square foot	6411
38	ounce per square foot per 0,01inch	6411
40	millilitre per second	6411
41	millilitre per minute	6411
43	super bulk bag	6411
44	fivehundred kg bulk bag	6411
45	threehundred kg bulk bag	6411
46	fifty lb bulk bag	6411
47	fifty lb bag	6411
48	bulk car load	6411
53	theoretical kilograms	6411
54	theoretical tonne	6411
56	sitas	6411
57	mesh	6411
58	net kilogram	6411
59	part per million	6411
60	percent weight	6411
61	part per billion (US)	6411
62	percent per 1000 hour	6411
63	failure rate in time	6411
64	pound per square inch, gauge	6411
66	oersted	6411
69	test specific scale	6411
71	volt ampere per pound	6411
72	watt per pound	6411
73	ampere tum per centimetre	6411
74	millipascal	6411
76	gauss	6411

Applicable codes

Code	Name/description	Code list
77	milli-inch	6411
78	kilogauss	6411
80	pound per square inch absolute	6411
81	henry	6411
84	kilopound-force per square inch	6411
85	foot pound-force	6411
87	pound per cubic foot	6411
89	poise	6411
90	Saybold universal second	6411
91	stokes	6411
92	calorie per cubic centimetre	6411
93	calorie per gram	6411
94	curl unit	6411
95	twenty thousand gallon (US) tankcar	6411
96	ten thousand gallon (US) tankcar	6411
97	ten kg drum	6411
98	fifteen kg drum	6411
1A	car mile	6411
1B	car count	6411
1C	locomotive count	6411
1D	caboose count	6411
1E	empty car	6411
1F	train mile	6411
1G	fuel usage gallon (US)	6411
1H	caboose mile	6411
1I	fixed rate	6411
1J	ton mile	6411
1K	locomotive mile	6411
1L	total car count	6411
1M	total car mile	6411
1X	quarter mile	6411
2A	radian per second	6411
2B	radian per second squared	6411
2C	roentgen	6411
2G	volt AC	6411
2H	volt DC	6411
2I	British thermal unit (international table) per hour	6411
2J	cubic centimetre per second	6411
2K	cubic foot per hour	6411
2L	cubic foot per minute	6411
2M	centimetre per second	6411
2N	decibel	6411
2P	kilobyte	6411
2Q	kilobecquerel	6411
2R	kilocurie	6411
2U	megagram	6411
2V	megagram per hour	6411
2W	bin	6411
2X	metre per minute	6411
2Y	milliroentgen	6411
2Z	millivolt	6411
3B	megajoule	6411
3C	manmonth	6411
3E	pound per pound of product	6411
3G	pound per piece of product	6411

Applicable codes

Code	Name/description	Code list
3H	kilogram per kilogram of product	6411
3I	kilogram per piece of product	6411
4A	bobbin	6411
4B	cap	6411
4C	centistokes	6411
4E	twenty pack	6411
4G	microlitre	6411
4H	micrometre (micron)	6411
4K	milliampere	6411
4L	megabyte	6411
4M	milligram per hour	6411
4N	megabecquerel	6411
4O	microfarad	6411
4P	newton per metre	6411
4Q	ounce inch	6411
4R	ounce foot	6411
4T	picofarad	6411
4U	pound per hour	6411
4W	ton (US) per hour	6411
4X	kilolitre per hour	6411
5A	barrel (US) per minute	6411
5B	batch	6411
5C	gallon(US) per thousand	6411
5E	MMSCF/day	6411
5F	pounds per thousand	6411
5G	pump	6411
5H	stage	6411
5I	standard cubic foot	6411
5J	hydraulic horse power	6411
5K	count per minute	6411
5P	seismic level	6411
5Q	seismic line	6411
A1	15 °C calorie	6411
A10	ampere square metre per joule second	6411
A11	angstrom	6411
A12	astronomical unit	6411
A13	attojoule	6411
A14	barn	6411
A15	barn per electronvolt	6411
A16	barn per steradian electronvolt	6411
A17	barn per steradian	6411
A18	becquerel per kilogram	6411
A19	becquerel per cubic metre	6411
A2	ampere per centimetre	6411
A20	British thermal unit (international table) per second square foot degree Rankine	6411
A21	British thermal unit (international table) per pound degree Rankine	6411
A22	British thermal unit (international table) per second foot degree Rankine	6411
A23	British thermal unit (international table) per hour square foot degree Rankine	6411
A24	candela per square metre	6411
A25	cheval vapeur	6411
A26	coulomb metre	6411
A27	coulomb metre squared per volt	6411
A28	coulomb per cubic centimetre	6411
A29	coulomb per cubic metre	6411
A3	ampere per millimetre	6411

Applicable codes

Code	Name/description	Code list
A30	coulomb per cubic millimetre	6411
A31	coulomb per kilogram second	6411
A32	coulomb per mole	6411
A33	coulomb per square centimetre	6411
A34	coulomb per square metre	6411
A35	coulomb per square millimetre	6411
A36	cubic centimetre per mole	6411
A37	cubic decimetre per mole	6411
A38	cubic metre per coulomb	6411
A39	cubic metre per kilogram	6411
A4	ampere per square centimetre	6411
A40	cubic metre per mole	6411
A41	ampere per square metre	6411
A42	curie per kilogram	6411
A43	deadweight tonnage	6411
A44	decalitre	6411
A45	decametre	6411
A47	decitex	6411
A48	degree Rankine	6411
A49	denier	6411
A5	ampere square metre	6411
A50	dyne second per cubic centimetre	6411
A51	dyne second per centimetre	6411
A52	dyne second per centimetre to the fifth power	6411
A53	electronvolt	6411
A54	electronvolt per metre	6411
A55	electronvolt square metre	6411
A56	electronvolt square metre per kilogram	6411
A57	erg	6411
A58	erg per centimetre	6411
A59	8-part cloud cover	6411
A6	ampere per square metre kelvin squared	6411
A60	erg per cubic centimetre	6411
A61	erg per gram	6411
A62	erg per gram second	6411
A63	erg per second	6411
A64	erg per second square centimetre	6411
A65	erg per square centimetre second	6411
A66	erg square centimetre	6411
A67	erg square centimetre per gram	6411
A68	exajoule	6411
A69	farad per metre	6411
A7	ampere per square millimetre	6411
A70	femtojoule	6411
A71	femtometre	6411
A73	foot per second squared	6411
A74	foot pound-force per second	6411
A75	freight ton	6411
A76	gal	6411
A77	Gaussian CGS (Centimetre-Gram-Second system) unit of displacement	6411
A78	Gaussian CGS (Centimetre-Gram-Second system) unit of electric current	6411
A79	Gaussian CGS (Centimetre-Gram-Second system) unit of electric charge	6411
A8	ampere second	6411
A80	Gaussian CGS (Centimetre-Gram-Second system) unit of electric field strength	6411
A81	Gaussian CGS (Centimetre-Gram-Second system) unit of electric polarization	6411

Applicable codes

Code	Name/description	Code list
A82	Gaussian CGS (Centimetre-Gram-Second system) unit of electric potential	6411
A83	Gaussian CGS (Centimetre-Gram-Second system) unit of magnetization	6411
A84	gigacoulomb per cubic metre	6411
A85	gigaelectronvolt	6411
A86	gigahertz	6411
A87	gigaohm	6411
A88	gigaohm metre	6411
A89	gigapascal	6411
A9	rate	6411
A90	gigawatt	6411
A91	gon	6411
A93	gram per cubic metre	6411
A94	gram per mole	6411
A95	gray	6411
A96	gray per second	6411
A97	hectopascal	6411
A98	henry per metre	6411
A99	bit	6411
AA	ball	6411
AB	bulk pack	6411
ACR	acre	6411
ACT	activity	6411
AD	byte	6411
AE	ampere per metre	6411
AH	additional minute	6411
AI	average minute per call	6411
AJ	cop	6411
AK	fathom	6411
AL	access line	6411
AM	ampoule	6411
AMH	ampere hour	6411
AMP	ampere	6411
ANN	year	6411
AP	aluminium pound only	6411
APZ	troy ounce or apothecary ounce	6411
AQ	anti-hemophilic factor (AHF) unit	6411
AR	suppository	6411
ARE	are	6411
AS	assortment	6411
ASM	alcoholic strength by mass	6411
ASU	alcoholic strength by volume	6411
ATM	standard atmosphere	6411
ATT	technical atmosphere	6411
AV	capsule	6411
AW	powder filled vial	6411
AWG	american wire gauge	6411
AY	assembly	6411
AZ	British thermal unit (international table) per pound	6411
B0	Btu per cubic foot	6411
B1	barrel (US) per day	6411
B10	bit per second	6411
B11	joule per kilogram kelvin	6411
B12	joule per metre	6411
B13	joule per square metre	6411
B14	joule per metre to the fourth power	6411

Applicable codes

Code	Name/description	Code list
B15	joule per mole	6411
B16	joule per mole kelvin	6411
B17	credit	6411
B18	joule second	6411
B19	digit	6411
B2	bunk	6411
B20	joule square metre per kilogram	6411
B21	kelvin per watt	6411
B22	kiloampere	6411
B23	kiloampere per square metre	6411
B24	kiloampere per metre	6411
B25	kilobecquerel per kilogram	6411
B26	kilocoulomb	6411
B27	kilocoulomb per cubic metre	6411
B28	kilocoulomb per square metre	6411
B29	kiloelectronvolt	6411
B3	batting pound	6411
B30	gibibit	6411
B31	kilogram metre per second	6411
B32	kilogram metre squared	6411
B33	kilogram metre squared per second	6411
B34	kilogram per cubic decimetre	6411
B35	kilogram per litre	6411
B36	calorie (thermochemical) per gram	6411
B37	kilogram-force	6411
B38	kilogram-force metre	6411
B39	kilogram-force metre per second	6411
B4	barrel, imperial	6411
B40	kilogram-force per square metre	6411
B41	kilojoule per kelvin	6411
B42	kilojoule per kilogram	6411
B43	kilojoule per kilogram kelvin	6411
B44	kilojoule per mole	6411
B45	kilomole	6411
B46	kilomole per cubic metre	6411
B47	kilonewton	6411
B48	kilonewton metre	6411
B49	kiloohm	6411
B5	billet	6411
B50	kiloohm metre	6411
B51	kilopond	6411
B52	kilosecond	6411
B53	kilosiemens	6411
B54	kilosiemens per metre	6411
B55	kilovolt per metre	6411
B56	kiloweber per metre	6411
B57	light year	6411
B58	litre per mole	6411
B59	lumen hour	6411
B6	bun	6411
B60	lumen per square metre	6411
B61	lumen per watt	6411
B62	lumen second	6411
B63	lux hour	6411
B64	lux second	6411

Applicable codes

Code	Name/description	Code list
B65	maxwell	6411
B66	megaampere per square metre	6411
B67	megabecquerel per kilogram	6411
B68	gigabit	6411
B69	megacoulomb per cubic metre	6411
B7	cycle	6411
B70	megacoulomb per square metre	6411
B71	megaelectronvolt	6411
B72	megagram per cubic metre	6411
B73	meganewton	6411
B74	meganewton metre	6411
B75	megaohm	6411
B76	megaohm metre	6411
B77	megasiemens per metre	6411
B78	megavolt	6411
B79	megavolt per metre	6411
B8	joule per cubic metre	6411
B80	gigabit per second	6411
B81	reciprocal metre squared reciprocal second	6411
B82	inch per linear foot	6411
B83	metre to the fourth power	6411
B84	microampere	6411
B85	microbar	6411
B86	microcoulomb	6411
B87	microcoulomb per cubic metre	6411
B88	microcoulomb per square metre	6411
B89	microfarad per metre	6411
B9	batt	6411
B90	microhenry	6411
B91	microhenry per metre	6411
B92	micronewton	6411
B93	micronewton metre	6411
B94	microohm	6411
B95	microohm metre	6411
B96	micropascal	6411
B97	microradian	6411
B98	microsecond	6411
B99	microsiemens	6411
BAR	bar [unit of pressure]	6411
BB	base box	6411
BD	board	6411
BE	bundle	6411
BFT	board foot	6411
BG	bag	6411
BH	brush	6411
BHP	brake horse power	6411
BIL	billion (EUR)	6411
BJ	bucket	6411
BK	basket	6411
BL	bale	6411
BLD	dry barrel (US)	6411
BLL	barrel (US)	6411
BO	bottle	6411
BP	hundred board foot	6411
BPM	beats per minute	6411

Applicable codes

Code	Name/description	Code list
BQL	becquerel	6411
BR	bar [unit of packaging]	6411
BT	bolt	6411
BTU	British thermal unit (international table)	6411
BUA	bushel (US)	6411
BUI	bushel (UK)	6411
BW	base weight	6411
BX	box	6411
BZ	million BTUs	6411
C0	call	6411
C1	composite product pound (total weight)	6411
C10	millifarad	6411
C11	milligal	6411
C12	milligram per metre	6411
C13	milligray	6411
C14	millihenry	6411
C15	millijoule	6411
C16	millimetre per second	6411
C17	millimetre squared per second	6411
C18	millimole	6411
C19	mole per kilogram	6411
C2	carset	6411
C20	millinewton	6411
C21	kibibit	6411
C22	millinewton per metre	6411
C23	milliohm metre	6411
C24	millipascal second	6411
C25	milliradian	6411
C26	millisecond	6411
C27	millisiemens	6411
C28	millisievert	6411
C29	millitesla	6411
C3	microvolt per metre	6411
C30	millivolt per metre	6411
C31	milliwatt	6411
C32	milliwatt per square metre	6411
C33	milliweber	6411
C34	mole	6411
C35	mole per cubic decimetre	6411
C36	mole per cubic metre	6411
C37	kilobit	6411
C38	mole per litre	6411
C39	nanoampere	6411
C4	carload	6411
C40	nanocoulomb	6411
C41	nanofarad	6411
C42	nanofarad per metre	6411
C43	nanohenry	6411
C44	nanohenry per metre	6411
C45	nanometre	6411
C46	nanoohm metre	6411
C47	nanosecond	6411
C48	nanotesla	6411
C49	nanowatt	6411
C5	cost	6411

Applicable codes

Code	Name/description	Code list
C50	neper	6411
C51	neper per second	6411
C52	picometre	6411
C53	newton metre second	6411
C54	newton metre squared per kilogram squared	6411
C55	newton per square metre	6411
C56	newton per square millimetre	6411
C57	newton second	6411
C58	newton second per metre	6411
C59	octave	6411
C6	cell	6411
C60	ohm centimetre	6411
C61	ohm metre	6411
C62	one	6411
C63	parsec	6411
C64	pascal per kelvin	6411
C65	pascal second	6411
C66	pascal second per cubic metre	6411
C67	pascal second per metre	6411
C68	petajoule	6411
C69	phon	6411
C7	centipoise	6411
C70	picoampere	6411
C71	picocoulomb	6411
C72	picofarad per metre	6411
C73	picohenry	6411
C74	kilobit per second	6411
C75	picowatt	6411
C76	picowatt per square metre	6411
C77	pound gage	6411
C78	pound-force	6411
C79	kilovolt ampere hour	6411
C8	millicoulomb per kilogram	6411
C80	rad	6411
C81	radian	6411
C82	radian square metre per mole	6411
C83	radian square metre per kilogram	6411
C84	radian per metre	6411
C85	reciprocal angstrom	6411
C86	reciprocal cubic metre	6411
C87	reciprocal cubic metre per second	6411
C88	reciprocal electron volt per cubic metre	6411
C89	reciprocal henry	6411
C9	coil group	6411
C90	reciprocal joule per cubic metre	6411
C91	reciprocal kelvin or kelvin to the power minus one	6411
C92	reciprocal metre	6411
C93	reciprocal square metre	6411
C94	reciprocal minute	6411
C95	reciprocal mole	6411
C96	reciprocal pascal or pascal to the power minus one	6411
C97	reciprocal second	6411
C98	reciprocal second per cubic metre	6411
C99	reciprocal second per metre squared	6411
CA	can	6411

Applicable codes

Code	Name/description	Code list
CCT	carrying capacity in metric ton	6411
CDL	candela	6411
CEL	degree Celsius	6411
CEN	hundred	6411
CF3	Colony Forming Units per milliliter	6411
CG	card	6411
CGM	centigram	6411
CH	container	6411
CJ	cone	6411
CK	connector	6411
CKG	coulomb per kilogram	6411
CL	coil	6411
CLF	hundred leave	6411
CLT	centilitre	6411
CMK	square centimetre	6411
CMQ	cubic centimetre	6411
CMT	centimetre	6411
CNP	hundred pack	6411
CNT	cental (UK)	6411
CO	carboy	6411
COU	coulomb	6411
CQ	cartridge	6411
CR	crate	6411
CS	case	6411
CT	carton	6411
CTG	content gram	6411
CTM	metric carat	6411
CTN	content ton (metric)	6411
CU	cup	6411
CUR	curie	6411
CV	cover	6411
CWA	hundred pound (cwt) / hundred weight (US)	6411
CWI	hundred weight (UK)	6411
CY	cylinder	6411
CZ	combo	6411
D03	kilowatt hour per hour	6411
D04	lot [unit of weight]	6411
D1	reciprocal second per steradian	6411
D10	siemens per metre	6411
D11	mebibit	6411
D12	siemens square metre per mole	6411
D13	sievert	6411
D14	thousand linear yard	6411
D15	sone	6411
D16	square centimetre per erg	6411
D17	square centimetre per steradian erg	6411
D18	metre kelvin	6411
D19	square metre kelvin per watt	6411
D2	reciprocal second per steradian metre squared	6411
D20	square metre per joule	6411
D21	square metre per kilogram	6411
D22	square metre per mole	6411
D23	pen gram (protein)	6411
D24	square metre per steradian	6411
D25	square metre per steradian joule	6411

Applicable codes

Code	Name/description	Code list
D26	square metre per volt second	6411
D27	steradian	6411
D28	syphon	6411
D29	terahertz	6411
D30	terajoule	6411
D31	terawatt	6411
D32	terawatt hour	6411
D33	tesla	6411
D34	tex	6411
D35	calorie (thermochemical)	6411
D36	megabit	6411
D37	calorie (thermochemical) per gram kelvin	6411
D38	calorie (thermochemical) per second centimetre kelvin	6411
D39	calorie (thermochemical) per second square centimetre kelvin	6411
D40	thousand litre	6411
D41	tonne per cubic metre	6411
D42	tropical year	6411
D43	unified atomic mass unit	6411
D44	var	6411
D45	volt squared per kelvin squared	6411
D46	volt - ampere	6411
D47	volt per centimetre	6411
D48	volt per kelvin	6411
D49	millivolt per kelvin	6411
D5	kilogram per square centimetre	6411
D50	volt per metre	6411
D51	volt per millimetre	6411
D52	watt per kelvin	6411
D53	watt per metre kelvin	6411
D54	watt per square metre	6411
D55	watt per square metre kelvin	6411
D56	watt per square metre kelvin to the fourth power	6411
D57	watt per steradian	6411
D58	watt per steradian square metre	6411
D59	weber per metre	6411
D6	roentgen per second	6411
D60	weber per millimetre	6411
D61	minute [unit of angle]	6411
D62	second [unit of angle]	6411
D63	book	6411
D64	block	6411
D65	round	6411
D66	cassette	6411
D67	dollar per hour	6411
D68	number of words	6411
D69	inch to the fourth power	6411
D7	sandwich	6411
D70	calorie (international table)	6411
D71	calorie (international table) per second centimetre kelvin	6411
D72	calorie (international table) per second square centimetre kelvin	6411
D73	joule square metre	6411
D74	kilogram per mole	6411
D75	calorie (international table) per gram	6411
D76	calorie (international table) per gram kelvin	6411
D77	megacoulomb	6411

Applicable codes

Code	Name/description	Code list
D78	megajoule per second	6411
D79	beam	6411
D8	draize score	6411
D80	microwatt	6411
D81	microtesla	6411
D82	microvolt	6411
D83	millinewton metre	6411
D85	microwatt per square metre	6411
D86	millicoulomb	6411
D87	millimole per kilogram	6411
D88	millicoulomb per cubic metre	6411
D89	millicoulomb per square metre	6411
D9	dyne per square centimetre	6411
D90	cubic metre (net)	6411
D91	rem	6411
D92	band	6411
D93	second per cubic metre	6411
D94	second per cubic metre radian	6411
D95	joule per gram	6411
D96	pound gross	6411
D97	pallet/unit load	6411
D98	mass pound	6411
D99	sleeve	6411
DAA	decare	6411
DAD	ten day	6411
DAY	day	6411
DB	dry pound	6411
DBM	Decibel-milliwatts	6411
DBW	Decibel watt	6411
DC	disk (disc)	6411
DD	degree [unit of angle]	6411
DE	deal	6411
DEC	decade	6411
DG	decigram	6411
DI	dispenser	6411
DJ	decagram	6411
DLT	decilitre	6411
DMA	cubic decametre	6411
DMK	square decimetre	6411
DMO	standard kilolitre	6411
DMQ	cubic decimetre	6411
DMT	decimetre	6411
DN	decinewton metre	6411
DPC	dozen piece	6411
DPR	dozen pair	6411
DPT	displacement tonnage	6411
DQ	data record	6411
DR	drum	6411
DRA	dram (US)	6411
DRI	dram (UK)	6411
DRL	dozen roll	6411
DRM	drachm (UK)	6411
DS	display	6411
DT	dry ton	6411
DTN	decitonne	6411

Applicable codes

Code	Name/description	Code list
DU	dyne	6411
DWT	pennyweight	6411
DX	dyne per centimetre	6411
DY	directory book	6411
DZN	dozen	6411
DZP	dozen pack	6411
E01	newton per square centimetre	6411
E07	megawatt hour per hour	6411
E08	megawatt per hertz	6411
E09	milliampere hour	6411
E10	degree day	6411
E11	gigacalorie	6411
E12	mille	6411
E14	kilocalorie (international table)	6411
E15	kilocalorie (thermochemical) per hour	6411
E16	million Btu(IT) per hour	6411
E17	cubic foot per second	6411
E18	tonne per hour	6411
E19	ping	6411
E2	belt	6411
E20	megabit per second	6411
E21	shares	6411
E22	TEU	6411
E23	tyre	6411
E25	active unit	6411
E27	dose	6411
E28	air dry ton	6411
E3	trailer	6411
E30	strand	6411
E31	square metre per litre	6411
E32	litre per hour	6411
E33	foot per thousand	6411
E34	gigabyte	6411
E35	terabyte	6411
E36	petabyte	6411
E37	pixel	6411
E38	megapixel	6411
E39	dots per inch	6411
E4	gross kilogram	6411
E40	part per hundred thousand	6411
E41	kilogram-force per square millimetre	6411
E42	kilogram-force per square centimetre	6411
E43	joule per square centimetre	6411
E44	kilogram-force metre per square centimetre	6411
E45	milliohm	6411
E46	kilowatt hour per cubic metre	6411
E47	kilowatt hour per kelvin	6411
E48	service unit	6411
E49	working day	6411
E5	metric long ton	6411
E50	accounting unit	6411
E51	job	6411
E52	run foot	6411
E53	test	6411
E54	trip	6411

Applicable codes

Code	Name/description	Code list
E55	use	6411
E56	well	6411
E57	zone	6411
E58	exabit per second	6411
E59	exbibyte	6411
E60	pebibyte	6411
E61	tebibyte	6411
E62	gibibyte	6411
E63	mebibyte	6411
E64	kibibyte	6411
E65	exbibit per metre	6411
E66	exbibit per square metre	6411
E67	exbibit per cubic metre	6411
E68	gigabyte per second	6411
E69	gibibit per metre	6411
E70	gibibit per square metre	6411
E71	gibibit per cubic metre	6411
E72	kibibit per metre	6411
E73	kibibit per square metre	6411
E74	kibibit per cubic metre	6411
E75	mebibit per metre	6411
E76	mebibit per square metre	6411
E77	mebibit per cubic metre	6411
E78	petabit	6411
E79	petabit per second	6411
E80	pebibit per metre	6411
E81	pebibit per square metre	6411
E82	pebibit per cubic metre	6411
E83	terabit	6411
E84	terabit per second	6411
E85	tebibit per metre	6411
E86	tebibit per cubic metre	6411
E87	tebibit per square metre	6411
E88	bit per metre	6411
E89	bit per square metre	6411
E90	reciprocal centimetre	6411
E91	reciprocal day	6411
E92	cubic decimetre per hour	6411
E93	kilogram per hour	6411
E94	kilomole per second	6411
E95	mole per second	6411
E96	degree per second	6411
E97	millimetre per degree Celcius metre	6411
E98	degree Celsius per kelvin	6411
E99	hectopascal per bar	6411
EA	each	6411
EB	electronic mail box	6411
EC	each per month	6411
EP	eleven pack	6411
EQ	equivalent gallon	6411
EV	envelope	6411
F01	bit per cubic metre	6411
F02	kelvin per kelvin	6411
F03	kilopascal per bar	6411
F04	millibar per bar	6411

Applicable codes

Code	Name/description	Code list
F05	megapascal per bar	6411
F06	poise per bar	6411
F07	pascal per bar	6411
F08	milliampere per inch	6411
F1	thousand cubic feet per day	6411
F10	kelvin per hour	6411
F11	kelvin per minute	6411
F12	kelvin per second	6411
F13	slug	6411
F14	gram per kelvin	6411
F15	kilogram per kelvin	6411
F16	milligram per kelvin	6411
F17	pound-force per foot	6411
F18	kilogram square centimetre	6411
F19	kilogram square millimetre	6411
F20	pound inch squared	6411
F21	pound-force inch	6411
F22	pound-force foot per ampere	6411
F23	gram per cubic decimetre	6411
F24	kilogram per kilomol	6411
F25	gram per hertz	6411
F26	gram per day	6411
F27	gram per hour	6411
F28	gram per minute	6411
F29	gram per second	6411
F30	kilogram per day	6411
F31	kilogram per minute	6411
F32	milligram per day	6411
F33	milligram per minute	6411
F34	milligram per second	6411
F35	gram per day kelvin	6411
F36	gram per hour kelvin	6411
F37	gram per minute kelvin	6411
F38	gram per second kelvin	6411
F39	kilogram per day kelvin	6411
F40	kilogram per hour kelvin	6411
F41	kilogram per minute kelvin	6411
F42	kilogram per second kelvin	6411
F43	milligram per day kelvin	6411
F44	milligram per hour kelvin	6411
F45	milligram per minute kelvin	6411
F46	milligram per second kelvin	6411
F47	newton per millimetre	6411
F48	pound-force per inch	6411
F49	rod [unit of distance]	6411
F50	micrometre per kelvin	6411
F51	centimetre per kelvin	6411
F52	metre per kelvin	6411
F53	millimetre per kelvin	6411
F54	milliohm per metre	6411
F55	ohm per mile (statute mile)	6411
F56	ohm per kilometre	6411
F57	milliampere per pound-force per square inch	6411
F58	reciprocal bar	6411
F59	milliampere per bar	6411

Applicable codes

Code	Name/description	Code list
F60	degree Celsius per bar	6411
F61	kelvin per bar	6411
F62	gram per day bar	6411
F63	gram per hour bar	6411
F64	gram per minute bar	6411
F65	gram per second bar	6411
F66	kilogram per day bar	6411
F67	kilogram per hour bar	6411
F68	kilogram per minute bar	6411
F69	kilogram per second bar	6411
F70	milligram per day bar	6411
F71	milligram per hour bar	6411
F72	milligram per minute bar	6411
F73	milligram per second bar	6411
F74	gram per bar	6411
F75	milligram per bar	6411
F76	milliampere per millimetre	6411
F77	pascal second per kelvin	6411
F78	inch of water	6411
F79	inch of mercury	6411
F80	water horse power	6411
F81	bar per kelvin	6411
F82	hectopascal per kelvin	6411
F83	kilopascal per kelvin	6411
F84	millibar per kelvin	6411
F85	megapascal per kelvin	6411
F86	poise per kelvin	6411
F87	volt per litre minute	6411
F88	newton centimetre	6411
F89	newton metre per degree	6411
F9	fibre per cubic centimetre of air	6411
F90	newton metre per ampere	6411
F91	bar litre per second	6411
F92	bar cubic metre per second	6411
F93	hectopascal litre per second	6411
F94	hectopascal cubic metre per second	6411
F95	millibar litre per second	6411
F96	millibar cubic metre per second	6411
F97	megapascal litre per second	6411
F98	megapascal cubic metre per second	6411
F99	pascal litre per second	6411
FAH	degree Fahrenheit	6411
FAR	farad	6411
FB	field	6411
FBM	fibre metre	6411
FC	thousand cubic foot	6411
FD	million particle per cubic foot	6411
FE	track foot	6411
FF	hundred cubic metre	6411
FG	transdermal patch	6411
FH	micromole	6411
FIT	failures in time	6411
FL	flake ton	6411
FM	million cubic feet	6411
FNU	Formazin nephelometric unit	6411

Applicable codes

Code	Name/description	Code list
FOT	foot	6411
FP	pound per square foot	6411
FR	foot per minute	6411
FS	foot per second	6411
FTK	square foot	6411
FTQ	cubic foot	6411
G01	pascal cubic metre per second	6411
G04	centimetre per bar	6411
G05	metre per bar	6411
G06	millimetre per bar	6411
G08	square inch per second	6411
G09	square metre per second kelvin	6411
G10	stokes per kelvin	6411
G11	gram per cubic centimetre bar	6411
G12	gram per cubic decimetre bar	6411
G13	gram per litre bar	6411
G14	gram per cubic metre bar	6411
G15	gram per millilitre bar	6411
G16	kilogram per cubic centimetre bar	6411
G17	kilogram per litre bar	6411
G18	kilogram per cubic metre bar	6411
G19	newton metre per kilogram	6411
G2	US gallon per minute	6411
G20	pound-force foot per pound	6411
G21	cup [unit of volume]	6411
G23	peck	6411
G24	tablespoon (US)	6411
G25	teaspoon (US)	6411
G26	stere	6411
G27	cubic centimetre per kelvin	6411
G28	litre per kelvin	6411
G29	cubic metre per kelvin	6411
G3	Imperial gallon per minute	6411
G30	millilitre per kelvin	6411
G31	kilogram per cubic centimetre	6411
G32	ounce (avoirdupois) per cubic yard	6411
G33	gram per cubic centimetre kelvin	6411
G34	gram per cubic decimetre kelvin	6411
G35	gram per litre kelvin	6411
G36	gram per cubic metre kelvin	6411
G37	gram per millilitre kelvin	6411
G38	kilogram per cubic centimetre kelvin	6411
G39	kilogram per litre kelvin	6411
G40	kilogram per cubic metre kelvin	6411
G41	square metre per second bar	6411
G42	microsiemens per centimetre	6411
G43	microsiemens per metre	6411
G44	nanosiemens per centimetre	6411
G45	nanosiemens per metre	6411
G46	stokes per bar	6411
G47	cubic centimetre per day	6411
G48	cubic centimetre per hour	6411
G49	cubic centimetre per minute	6411
G50	gallon (US) per hour	6411
G51	litre per second	6411

Applicable codes

Code	Name/description	Code list
G52	cubic metre per day	6411
G53	cubic metre per minute	6411
G54	millilitre per day	6411
G55	millilitre per hour	6411
G56	cubic inch per hour	6411
G57	cubic inch per minute	6411
G58	cubic inch per second	6411
G59	milliampere per litre minute	6411
G60	volt per bar	6411
G61	cubic centimetre per day kelvin	6411
G62	cubic centimetre per hour kelvin	6411
G63	cubic centimetre per minute kelvin	6411
G64	cubic centimetre per second kelvin	6411
G65	litre per day kelvin	6411
G66	litre per hour kelvin	6411
G67	litre per minute kelvin	6411
G68	litre per second kelvin	6411
G69	cubic metre per day kelvin	6411
G7	microfiche sheet	6411
G70	cubic metre per hour kelvin	6411
G71	cubic metre per minute kelvin	6411
G72	cubic metre per second kelvin	6411
G73	millilitre per day kelvin	6411
G74	millilitre per hour kelvin	6411
G75	millilitre per minute kelvin	6411
G76	millilitre per second kelvin	6411
G77	millimetre to the fourth power	6411
G78	cubic centimetre per day bar	6411
G79	cubic centimetre per hour bar	6411
G80	cubic centimetre per minute bar	6411
G81	cubic centimetre per second bar	6411
G82	litre per day bar	6411
G83	litre per hour bar	6411
G84	litre per minute bar	6411
G85	litre per second bar	6411
G86	cubic metre per day bar	6411
G87	cubic metre per hour bar	6411
G88	cubic metre per minute bar	6411
G89	cubic metre per second bar	6411
G90	millilitre per day bar	6411
G91	millilitre per hour bar	6411
G92	millilitre per minute bar	6411
G93	millilitre per second bar	6411
G94	cubic centimetre per bar	6411
G95	litre per bar	6411
G96	cubic metre per bar	6411
G97	millilitre per bar	6411
G98	microhenry per kilohm	6411
G99	microhenry per ohm	6411
GB	gallon (US) per day	6411
GBQ	gigabecquerel	6411
GC	gram per 100 gram	6411
GD	gross barrel	6411
GDW	gram, dry weight	6411
GE	pound per gallon (US)	6411

Applicable codes

Code	Name/description	Code list
GF	gram per metre (gram per 100 centimetres)	6411
GFI	gram of fissile isotope	6411
GGR	great gross	6411
GH	half gallon (US)	6411
GIA	gill (US)	6411
GIC	gram, including container	6411
GII	gill (UK)	6411
GIP	gram, including inner packaging	6411
GJ	gram per millilitre	6411
GK	gram per kilogram	6411
GL	gram per litre	6411
GLD	dry gallon (US)	6411
GLI	gallon (UK)	6411
GLL	gallon (US)	6411
GM	gram per square metre	6411
GN	gross gallon	6411
GO	milligram per square metre	6411
GP	milligram per cubic metre	6411
GQ	microgram per cubic metre	6411
GRM	gram	6411
GRN	grain	6411
GRO	gross	6411
GRT	gross register ton	6411
GT	gross ton	6411
GV	gigajoule	6411
GW	gallon per thousand cubic feet	6411
GWH	gigawatt hour	6411
GY	gross yard	6411
GZ	gage system	6411
H03	henry per kiloohm	6411
H04	henry per ohm	6411
H05	millihenry per kiloohm	6411
H06	millihenry per ohm	6411
H07	pascal second per bar	6411
H08	microbecquerel	6411
H09	reciprocal year	6411
H1	half page – electronic	6411
H10	reciprocal hour	6411
H11	reciprocal month	6411
H12	degree Celsius per hour	6411
H13	degree Celsius per minute	6411
H14	degree Celsius per second	6411
H15	square centimetre per gram	6411
H16	square decametre	6411
H18	square hectometre	6411
H19	cubic hectometre	6411
H2	half litre	6411
H20	cubic kilometre	6411
H21	blank	6411
H22	volt square inch per pound-force	6411
H23	volt per inch	6411
H24	volt per microsecond	6411
H25	percent per kelvin	6411
H26	ohm per metre	6411
H27	degree per metre	6411

Applicable codes

Code	Name/description	Code list
H28	microfarad per kilometre	6411
H29	microgram per litre	6411
H30	square micrometre (square micron)	6411
H31	ampere per kilogram	6411
H32	ampere squared second	6411
H33	farad per kilometre	6411
H34	hertz metre	6411
H35	kelvin metre per watt	6411
H36	megaohm per kilometre	6411
H37	megaohm per metre	6411
H38	megaampere	6411
H39	megahertz kilometre	6411
H40	newton per ampere	6411
H41	newton metre watt to the power minus 0,5	6411
H42	pascal per metre	6411
H43	siemens per centimetre	6411
H44	teraohm	6411
H45	volt second per metre	6411
H46	volt per second	6411
H47	watt per cubic metre	6411
H48	attofarad	6411
H49	centimetre per hour	6411
H50	reciprocal cubic centimetre	6411
H51	decibel per kilometre	6411
H52	decibel per metre	6411
H53	kilogram per bar	6411
H54	kilogram per cubic decimetre kelvin	6411
H55	kilogram per cubic decimetre bar	6411
H56	kilogram per square metre second	6411
H57	inch per two pi radiant	6411
H58	metre per volt second	6411
H59	square metre per newton	6411
H60	cubic metre per cubic metre	6411
H61	millisiemens per centimetre	6411
H62	millivolt per minute	6411
H63	milligram per square centimetre	6411
H64	milligram per gram	6411
H65	millilitre per cubic metre	6411
H66	millimetre per year	6411
H67	millimetre per hour	6411
H68	millimole per gram	6411
H69	picopascal per kilometre	6411
H70	picosecond	6411
H71	percent per month	6411
H72	percent per hectobar	6411
H73	percent per decakelvin	6411
H74	watt per metre	6411
H75	decapascal	6411
H76	gram per millimetre	6411
H77	module width	6411
H78	conventional centimetre of water	6411
H79	Charrière	6411
H80	rack unit	6411
H81	millimetre per minute	6411
H82	big point	6411

Applicable codes

Code	Name/description	Code list
H83	litre per kilogram	6411
H84	gram millimetre	6411
H85	reciprocal week	6411
H87	piece	6411
H88	megaohm kilometre	6411
H89	percent per ohm	6411
H90	percent per degree	6411
H91	percent per ten thousand	6411
H92	percent per one hundred thousand	6411
H93	percent per hundred	6411
H94	percent per thousand	6411
H95	percent per volt	6411
H96	percent per bar	6411
H98	percent per inch	6411
H99	percent per metre	6411
HA	hank	6411
HAD	Piece Day	6411
HAR	hectare	6411
HBA	hectobar	6411
HBX	hundred boxes	6411
HC	hundred count	6411
HD	half dozen	6411
HDW	hundred kilogram, dry weight	6411
HE	hundredth of a carat	6411
HEA	head	6411
HF	hundred feet	6411
HGM	hectogram	6411
HH	hundred cubic foot	6411
HI	hundred sheet	6411
HIU	hundred international unit	6411
HJ	metric horse power	6411
HK	hundred kilogram	6411
HKM	hundred kilogram, net mass	6411
HL	hundred feet (linear)	6411
HLT	hectolitre	6411
HM	mile per hour (statute mile)	6411
HMO	Piece Month	6411
HMQ	million cubic metre	6411
HMT	hectometre	6411
HN	conventional millimetre of mercury	6411
HO	hundred troy ounce	6411
HP	conventional millimetre of water	6411
HPA	hectolitre of pure alcohol	6411
HS	hundred square feet	6411
HT	half hour	6411
HTZ	hertz	6411
HUR	hour	6411
HWE	Piece Week	6411
HY	hundred yard	6411
IA	inch pound (pound inch)	6411
IC	count per inch	6411
IE	person	6411
IF	inches of water	6411
II	column inch	6411
IL	inch per minute	6411

Applicable codes

Code	Name/description	Code list
IM	impression	6411
INH	inch	6411
INK	square inch	6411
INQ	cubic inch	6411
IP	insurance policy	6411
ISD	international sugar degree	6411
IT	count per centimetre	6411
IU	inch per second	6411
IV	inch per second squared	6411
J10	percent per millimetre	6411
J12	per mille per psi	6411
J13	degree API	6411
J14	degree Baume (origin scale)	6411
J15	degree Baume (US heavy)	6411
J16	degree Baume (US light)	6411
J17	degree Balling	6411
J18	degree Brix	6411
J19	degree Fahrenheit hour square foot per British thermal unit (thermochemical)	6411
J2	joule per kilogram	6411
J20	degree Fahrenheit per kelvin	6411
J21	degree Fahrenheit per bar	6411
J22	degree Fahrenheit hour square foot per British thermal unit (international table)	6411
J23	degree Fahrenheit per hour	6411
J24	degree Fahrenheit per minute	6411
J25	degree Fahrenheit per second	6411
J26	reciprocal degree Fahrenheit	6411
J27	degree Oechsle	6411
J28	degree Rankine per hour	6411
J29	degree Rankine per minute	6411
J30	degree Rankine per second	6411
J31	degree Twaddell	6411
J32	micropoise	6411
J33	microgram per kilogram	6411
J34	microgram per cubic metre kelvin	6411
J35	microgram per cubic metre bar	6411
J36	microlitre per litre	6411
J38	baud	6411
J39	British thermal unit (mean)	6411
J40	British thermal unit (international table) foot per hour square foot degree Fahrenheit	6411
J41	British thermal unit (international table) inch per hour square foot degree Fahrenheit	6411
J42	British thermal unit (international table) inch per second square foot degree Fahrenheit	6411
J43	British thermal unit (international table) per pound degree Fahrenheit	6411
J44	British thermal unit (international table) per minute	6411
J45	British thermal unit (international table) per second	6411
J46	British thermal unit (thermochemical) foot per hour square foot degree Fahrenheit	6411
J47	British thermal unit (thermochemical) per hour	6411
J48	British thermal unit (thermochemical) inch per hour square foot degree Fahrenheit	6411
J49	British thermal unit (thermochemical) inch per second square foot degree Fahrenheit	6411
J50	British thermal unit (thermochemical) per pound degree Fahrenheit	6411
J51	British thermal unit (thermochemical) per minute	6411
J52	British thermal unit (thermochemical) per second	6411
J53	coulomb square metre per kilogram	6411
J54	megabaud	6411
J55	watt second	6411
J56	bar per bar	6411

Applicable codes

Code	Name/description	Code list
J57	barrel (UK petroleum)	6411
J58	barrel (UK petroleum) per minute	6411
J59	barrel (UK petroleum) per day	6411
J60	barrel (UK petroleum) per hour	6411
J61	barrel (UK petroleum) per second	6411
J62	barrel (US petroleum) per hour	6411
J63	barrel (US petroleum) per second	6411
J64	bushel (UK) per day	6411
J65	bushel (UK) per hour	6411
J66	bushel (UK) per minute	6411
J67	bushel (UK) per second	6411
J68	bushel (US dry) per day	6411
J69	bushel (US dry) per hour	6411
J70	bushel (US dry) per minute	6411
J71	bushel (US dry) per second	6411
J72	centinewton metre	6411
J73	centipoise per kelvin	6411
J74	centipoise per bar	6411
J75	calorie (mean)	6411
J76	calorie (international table) per gram degree Celsius	6411
J78	calorie (thermochemical) per centimetre second degree Celsius	6411
J79	calorie (thermochemical) per gram degree Celsius	6411
J81	calorie (thermochemical) per minute	6411
J82	calorie (thermochemical) per second	6411
J83	clo	6411
J84	centimetre per second kelvin	6411
J85	centimetre per second bar	6411
J87	cubic centimetre per cubic metre	6411
J89	centimetre of mercury	6411
J90	cubic decimetre per day	6411
J91	cubic decimetre per cubic metre	6411
J92	cubic decimetre per minute	6411
J93	cubic decimetre per second	6411
J94	dyne centimetre	6411
J95	ounce (UK fluid) per day	6411
J96	ounce (UK fluid) per hour	6411
J97	ounce (UK fluid) per minute	6411
J98	ounce (UK fluid) per second	6411
J99	ounce (US fluid) per day	6411
JB	jumbo	6411
JE	joule per kelvin	6411
JG	jug	6411
JK	megajoule per kilogram	6411
JM	megajoule per cubic metre	6411
JNT	pipeline joint	6411
JO	joint	6411
JOU	joule	6411
JPS	hundred metre	6411
JR	jar	6411
JWL	number of jewels	6411
K1	kilowatt demand	6411
K10	ounce (US fluid) per hour	6411
K11	ounce (US fluid) per minute	6411
K12	ounce (US fluid) per second	6411
K13	foot per degree Fahrenheit	6411

Applicable codes

Code	Name/description	Code list
K14	foot per hour	6411
K15	foot pound-force per hour	6411
K16	foot pound-force per minute	6411
K17	foot per psi	6411
K18	foot per second degree Fahrenheit	6411
K19	foot per second psi	6411
K2	kilovolt ampere reactive demand	6411
K20	reciprocal cubic foot	6411
K21	cubic foot per degree Fahrenheit	6411
K22	cubic foot per day	6411
K23	cubic foot per psi	6411
K24	foot of water	6411
K25	foot of mercury	6411
K26	gallon (UK) per day	6411
K27	gallon (UK) per hour	6411
K28	gallon (UK) per second	6411
K3	kilovolt ampere reactive hour	6411
K30	gallon (US liquid) per second	6411
K31	gram-force per square centimetre	6411
K32	gill (UK) per day	6411
K33	gill (UK) per hour	6411
K34	gill (UK) per minute	6411
K35	gill (UK) per second	6411
K36	gill (US) per day	6411
K37	gill (US) per hour	6411
K38	gill (US) per minute	6411
K39	gill (US) per second	6411
K40	standard acceleration of free fall	6411
K41	grain per gallon (US)	6411
K42	horsepower (boiler)	6411
K43	horsepower (electric)	6411
K45	inch per degree Fahrenheit	6411
K46	inch per psi	6411
K47	inch per second degree Fahrenheit	6411
K48	inch per second psi	6411
K49	reciprocal cubic inch	6411
K5	kilovolt ampere (reactive)	6411
K50	kilobaud	6411
K51	kilocalorie (mean)	6411
K52	kilocalorie (international table) per hour metre degree Celsius	6411
K53	kilocalorie (thermochemical)	6411
K54	kilocalorie (thermochemical) per minute	6411
K55	kilocalorie (thermochemical) per second	6411
K58	kilomole per hour	6411
K59	kilomole per cubic metre kelvin	6411
K6	kilolitre	6411
K60	kilomole per cubic metre bar	6411
K61	kilomole per minute	6411
K62	litre per litre	6411
K63	reciprocal litre	6411
K64	pound (avoirdupois) per degree Fahrenheit	6411
K65	pound (avoirdupois) square foot	6411
K66	pound (avoirdupois) per day	6411
K67	pound per foot hour	6411
K68	pound per foot second	6411

Applicable codes

Code	Name/description	Code list
K69	pound (avoirdupois) per cubic foot degree Fahrenheit	6411
K70	pound (avoirdupois) per cubic foot psi	6411
K71	pound (avoirdupois) per gallon (UK)	6411
K73	pound (avoirdupois) per hour degree Fahrenheit	6411
K74	pound (avoirdupois) per hour psi	6411
K75	pound (avoirdupois) per cubic inch degree Fahrenheit	6411
K76	pound (avoirdupois) per cubic inch psi	6411
K77	pound (avoirdupois) per psi	6411
K78	pound (avoirdupois) per minute	6411
K79	pound (avoirdupois) per minute degree Fahrenheit	6411
K80	pound (avoirdupois) per minute psi	6411
K81	pound (avoirdupois) per second	6411
K82	pound (avoirdupois) per second degree Fahrenheit	6411
K83	pound (avoirdupois) per second psi	6411
K84	pound per cubic yard	6411
K85	pound-force per square foot	6411
K86	pound-force per square inch degree Fahrenheit	6411
K87	psi cubic inch per second	6411
K88	psi litre per second	6411
K89	psi cubic metre per second	6411
K90	psi cubic yard per second	6411
K91	pound-force second per square foot	6411
K92	pound-force second per square inch	6411
K93	reciprocal psi	6411
K94	quart (UK liquid) per day	6411
K95	quart (UK liquid) per hour	6411
K96	quart (UK liquid) per minute	6411
K97	quart (UK liquid) per second	6411
K98	quart (US liquid) per day	6411
K99	quart (US liquid) per hour	6411
KA	cake	6411
KAT	katal	6411
KB	kilocharacter	6411
KBA	kilobar	6411
KCC	kilogram of choline chloride	6411
KD	kilogram decimal	6411
KDW	kilogram drained net weight	6411
KEL	kelvin	6411
KF	kilopacket	6411
KG	keg	6411
KGM	kilogram	6411
KGS	kilogram per second	6411
KHY	kilogram of hydrogen peroxide	6411
KHZ	kilohertz	6411
KI	kilogram per millimetre width	6411
KIC	kilogram, including container	6411
KIP	kilogram, including inner packaging	6411
KJ	kilosegment	6411
KJO	kilojoule	6411
KL	kilogram per metre	6411
KLK	lactic dry material percentage	6411
KLX	kilolux	6411
KMA	kilogram of methylamine	6411
KMH	kilometre per hour	6411
KMK	square kilometre	6411

Applicable codes

Code	Name/description	Code list
KMQ	kilogram per cubic metre	6411
KMT	kilometre	6411
KNI	kilogram of nitrogen	6411
KNM	kilonewton per square metre	6411
KNS	kilogram named substance	6411
KNT	knot	6411
KO	milliequivalence caustic potash per gram of product	6411
KPA	kilopascal	6411
KPH	kilogram of potassium hydroxide (caustic potash)	6411
KPO	kilogram of potassium oxide	6411
KPP	kilogram of phosphorus pentoxide (phosphoric anhydride)	6411
KR	kiloroentgen	6411
KS	thousand pound per square inch	6411
KSD	kilogram of substance 90 % dry	6411
KSH	kilogram of sodium hydroxide (caustic soda)	6411
KT	kit	6411
KTM	kilometre	6411
KTN	kilotonne	6411
KUR	kilogram of uranium	6411
KVA	kilovolt - ampere	6411
KVR	kilovar	6411
KVT	kilovolt	6411
KW	kilogram per millimetre	6411
KWH	kilowatt hour	6411
KWN	Kilowatt hour per normalized cubic metre	6411
KWO	kilogram of tungsten trioxide	6411
KWS	Kilowatt hour per standard cubic metre	6411
KWT	kilowatt	6411
KWY	kilowatt year	6411
KX	millilitre per kilogram	6411
L10	quart (US liquid) per minute	6411
L11	quart (US liquid) per second	6411
L12	metre per second kelvin	6411
L13	metre per second bar	6411
L14	square metre hour degree Celsius per kilocalorie (international table)	6411
L15	millipascal second per kelvin	6411
L16	millipascal second per bar	6411
L17	milligram per cubic metre kelvin	6411
L18	milligram per cubic metre bar	6411
L19	millilitre per litre	6411
L2	litre per minute	6411
L20	reciprocal cubic millimetre	6411
L21	cubic millimetre per cubic metre	6411
L23	mole per hour	6411
L24	mole per kilogram kelvin	6411
L25	mole per kilogram bar	6411
L26	mole per litre kelvin	6411
L27	mole per litre bar	6411
L28	mole per cubic metre kelvin	6411
L29	mole per cubic metre bar	6411
L30	mole per minute	6411
L31	milliroentgen equivalent men	6411
L32	nanogram per kilogram	6411
L33	ounce (avoirdupois) per day	6411
L34	ounce (avoirdupois) per hour	6411

Applicable codes

Code	Name/description	Code list
L35	ounce (avoirdupois) per minute	6411
L36	ounce (avoirdupois) per second	6411
L37	ounce (avoirdupois) per gallon (UK)	6411
L38	ounce (avoirdupois) per gallon (US)	6411
L39	ounce (avoirdupois) per cubic inch	6411
L40	ounce (avoirdupois)-force	6411
L41	ounce (avoirdupois)-force inch	6411
L42	picosiemens per metre	6411
L43	peck (UK)	6411
L44	peck (UK) per day	6411
L45	peck (UK) per hour	6411
L46	peck (UK) per minute	6411
L47	peck (UK) per second	6411
L48	peck (US dry) per day	6411
L49	peck (US dry) per hour	6411
L50	peck (US dry) per minute	6411
L51	peck (US dry) per second	6411
L52	psi per psi	6411
L53	pint (UK) per day	6411
L54	pint (UK) per hour	6411
L55	pint (UK) per minute	6411
L56	pint (UK) per second	6411
L57	pint (US liquid) per day	6411
L58	pint (US liquid) per hour	6411
L59	pint (US liquid) per minute	6411
L60	pint (US liquid) per second	6411
L61	pint (US dry)	6411
L62	quart (US dry)	6411
L63	slug per day	6411
L64	slug per foot second	6411
L65	slug per cubic foot	6411
L66	slug per hour	6411
L67	slug per minute	6411
L68	slug per second	6411
L69	tonne per kelvin	6411
L70	tonne per bar	6411
L71	tonne per day	6411
L72	tonne per day kelvin	6411
L73	tonne per day bar	6411
L74	tonne per hour kelvin	6411
L75	tonne per hour bar	6411
L76	tonne per cubic metre kelvin	6411
L77	tonne per cubic metre bar	6411
L78	tonne per minute	6411
L79	tonne per minute kelvin	6411
L80	tonne per minute bar	6411
L81	tonne per second	6411
L82	tonne per second kelvin	6411
L83	tonne per second bar	6411
L84	ton (UK shipping)	6411
L85	ton long per day	6411
L86	ton (US shipping)	6411
L87	ton short per degree Fahrenheit	6411
L88	ton short per day	6411
L89	ton short per hour degree Fahrenheit	6411

Applicable codes

Code	Name/description	Code list
L90	ton short per hour psi	6411
L91	ton short per psi	6411
L92	ton (UK long) per cubic yard	6411
L93	ton (US short) per cubic yard	6411
L94	ton-force (US short)	6411
L95	common year	6411
L96	sidereal year	6411
L98	yard per degree Fahrenheit	6411
L99	yard per psi	6411
LA	pound per cubic inch	6411
LAC	lactose excess percentage	6411
LBR	pound	6411
LBT	troy pound (US)	6411
LC	linear centimetre	6411
LD	litre per day	6411
LE	lite	6411
LEF	leaf	6411
LF	linear foot	6411
LH	labour hour	6411
LI	linear inch	6411
LJ	large spray	6411
LK	link	6411
LM	linear metre	6411
LN	length	6411
LO	lot [unit of procurement]	6411
LP	liquid pound	6411
LPA	litre of pure alcohol	6411
LR	layer	6411
LS	lump sum	6411
LTN	ton (UK) or long ton (US)	6411
LTR	litre	6411
LUB	metric ton, lubricating oil	6411
LUM	lumen	6411
LUX	lux	6411
LX	linear yard per pound	6411
LY	linear yard	6411
M0	magnetic tape	6411
M1	milligram per litre	6411
M10	reciprocal cubic yard	6411
M11	cubic yard per degree Fahrenheit	6411
M12	cubic yard per day	6411
M13	cubic yard per hour	6411
M14	cubic yard per psi	6411
M15	cubic yard per minute	6411
M16	cubic yard per second	6411
M17	kilohertz metre	6411
M18	gigahertz metre	6411
M19	Beaufort	6411
M20	reciprocal megakelvin or megakelvin to the power minus one	6411
M21	reciprocal kilovolt - ampere reciprocal hour	6411
M22	millilitre per square centimetre minute	6411
M23	newton per centimetre	6411
M24	ohm kilometre	6411
M25	percent per degree Celsius	6411
M26	gigaohm per metre	6411

Applicable codes

Code	Name/description	Code list
M27	megahertz metre	6411
M29	kilogram per kilogram	6411
M30	reciprocal volt - ampere reciprocal second	6411
M31	kilogram per kilometre	6411
M32	pascal second per litre	6411
M33	millimole per litre	6411
M34	newton metre per square metre	6411
M35	millivolt - ampere	6411
M36	30-day month	6411
M37	actual/360	6411
M38	kilometre per second squared	6411
M39	centimetre per second squared	6411
M4	monetary value	6411
M40	yard per second squared	6411
M41	millimetre per second squared	6411
M42	mile (statute mile) per second squared	6411
M43	mil	6411
M44	revolution	6411
M45	degree [unit of angle] per second squared	6411
M46	revolution per minute	6411
M47	circular mil	6411
M48	square mile (based on U.S. survey foot)	6411
M49	chain (based on U.S. survey foot)	6411
M5	microcurie	6411
M50	furlong	6411
M51	foot (U.S. survey)	6411
M52	mile (based on U.S. survey foot)	6411
M53	metre per pascal	6411
M55	metre per radiant	6411
M56	shake	6411
M57	mile per minute	6411
M58	mile per second	6411
M59	metre per second pascal	6411
M60	metre per hour	6411
M61	inch per year	6411
M62	kilometre per second	6411
M63	inch per minute	6411
M64	yard per second	6411
M65	yard per minute	6411
M66	yard per hour	6411
M67	acre-foot (based on U.S. survey foot)	6411
M68	cord (128 ft ³)	6411
M69	cubic mile (UK statute)	6411
M7	micro-inch	6411
M70	ton, register	6411
M71	cubic metre per pascal	6411
M72	bel	6411
M73	kilogram per cubic metre pascal	6411
M74	kilogram per pascal	6411
M75	kilopound-force	6411
M76	poundal	6411
M77	kilogram metre per second squared	6411
M78	pond	6411
M79	square foot per hour	6411
M80	stokes per pascal	6411

Applicable codes

Code	Name/description	Code list
M81	square centimetre per second	6411
M82	square metre per second pascal	6411
M83	denier	6411
M84	pound per yard	6411
M85	ton, assay	6411
M86	pfund	6411
M87	kilogram per second pascal	6411
M88	tonne per month	6411
M89	tonne per year	6411
M9	million Btu per 1000 cubic foot	6411
M90	kilopound per hour	6411
M91	pound per pound	6411
M92	pound-force foot	6411
M93	newton metre per radian	6411
M94	kilogram metre	6411
M95	poundal foot	6411
M96	poundal inch	6411
M97	dyne metre	6411
M98	kilogram centimetre per second	6411
M99	gram centimetre per second	6411
MA	machine per unit	6411
MAH	megavolt ampere reactive hour	6411
MAL	megalitre	6411
MAM	megametre	6411
MAR	megavar	6411
MAW	megawatt	6411
MBE	thousand standard brick equivalent	6411
MBF	thousand board foot	6411
MBR	millibar	6411
MC	microgram	6411
MCU	millicurie	6411
MD	air dry metric ton	6411
MF	milligram per square foot per side	6411
MGM	milligram	6411
MHZ	megahertz	6411
MIK	square mile (statute mile)	6411
MIL	thousand	6411
MIN	minute [unit of time]	6411
MIO	million	6411
MIU	million international unit	6411
MK	milligram per square inch	6411
MKD	Square Metre Day	6411
MKM	Square Metre Month	6411
MKW	Square Metre Week	6411
MLD	milliard	6411
MLT	millilitre	6411
MMK	square millimetre	6411
MMQ	cubic millimetre	6411
MMT	millimetre	6411
MND	kilogram, dry weight	6411
MNJ	Mega Joule per Normalised cubic Metre	6411
MON	month	6411
MPA	megapascal	6411
MQ	thousand metre	6411
MQD	Cubic Metre Day	6411

Applicable codes

Code	Name/description	Code list
MQH	cubic metre per hour	6411
MQM	Cubic Metre Month	6411
MQS	cubic metre per second	6411
MQW	Cubic Metre Week	6411
MRD	Metre Day	6411
MRM	Metre Month	6411
MRW	Metre Week	6411
MSK	metre per second squared	6411
MT	mat	6411
MTK	square metre	6411
MTQ	cubic metre	6411
MTR	metre	6411
MTS	metre per second	6411
MTZ	milihertz	6411
MV	number of mulds	6411
MVA	megavolt - ampere	6411
MWH	megawatt hour (1000 kW.h)	6411
N1	pen calorie	6411
N10	pound foot per second	6411
N11	pound inch per second	6411
N12	Pferdestaerke	6411
N13	centimetre of mercury (0 °C)	6411
N14	centimetre of water (4 °C)	6411
N15	foot of water (39.2 °F)	6411
N16	inch of mercury (32 °F)	6411
N17	inch of mercury (60 °F)	6411
N18	inch of water (39.2 °F)	6411
N19	inch of water (60 °F)	6411
N2	number of lines	6411
N20	kip per square inch	6411
N21	poundal per square foot	6411
N22	ounce (avoirdupois) per square inch	6411
N23	conventional metre of water	6411
N24	gram per square millimetre	6411
N25	pound per square yard	6411
N26	poundal per square inch	6411
N27	foot to the fourth power	6411
N28	cubic decimetre per kilogram	6411
N29	cubic foot per pound	6411
N3	print point	6411
N30	cubic inch per pound	6411
N31	kilonewton per metre	6411
N32	poundal per inch	6411
N33	pound-force per yard	6411
N34	poundal second per square foot	6411
N35	poise per pascal	6411
N36	newton second per square metre	6411
N37	kilogram per metre second	6411
N38	kilogram per metre minute	6411
N39	kilogram per metre day	6411
N40	kilogram per metre hour	6411
N41	gram per centimetre second	6411
N42	poundal second per square inch	6411
N43	pound per foot minute	6411
N44	pound per foot day	6411

Applicable codes

Code	Name/description	Code list
N45	cubic metre per second pascal	6411
N46	foot poundal	6411
N47	inch poundal	6411
N48	watt per square centimetre	6411
N49	watt per square inch	6411
N50	British thermal unit (international table) per square foot hour	6411
N51	British thermal unit (thermochemical) per square foot hour	6411
N52	British thermal unit (thermochemical) per square foot minute	6411
N53	British thermal unit (international table) per square foot second	6411
N54	British thermal unit (thermochemical) per square foot second	6411
N55	British thermal unit (international table) per square inch second	6411
N56	calorie (thermochemical) per square centimetre minute	6411
N57	calorie (thermochemical) per square centimetre second	6411
N58	British thermal unit (international table) per cubic foot	6411
N59	British thermal unit (thermochemical) per cubic foot	6411
N60	British thermal unit (international table) per degree Fahrenheit	6411
N61	British thermal unit (thermochemical) per degree Fahrenheit	6411
N62	British thermal unit (international table) per degree Rankine	6411
N63	British thermal unit (thermochemical) per degree Rankine	6411
N64	British thermal unit (thermochemical) per pound degree Rankine	6411
N65	kilocalorie (international table) per gram kelvin	6411
N66	British thermal unit (39 °F)	6411
N67	British thermal unit (59 °F)	6411
N68	British thermal unit (60 °F)	6411
N69	calorie (20 °C)	6411
N70	quad (1015 BtuIT)	6411
N71	therm (EC)	6411
N72	therm (U.S.)	6411
N73	British thermal unit (thermochemical) per pound	6411
N74	British thermal unit (international table) per hour square foot degree Fahrenheit	6411
N75	British thermal unit (thermochemical) per hour square foot degree Fahrenheit	6411
N76	British thermal unit (international table) per second square foot degree Fahrenheit	6411
N77	British thermal unit (thermochemical) per second square foot degree Fahrenheit	6411
N78	kilowatt per square metre kelvin	6411
N79	kelvin per pascal	6411
N80	watt per metre degree Celsius	6411
N81	kilowatt per metre kelvin	6411
N82	kilowatt per metre degree Celsius	6411
N83	metre per degree Celsius metre	6411
N84	degree Fahrenheit hour per British thermal unit (international table)	6411
N85	degree Fahrenheit hour per British thermal unit (thermochemical)	6411
N86	degree Fahrenheit second per British thermal unit (international table)	6411
N87	degree Fahrenheit second per British thermal unit (thermochemical)	6411
N88	degree Fahrenheit hour square foot per British thermal unit (international table) inch	6411
N89	degree Fahrenheit hour square foot per British thermal unit (thermochemical) inch	6411
N90	kilofarad	6411
N91	reciprocal joule	6411
N92	pico Siemens	6411
N93	ampere per pascal	6411
N94	franklin	6411
N95	ampere minute	6411
N96	biot	6411
N97	gilbert	6411
N98	volt per pascal	6411
N99	pico volt	6411

Applicable codes

Code	Name/description	Code list
NA	milligram per kilogram	6411
NAR	number of articles	6411
NB	barge	6411
NBB	number of bobbins	6411
NC	car	6411
NCL	number of cells	6411
ND	net barrel	6411
NE	net litre	6411
NEW	newton	6411
NF	message	6411
NG	net gallon (us)	6411
NH	message hour	6411
NI	net imperial gallon	6411
NIL	nil	6411
NIU	number of international units	6411
NJ	number of screens	6411
NL	load	6411
NM3	Normalised cubic metre	6411
NMI	nautical mile	6411
NMP	number of packs	6411
NN	train	6411
NPL	number of parcels	6411
NPR	number of pairs	6411
NPT	number of parts	6411
NQ	mho	6411
NR	micromho	6411
NRL	number of rolls	6411
NT	net ton	6411
NTT	net register ton	6411
NTU	Nephelometric turbidity unit	6411
NU	newton metre	6411
NV	vehicle	6411
NX	part per thousand	6411
NY	pound per air dry metric ton	6411
OA	panel	6411
ODE	ozone depletion equivalent	6411
ODG	ODS Grams	6411
ODK	ODS Kilograms	6411
ODM	ODS Milligrams	6411
OHM	ohm	6411
ON	ounce per square yard	6411
ONZ	ounce (avoirdupois)	6411
OP	two pack	6411
OPM	oscillations per minute	6411
OT	overtime hour	6411
OZ	ounce av	6411
OZA	fluid ounce (US)	6411
OZI	fluid ounce (UK)	6411
P0	page - electronic	6411
P1	percent	6411
P10	coulomb per metre	6411
P11	kiloweber	6411
P12	gamma	6411
P13	kilotesla	6411
P14	joule per second	6411

Applicable codes

Code	Name/description	Code list
P15	joule per minute	6411
P16	joule per hour	6411
P17	joule per day	6411
P18	kilojoule per second	6411
P19	kilojoule per minute	6411
P2	pound per foot	6411
P20	kilojoule per hour	6411
P21	kilojoule per day	6411
P22	nanoohm	6411
P23	ohm circular-mil per foot	6411
P24	kilohenry	6411
P25	lumen per square foot	6411
P26	phot	6411
P27	footcandle	6411
P28	candela per square inch	6411
P29	footlambert	6411
P3	three pack	6411
P30	lambert	6411
P31	stilb	6411
P32	candela per square foot	6411
P33	kilocandela	6411
P34	millicandela	6411
P35	Hefner-Kerze	6411
P36	international candle	6411
P37	British thermal unit (international table) per square foot	6411
P38	British thermal unit (thermochemical) per square foot	6411
P39	calorie (thermochemical) per square centimetre	6411
P4	four pack	6411
P40	langley	6411
P41	decade (logarithmic)	6411
P42	pascal squared second	6411
P43	bel per metre	6411
P44	pound mole	6411
P45	pound mole per second	6411
P46	pound mole per minute	6411
P47	kilomole per kilogram	6411
P48	pound mole per pound	6411
P49	newton square metre per ampere	6411
P5	five pack	6411
P50	weber metre	6411
P51	mol per kilogram pascal	6411
P52	mol per cubic metre pascal	6411
P53	unit pole	6411
P54	milligray per second	6411
P55	microgray per second	6411
P56	nanogray per second	6411
P57	gray per minute	6411
P58	milligray per minute	6411
P59	microgray per minute	6411
P6	six pack	6411
P60	nanogray per minute	6411
P61	gray per hour	6411
P62	milligray per hour	6411
P63	microgray per hour	6411
P64	nanogray per hour	6411

Applicable codes

Code	Name/description	Code list
P65	sievert per second	6411
P66	millisievert per second	6411
P67	microsievert per second	6411
P68	nanosievert per second	6411
P69	rem per second	6411
P7	seven pack	6411
P70	sievert per hour	6411
P71	millisievert per hour	6411
P72	microsievert per hour	6411
P73	nanosievert per hour	6411
P74	sievert per minute	6411
P75	millisievert per minute	6411
P76	microsievert per minute	6411
P77	nanosievert per minute	6411
P78	reciprocal square inch	6411
P79	pascal square metre per kilogram	6411
P8	eight pack	6411
P80	millipascal per metre	6411
P81	kilopascal per metre	6411
P82	hectopascal per metre	6411
P83	standard atmosphere per metre	6411
P84	technical atmosphere per metre	6411
P85	torr per metre	6411
P86	psi per inch	6411
P87	cubic metre per second square metre	6411
P88	rhe	6411
P89	pound-force foot per inch	6411
P9	nine pack	6411
P90	pound-force inch per inch	6411
P91	perm (0 °C)	6411
P92	perm (23 °C)	6411
P93	byte per second	6411
P94	kilobyte per second	6411
P95	megabyte per second	6411
P96	reciprocal volt	6411
P97	reciprocal radian	6411
P98	pascal to the power sum of stoichiometric numbers	6411
P99	mole per cubic metre to the power sum of stoichiometric numbers	6411
PA	packet	6411
PAL	pascal	6411
PB	pair inch	6411
PCE	piece	6411
PD	pad	6411
PE	pound equivalent	6411
PF	pallet (lift)	6411
PFL	proof litre	6411
PG	plate	6411
PGL	proof gallon	6411
PI	pitch	6411
PK	pack	6411
PL	pail	6411
PLA	degree Plato	6411
PM	pound percentage	6411
PN	pound net	6411
PO	pound per inch of length	6411

Applicable codes

Code	Name/description	Code list
PQ	page per inch	6411
PR	pair	6411
PS	pound-force per square inch	6411
PT	pint (US)	6411
PTD	dry pint (US)	6411
PTI	pint (UK)	6411
PTL	liquid pint (US)	6411
PTN	portion	6411
PU	tray / tray pack	6411
PV	half pint (US)	6411
PW	pound per inch of width	6411
PY	peck dry (US)	6411
PZ	peck dry (UK)	6411
Q10	joule per tesla	6411
Q11	erlang	6411
Q12	octet	6411
Q13	octet per second	6411
Q14	shannon	6411
Q15	hartley	6411
Q16	natural unit of information	6411
Q17	shannon per second	6411
Q18	hartley per second	6411
Q19	natural unit of information per second	6411
Q20	second per kilogramm	6411
Q21	watt square metre	6411
Q22	second per radian cubic metre	6411
Q23	weber to the power minus one	6411
Q24	reciprocal inch	6411
Q25	diopetre	6411
Q26	one per one	6411
Q27	newton metre per metre	6411
Q28	kilogram per square metre pascal second	6411
Q29	microgram per hectogram	6411
Q3	meal	6411
Q30	pH (potential of Hydrogen)	6411
Q31	kilojoule per gram	6411
Q32	femtolitre	6411
Q33	picolitre	6411
Q34	nanolitre	6411
Q35	megawatts per minute	6411
Q36	square metre per cubic metre	6411
Q37	Standard cubic metre per day	6411
Q38	Standard cubic metre per hour	6411
Q39	Normalized cubic metre per day	6411
Q40	Normalized cubic metre per hour	6411
Q41	Joule per normalised cubic metre	6411
Q42	Joule per standard cubic metre	6411
QA	page - facsimile	6411
QAN	quarter (of a year)	6411
QB	page - hardcopy	6411
QD	quarter dozen	6411
QH	quarter hour	6411
QK	quarter kilogram	6411
QR	quire	6411
QT	quart (US)	6411

Applicable codes

Code	Name/description	Code list
QTD	dry quart (US)	6411
QTI	quart (UK)	6411
QTL	liquid quart (US)	6411
QTR	quarter (UK)	6411
R1	pica	6411
R4	calorie	6411
R9	thousand cubic metre	6411
RA	rack	6411
RD	rod	6411
RG	ring	6411
RH	running or operating hour	6411
RK	roll metric measure	6411
RL	reel	6411
RM	ream	6411
RN	ream metric measure	6411
RO	roll	6411
ROM	room	6411
RP	pound per ream	6411
RPM	revolutions per minute	6411
RPS	revolutions per second	6411
RS	reset	6411
RT	revenue ton mile	6411
RU	run	6411
S3	square foot per second	6411
S4	square metre per second	6411
S5	sixty fourths of an inch	6411
S6	session	6411
S7	storage unit	6411
S8	standard advertising unit	6411
SA	sack	6411
SAN	half year (6 months)	6411
SCO	score	6411
SCR	scruple	6411
SD	solid pound	6411
SE	section	6411
SEC	second [unit of time]	6411
SET	set	6411
SG	segment	6411
SHT	shipping ton	6411
SIE	siemens	6411
SK	split tank truck	6411
SL	slipsheet	6411
SM3	Standard cubic metre	6411
SMI	mile (statute mile)	6411
SN	square rod	6411
SO	spool	6411
SP	shelf package	6411
SQ	square	6411
SQR	square, roofing	6411
SR	strip	6411
SS	sheet metric measure	6411
SST	short standard (7200 matches)	6411
ST	sheet	6411
STC	stick	6411
STI	stone (UK)	6411

Applicable codes

Code	Name/description	Code list
STK	stick, cigarette	6411
STL	standard litre	6411
STN	ton (US) or short ton (UK/US)	6411
STW	straw	6411
SV	skid	6411
SW	skein	6411
SX	shipment	6411
SYR	syringe	6411
T0	telecommunication line in service	6411
T1	thousand pound gross	6411
T3	thousand piece	6411
T4	thousand bag	6411
T5	thousand casing	6411
T6	thousand gallon (US)	6411
T7	thousand impression	6411
T8	thousand linear inch	6411
TA	tenth cubic foot	6411
TAH	kiloampere hour (thousand ampere hour)	6411
TAN	total acid number	6411
TC	truckload	6411
TD	therm	6411
TE	tote	6411
TF	ten square yard	6411
TI	thousand square inch	6411
TIC	metric ton, including container	6411
TIP	metric ton, including inner packaging	6411
TJ	thousand square centimetre	6411
TK	tank, rectangular	6411
TKM	tonne kilometre	6411
TL	thousand feet (linear)	6411
TMS	kilogram of imported meat, less offal	6411
TN	tin	6411
TNE	tonne (metric ton)	6411
TP	ten pack	6411
TPI	teeth per inch	6411
TPR	ten pair	6411
TQ	thousand feet	6411
TQD	thousand cubic metre per day	6411
TR	ten square feet	6411
TRL	trillion (EUR)	6411
TS	thousand square feet	6411
TSD	tonne of substance 90 % dry	6411
TSH	ton of steam per hour	6411
TST	ten set	6411
TT	thousand linear metre	6411
TTS	ten thousand sticks	6411
TU	tube	6411
TV	thousand kilogram	6411
TW	thousand sheet	6411
TY	tank, cylindrical	6411
U1	treatment	6411
U2	tablet	6411
UA	torr	6411
UB	telecommunication line in service average	6411
UC	telecommunication port	6411

Applicable codes

Code	Name/description	Code list
UD	tenth minute	6411
UE	tenth hour	6411
UF	usage per telecommunication line average	6411
UH	ten thousand yard	6411
UIG	international unit per gram	6411
UM	million unit	6411
VA	volt - ampere per kilogram	6411
VI	vial	6411
VL	volt	6411
VP	percent volume	6411
VQ	bulk	6411
VS	visit	6411
W2	wet kilo	6411
W4	two week	6411
WA	watt per kilogram	6411
WB	wet pound	6411
WCD	cord	6411
WE	wet ton	6411
WEB	weber	6411
WEE	week	6411
WG	wine gallon	6411
WH	wheel	6411
WHR	watt hour	6411
WI	weight per square inch	6411
WM	working month	6411
WR	wrap	6411
WSD	standard	6411
WTT	watt	6411
WW	millilitre of water	6411
X1	Gunter's chain	6411
YDK	square yard	6411
YDQ	cubic yard	6411
YL	hundred linear yard	6411
YRD	yard	6411
YT	ten yard	6411
Z1	lift van	6411
Z11	hanging container	6411
Z2	chest	6411
Z3	cask	6411
Z4	hogshead	6411
Z5	lug	6411
Z6	conference point	6411
Z8	newspage agate line	6411
Z9	nanomole	6411
ZP	page	6411
ZZ	mutually defined	6411

7065 Package type description code

Code	Name/description	Code list
43	Bag, super bulk	7065
44	Bag, polybag	7065
1A	Drum, steel	7065
1B	Drum, aluminium	7065
1D	Drum, plywood	7065
1F	Container, flexible	7065

Applicable codes

Code	Name/description	Code list
1G	Drum, fibre	7065
1W	Drum, wooden	7065
2C	Barrel, wooden	7065
3A	Jerrican, steel	7065
3H	Jerrican, plastic	7065
4A	Box, steel	7065
4B	Box, aluminium	7065
4C	Box, natural wood	7065
4D	Box, plywood	7065
4F	Box, reconstituted wood	7065
4G	Box, fibreboard	7065
4H	Box, plastic	7065
5H	Bag, woven plastic	7065
5L	Bag, textile	7065
5M	Bag, paper	7065
6H	Composite packaging, plastic receptacle	7065
6P	Composite packaging, glass receptacle	7065
7A	Case, car	7065
7B	Case, wooden	7065
8A	Pallet, wooden	7065
8B	Crate, wooden	7065
8C	Bundle, wooden	7065
AA	Intermediate bulk container, rigid plastic	7065
AB	Receptacle, fibre	7065
AC	Receptacle, paper	7065
AD	Receptacle, wooden	7065
AE	Aerosol	7065
AF	Pallet, modular, collars 80cms × 60cms	7065
AG	Pallet, shrinkwrapped	7065
AH	Pallet, 100cms × 110cms	7065
AI	Clamshell	7065
AJ	Cone	7065
AL	Ball	7065
AM	Ampoule, non-protected	7065
AP	Ampoule, protected	7065
AT	Atomizer	7065
AV	Capsule	7065
B4	Belt	7065
BA	Barrel	7065
BB	Bobbin	7065
BC	Bottlecrate / bottlerack	7065
BD	Board	7065
BE	Bundle	7065
BF	Balloon, non-protected	7065
BG	Bag	7065
BH	Bunch	7065
BI	Bin	7065
BJ	Bucket	7065
BK	Basket	7065
BL	Bale, compressed	7065
BM	Basin	7065
BN	Bale, non-compressed	7065
BO	Bottle, non-protected, cylindrical	7065
BP	Balloon, protected	7065
BQ	Bottle, protected cylindrical	7065

Applicable codes

Code	Name/description	Code list
BR	Bar	7065
BS	Bottle, non-protected, bulbous	7065
BT	Bolt	7065
BU	Butt	7065
BV	Bottle, protected bulbous	7065
BW	Box, for liquids	7065
BX	Box	7065
BY	Board, in bundle/bunch/truss	7065
BZ	Bars, in bundle/bunch/truss	7065
CA	Can, rectangular	7065
CB	Crate, beer	7065
CC	Churn	7065
CD	Can, with handle and spout	7065
CE	Creel	7065
CF	Coffer	7065
CG	Cage	7065
CH	Chest	7065
CI	Canister	7065
CJ	Coffin	7065
CK	Cask	7065
CL	Coil	7065
CM	Card	7065
CN	Container, not otherwise specified as transport equipment	7065
CO	Carboy, non-protected	7065
CP	Carboy, protected	7065
CQ	Cartridge	7065
CR	Crate	7065
CS	Case	7065
CT	Carton	7065
CU	Cup	7065
CV	Cover	7065
CW	Cage, roll	7065
CX	Can, cylindrical	7065
CY	Cylinder	7065
CZ	Canvas	7065
DA	Crate, multiple layer, plastic	7065
DB	Crate, multiple layer, wooden	7065
DC	Crate, multiple layer, cardboard	7065
DG	Cage, Commonwealth Handling Equipment Pool (CHEP)	7065
DH	Box, Commonwealth Handling Equipment Pool (CHEP), Eurobox	7065
DI	Drum, iron	7065
DJ	Demijohn, non-protected	7065
DK	Crate, bulk, cardboard	7065
DL	Crate, bulk, plastic	7065
DM	Crate, bulk, wooden	7065
DN	Dispenser	7065
DP	Demijohn, protected	7065
DR	Drum	7065
DS	Tray, one layer no cover, plastic	7065
DT	Tray, one layer no cover, wooden	7065
DU	Tray, one layer no cover, polystyrene	7065
DV	Tray, one layer no cover, cardboard	7065
DW	Tray, two layers no cover, plastic tray	7065
DX	Tray, two layers no cover, wooden	7065
DY	Tray, two layers no cover, cardboard	7065

Applicable codes

Code	Name/description	Code list
EC	Bag, plastic	7065
ED	Case, with pallet base	7065
EE	Case, with pallet base, wooden	7065
EF	Case, with pallet base, cardboard	7065
EG	Case, with pallet base, plastic	7065
EH	Case, with pallet base, metal	7065
EI	Case, isothermic	7065
EN	Envelope	7065
FB	Flexibag	7065
FC	Crate, fruit	7065
FD	Crate, framed	7065
FE	Flexitank	7065
FI	Firkin	7065
FL	Flask	7065
FO	Footlocker	7065
FP	Filmpack	7065
FR	Frame	7065
FT	Foodtainer	7065
FW	Cart, flatbed	7065
FX	Bag, flexible container	7065
GB	Bottle, gas	7065
GI	Girder	7065
GL	Container, gallon	7065
GR	Receptacle, glass	7065
GU	Tray, containing horizontally stacked flat items	7065
GY	Bag, gunny	7065
GZ	Girders, in bundle/bunch/truss	7065
HA	Basket, with handle, plastic	7065
HB	Basket, with handle, wooden	7065
HC	Basket, with handle, cardboard	7065
HG	Hogshead	7065
HN	Hanger	7065
HR	Hamper	7065
IA	Package, display, wooden	7065
IB	Package, display, cardboard	7065
IC	Package, display, plastic	7065
ID	Package, display, metal	7065
IE	Package, show	7065
IF	Package, flow	7065
IG	Package, paper wrapped	7065
IH	Drum, plastic	7065
IK	Package, cardboard, with bottle grip-holes	7065
IL	Tray, rigid, lidded stackable (CEN TS 14482:2002)	7065
IN	Ingot	7065
IZ	Ingots, in bundle/bunch/truss	7065
JB	Bag, jumbo	7065
JC	Jerrican, rectangular	7065
JG	Jug	7065
JR	Jar	7065
JT	Jutebag	7065
JY	Jerrican, cylindrical	7065
KG	Keg	7065
KI	Kit	7065
LE	Luggage	7065
LG	Log	7065

Applicable codes

Code	Name/description	Code list
LT	Lot	7065
LU	Lug	7065
LV	Liftvan	7065
LZ	Logs, in bundle/bunch/truss	7065
MA	Crate, metal	7065
MB	Bag, multiply	7065
MC	Crate, milk	7065
ME	Container, metal	7065
MR	Receptacle, metal	7065
MS	Sack, multi-wall	7065
MT	Mat	7065
MW	Receptacle, plastic wrapped	7065
MX	Matchbox	7065
NA	Not available	7065
NE	Unpacked or unpackaged	7065
NF	Unpacked or unpackaged, single unit	7065
NG	Unpacked or unpackaged, multiple units	7065
NS	Nest	7065
NT	Net	7065
NU	Net, tube, plastic	7065
NV	Net, tube, textile	7065
O1	Two sided cage on wheels with fixing strap	7065
O2	Trolley	7065
O3	Oneway pallet ISO 0 - 1/2 EURO Pallet	7065
O4	Oneway pallet ISO 1 - 1/1 EURO Pallet	7065
O5	Oneway pallet ISO 2 - 2/1 EURO Pallet	7065
O6	Pallet with exceptional dimensions	7065
O7	Wooden pallet 40 cm x 80 cm	7065
O8	Plastic pallet SRS 60 cm x 80 cm	7065
O9	Plastic pallet SRS 80 cm x 120 cm	7065
OA	Pallet, CHEP 40 cm x 60 cm	7065
OB	Pallet, CHEP 80 cm x 120 cm	7065
OC	Pallet, CHEP 100 cm x 120 cm	7065
OD	Pallet, AS 4068-1993	7065
OE	Pallet, ISO T11	7065
OF	Platform, unspecified weight or dimension	7065
OG	Pallet ISO 0 - 1/2 EURO Pallet	7065
OH	Pallet ISO 1 - 1/1 EURO Pallet	7065
OI	Pallet ISO 2 - 2/1 EURO Pallet	7065
OJ	1/4 EURO Pallet	7065
OK	Block	7065
OL	1/8 EURO Pallet	7065
OM	Synthetic pallet ISO 1	7065
ON	Synthetic pallet ISO 2	7065
OP	Wholesaler pallet	7065
OQ	Pallet 80 X 100 cm	7065
OR	Pallet 60 X 100 cm	7065
OS	Oneway pallet	7065
OT	Octabin	7065
OU	Container, outer	7065
OV	Returnable pallet	7065
OW	Large bag, pallet sized	7065
OX	A wheeled pallet with raised rim (81 x 67 x 135)	7065
OY	A wheeled pallet with raised rim (81 x 72 x 135)	7065
OZ	A wheeled pallet with raised rim (81 x 60 x 16)	7065

Applicable codes

Code	Name/description	Code list
P1	CHEP pallet 60 cm x 80 cm	7065
P2	Pan	7065
P3	LPR pallet 60 cm x 80 cm	7065
P4	LPR pallet 80 cm x 120 cm	7065
PA	Packet	7065
PB	Pallet, box	7065
PC	Parcel	7065
PD	Pallet, modular, collars 80cms * 100cms	7065
PE	Pallet, modular, collars 80cms * 120cms	7065
PF	Pen	7065
PG	Plate	7065
PH	Pitcher	7065
PI	Pipe	7065
PJ	Punnet	7065
PK	Package	7065
PL	Pail	7065
PN	Plank	7065
PO	Pouch	7065
PP	Piece	7065
PR	Receptacle, plastic	7065
PT	Pot	7065
PU	Tray pack	7065
PV	Pipes, in bundle/bunch/truss	7065
PX	Pallet	7065
PY	Plates, in bundle/bunch/truss	7065
PZ	Planks, in bundle/bunch/truss	7065
QA	Drum, steel, non-removable head	7065
QB	Drum, steel, removable head	7065
QC	Drum, aluminium, non-removable head	7065
QD	Drum, aluminium, removable head	7065
QF	Drum, plastic, non-removable head	7065
QG	Drum, plastic, removable head	7065
QH	Barrel, wooden, bung type	7065
QJ	Barrel, wooden, removable head	7065
QK	Jerrican, steel, non-removable head	7065
QL	Jerrican, steel, removable head	7065
QM	Jerrican, plastic, non-removable head	7065
QN	Jerrican, plastic, removable head	7065
QP	Box, wooden, natural wood, ordinary	7065
QQ	Box, wooden, natural wood, with sift proof walls	7065
QR	Box, plastic, expanded	7065
QS	Box, plastic, solid	7065
RD	Rod	7065
RG	Ring	7065
RJ	Rack, clothing hanger	7065
RK	Rack	7065
RL	Reel	7065
RO	Roll	7065
RT	Rednet	7065
RZ	Rods, in bundle/bunch/truss	7065
SA	Sack	7065
SB	Slab	7065
SC	Crate, shallow	7065
SD	Spindle	7065
SE	Sea-chest	7065

Applicable codes

Code	Name/description	Code list
SH	Sachet	7065
SI	Skid	7065
SK	Case, skeleton	7065
SL	Slipsheet	7065
SM	Sheetmetal	7065
SO	Spool	7065
SP	Sheet, plastic wrapping	7065
SS	Case, steel	7065
ST	Sheet	7065
SU	Suitcase	7065
SV	Envelope, steel	7065
SW	Shrinkwrapped	7065
SX	Set	7065
SY	Sleeve	7065
SZ	Sheets, in bundle/bunch/truss	7065
T1	Tablet	7065
TB	Tub	7065
TC	Tea-chest	7065
TD	Tube, collapsible	7065
TE	Tyre	7065
TG	Tank container, generic	7065
TI	Tierce T1	7065
TK	Tank, rectangular	7065
TL	Tub, with lid	7065
TN	Tin	7065
TO	Tun	7065
TR	Trunk	7065
TS	Truss	7065
TT	Bag, tote	7065
TU	Tube	7065
TV	Tube, with nozzle	7065
TW	Pallet, triwall	7065
TY	Tank, cylindrical	7065
TZ	Tubes, in bundle/bunch/truss	7065
UC	Uncaged	7065
UN	Unit	7065
VA	Vat	7065
VG	Bulk, gas (at 1031 mbar and 15 degree C)	7065
VI	Vial	7065
VK	Vanpack	7065
VL	Bulk, liquid	7065
VN	Vehicle	7065
VO	Bulk, solid, large particles ("nodules")	7065
VP	Vacuum-packed	7065
VQ	Bulk, liquefied gas (at abnormal temperature/pressure)	7065
VR	Bulk, solid, granular particles ("grains")	7065
VS	Bulk, scrap metal	7065
VY	Bulk, solid, fine particles ("powders")	7065
WA	Intermediate bulk container	7065
WB	Wickerbottle	7065
WC	Intermediate bulk container, steel	7065
WD	Intermediate bulk container, aluminium	7065
WF	Intermediate bulk container, metal	7065
WG	Intermediate bulk container, steel, pressurised > 10 kpa	7065
WH	Intermediate bulk container, aluminium, pressurised > 10 kpa	7065

Applicable codes

Code	Name/description	Code list
WJ	Intermediate bulk container, metal, pressure 10 kpa	7065
WK	Intermediate bulk container, steel, liquid	7065
WL	Intermediate bulk container, aluminium, liquid	7065
WM	Intermediate bulk container, metal, liquid	7065
WN	Intermediate bulk container, woven plastic, without coat/liner	7065
WP	Intermediate bulk container, woven plastic, coated	7065
WQ	Intermediate bulk container, woven plastic, with liner	7065
WR	Intermediate bulk container, woven plastic, coated and liner	7065
WS	Intermediate bulk container, plastic film	7065
WT	Intermediate bulk container, textile with out coat/liner	7065
WU	Intermediate bulk container, natural wood, with inner liner	7065
WV	Intermediate bulk container, textile, coated	7065
WW	Intermediate bulk container, textile, with liner	7065
WX	Intermediate bulk container, textile, coated and liner	7065
WY	Intermediate bulk container, plywood, with inner liner	7065
WZ	Intermediate bulk container, reconstituted wood, with inner liner	7065
XA	Bag, woven plastic, without inner coat/liner	7065
XB	Bag, woven plastic, sift proof	7065
XC	Bag, woven plastic, water resistant	7065
XD	Bag, plastics film	7065
XF	Bag, textile, without inner coat/liner	7065
XG	Bag, textile, sift proof	7065
XH	Bag, textile, water resistant	7065
XJ	Bag, paper, multi-wall	7065
XK	Bag, paper, multi-wall, water resistant	7065
YA	Composite packaging, plastic receptacle in steel drum	7065
YB	Composite packaging, plastic receptacle in steel crate box	7065
YC	Composite packaging, plastic receptacle in aluminium drum	7065
YD	Composite packaging, plastic receptacle in aluminium crate	7065
YF	Composite packaging, plastic receptacle in wooden box	7065
YG	Composite packaging, plastic receptacle in plywood drum	7065
YH	Composite packaging, plastic receptacle in plywood box	7065
YJ	Composite packaging, plastic receptacle in fibre drum	7065
YK	Composite packaging, plastic receptacle in fibreboard box	7065
YL	Composite packaging, plastic receptacle in plastic drum	7065
YM	Composite packaging, plastic receptacle in solid plastic box	7065
YN	Composite packaging, glass receptacle in steel drum	7065
YP	Composite packaging, glass receptacle in steel crate box	7065
YQ	Composite packaging, glass receptacle in aluminium drum	7065
YR	Composite packaging, glass receptacle in aluminium crate	7065
YS	Composite packaging, glass receptacle in wooden box	7065
YT	Composite packaging, glass receptacle in plywood drum	7065
YV	Composite packaging, glass receptacle in wickerwork hamper	7065
YW	Composite packaging, glass receptacle in fibre drum	7065
YX	Composite packaging, glass receptacle in fibreboard box	7065
YY	Composite packaging, glass receptacle in expandable plastic pack	7065
YZ	Composite packaging, glass receptacle in solid plastic pack	7065
ZA	Intermediate bulk container, paper, multi-wall	7065
ZB	Bag, large	7065
ZC	Intermediate bulk container, paper, multi-wall, water resistant	7065
ZD	Intermediate bulk container, rigid plastic, with structural equipment, solids	7065
ZF	Intermediate bulk container, rigid plastic, freestanding, solids	7065
ZG	Intermediate bulk container, rigid plastic, with structural equipment, pressurised	7065
ZH	Intermediate bulk container, rigid plastic, freestanding, pressurised	7065
ZJ	Intermediate bulk container, rigid plastic, with structural equipment, liquids	7065

Applicable codes

Code	Name/description	Code list
ZK	Intermediate bulk container, rigid plastic, freestanding, liquids	7065
ZL	Intermediate bulk container, composite, rigid plastic, solids	7065
ZM	Intermediate bulk container, composite, flexible plastic, solids	7065
ZN	Intermediate bulk container, composite, rigid plastic, pressurised	7065
ZP	Intermediate bulk container, composite, flexible plastic, pressurised	7065
ZQ	Intermediate bulk container, composite, rigid plastic, liquids	7065
ZR	Intermediate bulk container, composite, flexible plastic, liquids	7065
ZS	Intermediate bulk container, composite	7065
ZT	Intermediate bulk container, fibreboard	7065
ZU	Intermediate bulk container, flexible	7065
ZV	Intermediate bulk container, metal, other than steel	7065
ZW	Intermediate bulk container, natural wood	7065
ZX	Intermediate bulk container, plywood	7065
ZY	Intermediate bulk container, reconstituted wood	7065
ZZ	Mutually defined	7065
7073 Packaging terms and conditions code		
Code	Name/description	Code list
1	Packaging cost paid by supplier	7073
2	Packaging cost paid by recipient	7073
3	Packaging cost not charged (returnable)	7073
4	Buyer's	7073
5	Carrier's durable	7073
6	Carrier's expendable	7073
7	Seller's durable	7073
8	Seller's expendable	7073
9	Special purpose buyer's durable	7073
10	Special purpose buyer's expendable	7073
11	Multiple usage buyer's durable	7073
12	Multiple usage seller's durable	7073
13	Not packed	7073
14	Special purpose seller's durable	7073
15	Export quality	7073
16	Domestic quality	7073
17	Packaging included in price	7073
18	Packaging costs split	7073
19	Packaging costs invoiced separately	7073
20	Nil packaging costs	7073
21	Nil packaging costs if packaging returned	7073
22	Return chargeable	7073
23	Chargeable, two thirds of paid amount with credit note on return of loaned package	7073
24	Rented	7073
25	Safe return deposit	7073
26	Not reusable	7073
27	Package exchangeable at the point of delivery	7073
28	Tamper evident package	7073
29	Labeled	7073
30	Package not marked returnable	7073
31	Unpack from	7073
32	Repack in	7073
33	Pack in	7073
34	Packaging recycling fee paid by supplier	7073
7075 Packaging level code		

Applicable codes

Code	Name/description	Code list
1	Inner	7075
2	Intermediate	7075
3	Outer	7075
4	No packaging hierarchy	7075
7077	Description format code	
Code	Name/description	Code list
A	Free-form long description	7077
B	Code and text	7077
C	Code (from industry code list)	7077
D	Free-form price look up	7077
E	Free-form short description	7077
F	Free-form	7077
S	Structured (from industry code list)	7077
X	Semi-structured (code + text)	7077
7081	Item characteristic code	
Code	Name/description	Code list
61	New article	7081
7143	Item type identification code	
Code	Name/description	Code list
CL	Colour number	7143
EN	International Article Numbering Association (EAN)	7143
IN	Buyer's item number	7143
MN	Model number	7143
RY	Record keeping of model year	7143
SA	Supplier's article number	7143
UA	Ultimate customer's article number	7143
7233	Packaging related description code	
Code	Name/description	Code list
35	Type of package	7233
37	Package protection	7233
7405	Object identification code qualifier	
Code	Name/description	Code list
BN	Serial number	7405
ML	Marking/label number	7405
7511	Marking type code	
Code	Name/description	Code list
G	Unique number assigned to a mixed handling unit	JAI019
M	Unique number assigned to a homogeneous handling unit	JAI019
S	Unique number assigned to a simplified handling unit	JAI019
8051	Transport stage code qualifier	
Code	Name/description	Code list
12	At departure	8051
8067	Transport mode name code	
Code	Name/description	Code list
1	Maritime transport	8067
2	Rail transport	8067
3	Road transport	8067
4	Air transport	8067
5	Mail	8067

Applicable codes

8273 Dangerous goods regulations code		
Code	Name/description	Code list
ADR	European agreement on the international carriage of dangerous goods on road (ADR)	8273
ADS	NDR European agreement for the transport of dangerous goods on the river Rhine	8273
ADT	CA, Transport Canada's dangerous goods requirements	8273
ADU	JP, Japanese maritime safety agency dangerous goods regulation code	8273
ADV	MARPOL 73/78	8273
ADW	GHS regulation	8273
ADX	Transport emergency (TREM) card	8273
ADY	IBC Code	8273
ADZ	IGC Code	8273
AEA	IMSBC Code	8273
AEB	MARPOL Annex I	8273
AGS	DE, ADR and GGVS combined regulations for combined transport	8273
ANR	ADNR, Autorisation de transport de matieres Dangereuses pour la Navigation sur le Rhin	8273
ARD	DE, ARD and RID - Combined regulations for combined transport	8273
CFR	US, 49 Code of federal regulations	8273
COM	DE, ADR, RID, GGVS and GGVE - Combined regulations for combined transport	8273
GVE	DE, GGVE (Gefahrgutverordnung Eisenbahn)	8273
GVS	DE, GGVS (Gefahrgutverordnung Strasse)	8273
ICA	IATA ICAO	8273
IMD	IMO IMDG code	8273
RGE	DE, RID and GGVE, Combined regulations for combined transport on rails	8273
RID	Railroad dangerous goods book (RID)	8273
UI	UK IMO book	8273
ZZZ	Mutually defined	8273
8457 Excess transportation reason code		
Code	Name/description	Code list
ZZZ	Mutually defined	8457
8459 Excess transportation responsibility code		
Code	Name/description	Code list
B	Material release issuer	8459
S	Supplier authority	8459
9213 Duty regime type code		
Code	Name/description	Code list
1	Origin subject to EC/EFTA preference	9213
2	Origin subject to other preference agreement	9213
3	No preference origin	9213